



SPEC[®] CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation


SPECfp[®]_rate2006 = 1360

IBM Power 760 (3.4 GHz, 48 core, SLES)

SPECfp_rate_base2006 = 1190

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: IBM Corporation

Test date: Jan-2013
Hardware Availability: Mar-2013
Software Availability: Dec-2012



Hardware

CPU Name: POWER7+
CPU Characteristics: Intelligent Energy Optimization enabled, up to 3.787 GHz
CPU MHz: 3416
FPU: Integrated
CPU(s) enabled: 48 cores, 8 chips, 6 cores/chip, 4 threads/core
CPU(s) orderable: 12, 24, 36, 48 cores
Primary Cache: 32 KB I + 32 KB D on chip per core

Continued on next page

Software

Operating System: SUSE Linux Enterprise Server 11 SP2 (ppc64) kernel 3.0.42-0.7-ppc64
Compiler: C/C++: Version 12.1 of IBM XL C/C++ for Linux; Fortran: Version 14.1 of IBM XL Fortran for Linux
Auto Parallel: No
File System: ext3
System State: Run level 3 (multi-user)
Base Pointers: 32-bit
Peak Pointers: 32/64-bit

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1360

IBM Power 760 (3.4 GHz, 48 core, SLES)

SPECfp_rate_base2006 = 1190

CPU2006 license: 11

Test date: Jan-2013

Test sponsor: IBM Corporation

Hardware Availability: Mar-2013

Tested by: IBM Corporation

Software Availability: Dec-2012

Secondary Cache: 256 KB I+D on chip per core
 L3 Cache: 10 MB I+D on chip per core
 Other Cache: None
 Memory: 512 GB (64 x 8 GB) DDR3 1066 MHz
 Disk Subsystem: 3 x 146.8 GB Raid0 SAS SFF 15K RPM
 Other Hardware: None

Other Software: -Post-Link Optimization for Linux on POWER, version 5.6.1-7
 -MicroQuill SmartHeap 9
 -Apache C++ Standard Library V4.2.1

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	192	2995	871	2994	871	2993	872	48	709	920	709	920	710	919
416.gamess	192	2547	1480	2545	1480	2547	1480	192	2518	1490	2511	1500	2523	1490
433.milc	192	2063	854	2064	854	2069	852	48	490	899	490	899	490	899
434.zeusmp	192	1157	1510	1158	1510	1156	1510	192	1157	1510	1158	1510	1156	1510
435.gromacs	192	1062	1290	1054	1300	1059	1290	192	1024	1340	1047	1310	1031	1330
436.cactusADM	192	1487	1540	1500	1530	1496	1530	48	257	2230	257	2230	257	2230
437.leslie3d	192	3154	572	3151	573	3149	573	48	646	698	650	694	649	695
444.namd	192	795	1940	787	1960	787	1960	192	786	1960	780	1970	778	1980
447.dealII	192	831	2640	814	2700	820	2680	192	697	3150	684	3210	686	3200
450.soplex	192	2281	702	2187	732	2185	733	48	535	748	429	933	425	941
453.povray	192	726	1410	727	1400	723	1410	192	536	1910	541	1890	539	1890
454.calculix	192	975	1620	975	1620	972	1630	192	962	1650	973	1630	980	1620
459.GemsFDTD	192	4392	464	4392	464	4396	463	48	1075	474	1075	474	1074	474
465.tonto	192	1062	1780	1057	1790	1061	1780	192	1022	1850	1020	1850	1023	1850
470.lbm	192	2124	1240	2124	1240	2125	1240	192	2124	1240	2124	1240	2125	1240
481.wrf	192	1986	1080	1968	1090	1973	1090	96	950	1130	950	1130	947	1130
482.sphinx3	192	3511	1070	3485	1070	3484	1070	48	452	2070	453	2070	452	2070

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Compiler Invocation Notes

C/C++ compiler updated to December 2012 PTF
 Version: 12.01.0000.0002
 Fortran compiler updated to December 2012 PTF
 Version: 14.01.0000.0002

Peak Tuning Notes

Post-Link optimization tool used for:
 433.milc 435.gromacs 450.soplex 482.sphinx3
 with options -O4 -nodp
 434.zeusmp
 with options -O4 -vrox -nodp
 437.leslie3d

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1360

IBM Power 760 (3.4 GHz, 48 core, SLES)

SPECfp_rate_base2006 = 1190

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Jan-2013

Hardware Availability: Mar-2013

Software Availability: Dec-2012

Peak Tuning Notes (Continued)

```
with options -O3 -lu -1 -nodp -sdp 9
444.namd
with options -O3 -lu -1 -nodp -sdp 9
450.soplex
with options -O4 -nodp
465.tonto
with options -O4
482.sphinx3
with options -O4 -nodp
```

Submit Notes

The config file option 'submit' was used to assign benchmark copy to specific kernel thread using the "numactl" command (see flags file for details).

Operating System Notes

ulimit -s (stack) set to 1048576.

Large pages reserved as follows by root user:
echo 12672 > /proc/sys/vm/nr_hugepages

The Apache C++ Standard Library V4.2.1 was installed from <http://stdcxx.apache.org/download.html> using:
gmake BUILDTYPE=8d CONFIG=gcc.config

The following environment variables were set before the runspec command:
export HUGETLB_VERBOSE=0
export HUGETLB_MORECORE=yes
export HUGETLB_ELFMAP=RW
export XLFRTLOPTS=intrinthds=1

Base Compiler Invocation

C benchmarks:

```
xlc -qlanglvl=extc99
```

C++ benchmarks:

```
xlC
```

Fortran benchmarks:

```
xlF95
```

Benchmarks using both Fortran and C:

```
xlc -qlanglvl=extc99 xlF95
```



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1360

IBM Power 760 (3.4 GHz, 48 core, SLES)

SPECfp_rate_base2006 = 1190

CPU2006 license: 11

Test date: Jan-2013

Test sponsor: IBM Corporation

Hardware Availability: Mar-2013

Tested by: IBM Corporation

Software Availability: Dec-2012

Base Portability Flags

```
410.bwaves: -qfixed
416.gamess: -qfixed
434.zeusmp: -qfixed
435.gromacs: -qfixed -qextname
436.cactusADM: -qfixed -qextname
437.leslie3d: -qfixed
454.calculix: -qfixed -qextname
481.wrf: -DNOUNDERSCORE
482.sphinx3: -qchars=signed
```

Base Optimization Flags

C benchmarks:

```
-O5 -qarch=pwr7 -qtune=pwr7 -q32 -qipa=threads
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align
```

C++ benchmarks:

```
-O5 -qarch=pwr7 -qtune=pwr7 -q32 -qipa=threads -qrtti
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align
```

Fortran benchmarks:

```
-O5 -qarch=pwr7 -qtune=pwr7 -q32 -qipa=threads -qalias=nostd
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align
```

Benchmarks using both Fortran and C:

```
-O5 -qarch=pwr7 -qtune=pwr7 -q32 -qipa=threads
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align -qalias=nostd
```

Base Other Flags

C benchmarks:

C++ benchmarks:

Fortran benchmarks:

Benchmarks using both Fortran and C:

Peak Compiler Invocation

C benchmarks:

```
xlc -qlanglvl=extc99
```

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1360

IBM Power 760 (3.4 GHz, 48 core, SLES)

SPECfp_rate_base2006 = 1190

CPU2006 license: 11

Test date: Jan-2013

Test sponsor: IBM Corporation

Hardware Availability: Mar-2013

Tested by: IBM Corporation

Software Availability: Dec-2012

Peak Compiler Invocation (Continued)

C++ benchmarks:
x1c

Fortran benchmarks:
x1f95

Benchmarks using both Fortran and C:
x1c -qlanglvl=extc99 x1f95

Peak Portability Flags

410.bwaves: -qfixed
416.gamess: -qfixed
434.zeusmp: -qfixed
435.gromacs: -qfixed -qextname
436.cactusADM: -DSPEC_CPU_LP64 -qfixed -qextname
437.leslie3d: -qfixed
453.povray: -DSPEC_CPU_LP64
454.calculix: -qfixed -qextname
481.wrf: -DNOUNDERSCORE
482.sphinx3: -qchars=signed

Peak Optimization Flags

C benchmarks:

433.milc: -Wl,-q -O5 -qarch=pwr7 -qtune=pwr7 -qipa=threads
-lhugetlbfs

470.lbm: basepeak = yes

482.sphinx3: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qarch=pwr7
-qtune=pwr7 -qipa=threads -lhugetlbfs

C++ benchmarks:

444.namd: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7
-qtune=pwr7 -qipa=threads -lhugetlbfs

447.dealII: -O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qrtti
-qcopp_stdinc=/opt/stdcxx421/include/ansi:/opt/stdcxx421/include:/opt/ibmcmp/vacpp/12.1/i
-lsmartheap -L/opt/stdcxx421/lib -R/opt/stdcxx421/lib
-lstd8d

450.soplex: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O3 -qarch=pwr7
-qtune=pwr7 -q64 -lhugetlbfs

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1360

IBM Power 760 (3.4 GHz, 48 core, SLES)

SPECfp_rate_base2006 = 1190

CPU2006 license: 11

Test date: Jan-2013

Test sponsor: IBM Corporation

Hardware Availability: Mar-2013

Tested by: IBM Corporation

Software Availability: Dec-2012

Peak Optimization Flags (Continued)

453.povray: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qarch=pwr7
-qtune=pwr7 -qipa=threads -qsimd -q64 -lsmartheap64

Fortran benchmarks:

410.bwaves: -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qarch=pwr7 -qtune=pwr7
-qipa=threads -qsmallstack=dynlenonheap -q64 -lhugetlbfs

416.gamess: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7 -qtune=pwr7
-qipa=threads -qalias=nostd -lhugetlbfs

434.zeusmp: basepeak = yes

437.leslie3d: -Wl,-q -O5 -qarch=pwr7 -qtune=pwr7 -qipa=threads -q64
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align

459.GemsFDTD: -O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qsimd
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align

465.tonto: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7
-qtune=pwr7 -qipa=threads -qsimd -lhugetlbfs

Benchmarks using both Fortran and C:

435.gromacs: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qarch=pwr7
-qtune=pwr7 -qipa=threads -qsimd -lhugetlbfs

436.cactusADM: -O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qsimd
-qnostrict -q64 -lhugetlbfs

454.calculix: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7 -qtune=pwr7
-qipa=threads -B/usr/share/libhugetlbfs/ -tl
-Wl,--hugetlbfs-align

481.wrf: -O3 -qarch=pwr7 -qtune=pwr7 -q64 -lhugetlbfs

Peak Other Flags

C benchmarks:

C++ benchmarks:

Fortran benchmarks:

Benchmarks using both Fortran and C:



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1360

IBM Power 760 (3.4 GHz, 48 core, SLES)

SPECfp_rate_base2006 = 1190

CPU2006 license: 11

Test date: Jan-2013

Test sponsor: IBM Corporation

Hardware Availability: Mar-2013

Tested by: IBM Corporation

Software Availability: Dec-2012

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/IBM-Power.20130226.html>

<http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20121024.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/IBM-Power.20130226.xml>

<http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20121024.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Thu Jul 24 15:17:23 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 26 February 2013.