



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Sun Microsystems
Sun Blade 2000 (1.015GHz)

SPECfp_rate2000 = 16.1
SPECfp_rate_base2000 = 14.3

SPEC license #: 6 | Tested by: Sun Microsystems, Santa Clara | Test date: Sep-2002 | Hardware Avail: Oct-2002 | Software Avail: Aug-2002

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	2	264	14.1	2	264	14.1
171.swim	2	505	14.2	2	505	14.2
172.mgrid	2	500	8.35	2	500	8.35
173.applu	2	752	6.47	2	355	13.7
177.mesa	2	250	13.0	2	245	13.3
178.galgel	2	187	36.0	2	153	44.0
179.art	2	31.1	194	2	31.1	194
183.equake	2	219	13.8	2	145	20.8
187.facerec	2	218	20.2	2	218	20.2
188.amp	2	444	11.5	2	444	11.5
189.lucas	2	586	7.92	2	461	10.1
191.fma3d	2	595	8.19	2	544	8.95
200.sixtrack	2	437	5.84	2	435	5.86
301.apsi	2	507	11.9	2	504	12.0

Hardware

CPU: UltraSPARC III Cu
 CPU MHz: 1015
 FPU: Integrated
 CPU(s) enabled: 2 cores, 2 chips, 1 core/chip
 CPU(s) orderable: 1-2
 Parallel: No
 Primary Cache: 32KBI+64KBD on chip
 Secondary Cache: 8MB(I+D) off chip
 L3 Cache: None
 Other Cache: None
 Memory: 1GB
 Disk Subsystem: 1 x 73GB
 Other Hardware: None

Software

Operating System: Solaris 8 02/02
 Compiler: Sun ONE Studio 7 and Sun Performance Library 7
 File System: ufs
 System State: Multi-User

Notes/Tuning Information

Portability:
 178.galgel: -e -fixed
 Profile Feedback (-xprofile):
 fdo_pre0: rm -rf ./feedback.profile ./SunWS_cache
 Pass 1: -xprofile=collect:./feedback
 Pass 2: -xprofile=use:./feedback

Base Flags:
 Base C flags: -fast -xipo=2 -xalias_level=std -xprofile
 Base F90 flags: -fast -xcrossfile -lprism32 -xprofile
 ONESTEP=yes for all Fortran benchmarks in base

Peak Flags:
 168.wupwise: basepeak=yes
 171.swim: basepeak=yes
 172.mgrid: basepeak=yes



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Sun Microsystems
Sun Blade 2000 (1.015GHz)

SPECfp_rate2000 = 16.1
SPECfp_rate_base2000 = 14.3

SPEC license #: 6 | Tested by: Sun Microsystems, Santa Clara | Test date: Sep-2002 | Hardware Avail: Oct-2002 | Software Avail: Aug-2002

Notes/Tuning Information (Continued)

```

173.applu: -fast -Qoption iropt -Adata_access,-Mt7000,-Mm14000,-Mr40000,-Ma400,-whole
          -xregs=syst -Qoption iropt -Rscallarrep,-MR -Qoption cg -Qlp=1-av=192-fa=1
          -Qoption f90comp -O3
177.mesa: -fast -xcrossfile -xalias_level=strong -xprofile
178.galgel: -fast -xcrossfile -xregs=syst -Qoption iropt -Addint:sf=9 -xlic_lib=sunperf -xprofile
179.art: basepeak=yes
183.quake: -fast -xalias_level=strong -W2,-whole,-Amemopt:arrayloc
          -Wc,-Qms_pipe-pref,-Qlp=1-av=256-t=4-fa=1-fl=1 -lprism32 -lmopt -xprofile
187.facerec: basepeak=yes
188.ammp: basepeak=yes
189.lucas: -fast -Qoption f90comp -array_pad_rows,2002 -Qoption iropt -whole
          -Qoption cg -Qms_pipe-pref,-Qlp=1-t=3-fa=1
          -lprism32 -xprofile
191.fma3d: -fast -xcrossfile -stackvar -Qoption cg -Qlp=1-av=256-t=3-fa=1 -xprofile
200.sixtrack: -fast -xcrossfile -xalias_level=std -xprofile
301.apsi: -fast -Qoption iropt -Mt450 -lprism32 -xprofile
ONESTEP=yes for all benchmarks in peak except 179.art and 188.ammp

```

Shell Environments:

```

LD_LIBRARY_PATH=/usr/lib:/opt/SUNWspro/lib/v8plusb:/opt/SUNWspro/prod/lib/v8plusb
PRISM_HEAP=268435456
PRISM_MODE=2

```

Stack size set to unlimited via "ulimit -s unlimited"

Software Patches: All patches for the Sun ONE Studio 7 Compiler (Product Patches and OS patches) as recommended by <http://access1.sun.com/sundev/sls7-patches.html> on Aug the 7th, 2002 were installed (111704-03 111705-02 111706-01 111708-01 111709-01 111714-01 111715-01 111716-02 111718-01 111723-01 108434-08 108435-08 111697-03 111721-02)