



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

SGI
SGI Altix 3000 (1300MHz, Itanium 2)

SPECfp_rate2000 = 71.2
SPECfp_rate_base2000 = 70.8

SPEC license #: 4 | Tested by: SGI | Test date: Jan-2004 | Hardware Avail: Jul-2003 | Software Avail: Dec-2003

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	4	137	54.1	4	137	54.1
171.swim	4	140	103	4	140	103
172.mgrid	4	126	66.3	4	126	66.4
173.applu	4	74.9	130	4	74.9	130
177.mesa	4	135	48.1	4	135	48.1
178.galgel	4	94.4	143	4	94.4	143
179.art	4	71.9	168	4	71.9	168
183.quake	4	66.3	90.9	4	66.3	90.9
187.facerec	4	142	62.3	4	142	62.3
188.amp	4	195	52.3	4	195	52.3
189.lucas	4	177	52.5	4	179	52.0
191.fma3d	4	229	42.5	4	229	42.5
200.sixtrack	4	90.7	56.3	4	90.7	56.3
301.apsi	4	312	38.7	4	286	42.2

Hardware

CPU: Intel Itanium 2
CPU MHz: 1300
FPU: Integrated
CPU(s) enabled: 4 cores, 4 chips, 1 core/chip
CPU(s) orderable: 4-64
Parallel: No
Primary Cache: 16KBI + 16KBD (on chip) per CPU
Secondary Cache: 256KB (on chip) per CPU
L3 Cache: 3.0MB (on chip) per CPU
Other Cache: N/A
Memory: 8 GB (16*512MB PC2700 DIMMS per 4cpu module)
Disk Subsystem: 1 x 36 GB SCSI (Seagate Cheetah 15k rpm)
Other Hardware: None

Software

Operating System: SGI ProPack(TM) v2.3
Compiler: Intel(R) Fortran Compiler for Linux 8.0 (Build 20031017)
Intel(R) C++ Compiler for Linux 8.0 (Build 20031017)
File System: xfs
System State: Single-user

Notes/Tuning Information

```
+FDO: PASS1=-prof_gen PASS2=-prof_use

Baseline optimization flags:
C programs:      -ipo -O3 +FDO -ansi_alias
Fortran programs: -ipo -O3 +FDO

Portability Flags:
178.galgel:  -FI

Peak optimization flags:
168.wupwise: basepeak=yes
171.swim:    basepeak=yes
172.mgrid:  -O3 -ipo
173.applu:  basepeak=yes
177.mesa:   basepeak=yes
178.galgel: basepeak=yes
179.art:    basepeak=yes
```



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

SGI

SGI Altix 3000 (1300MHz, Itanium 2)

SPECfp_rate2000 = 71.2

SPECfp_rate_base2000 = 70.8

SPEC license #: 4 | Tested by: SGI | Test date: Jan-2004 | Hardware Avail: Jul-2003 | Software Avail: Dec-2003

Notes/Tuning Information (Continued)

183.quake: basepeak=yes
187.facerec: basepeak=yes
188.ammp: basepeak=yes
189.lucas: -O3 -ipo
191.fma3d: basepeak=yes
200.sixtrack: basepeak=yes
301.apsi: -O3 -ipo

Processes were bound to CPUs using dplace.