



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

IBM eServer xSeries x306m (3.0GHz Pentium D 930, 2x2MB L2 Cache)

SPECint2000 = 1515

SPECint_base2000 = 1508

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Jan-2006 | Hardware Avail: Jan-2006 | Software Avail: Nov-2005

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	1000 2000 3000 4000			
164.gzip	1400	138	1016	136	1026				
175.vpr	1400	136	1030	132	1057				
176.gcc	1100	60.5	1818	60.5	1818				
181.mcf	1800	91.6	1966	91.6	1965				
186.crafty	1000	89.6	1116	89.2	1121				
197.parser	1800	141	1275	141	1278				
252.eon	1300	68.9	1886	68.8	1890				
253.perlbmk	1800	97.6	1844	98.2	1833				
254.gap	1100	67.2	1638	65.8	1673				
255.vortex	1900	73.5	2584	73.6	2581				
256.bzip2	1500	130	1156	129	1159				
300.twolf	3000	196	1531	197	1523				

Hardware

CPU: Intel Pentium D 930 (800 MHz system bus)
CPU MHz: 3000
FPU: Integrated
CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip
CPU(s) orderable: 1
Parallel: No
Primary Cache: 12K(I) micro-ops + 16KB(D) (on chip) per core
Secondary Cache: 2048KB(I+D) (on chip) per core
L3 Cache: N/A
Other Cache: N/A
Memory: 4 x 1024 MB ECC PC2-4200 Single Rank
Disk Subsystem: 80GB SATA 10K RPM
Other Hardware:

Software

Operating System: Windows Server 2003 Standard Edition
Compiler: Intel C/C++ Compiler 9.0 (20051130Z) for 32-bit applications
Intel Fortran Compiler 9.0 (20051130Z) for 32-bit applications
Microsoft Visual Studio .NET 13.0.9466 (for libraries)
MicroQuill Smartheap Library 7.30
File System: NTFS
System State: Default

Notes/Tuning Information

GENERAL

ONESTEP=yes
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

PORTABILITY FLAGS

176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbmk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

BASE TUNING

C: -fast -Qansi_alias +FDO shlw32M.lib
C++: -fast -Qcxx_features +FDO

PEAK TUNING

164.gzip: -fast +FDO
175.vpr: -fast +FDO
176.gcc: basepeak=yes
181.mcf: -fast +FDO shlw32M.lib
186.crafty: -fast -Oa +FDO shlw32M.lib
197.parser: -fast +FDO
252.eon: -fast +FDO
253.perlbmk: -fast -Oa +FDO shlw32M.lib



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

IBM eServer xSeries x306m (3.0GHz Pentium D 930, 2x2MB L2 Cache)

SPECint2000 = 1515

SPECint_base2000 = 1508

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Jan-2006 | Hardware Avail: Jan-2006 | Software Avail: Nov-2005

Notes/Tuning Information (Continued)

254.gap: -fast +FDO
255.vortex -fast +FDO shlw32M.lib
256.bzip2: -fast -Qunroll11 -Oa +FDO shlw32M.lib
300.twolf: -fast +FDO shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib: MicroQuill SmartHeap Library 7.3
www.microquill.com