



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Fujitsu Siemens Computers
PRIMERGY RX220, AMD Opteron (TM) 254

SPECfp2000 = 1668
SPECfp_base2000 = 1668

SPEC license #: 22 Tested by: Fujitsu Siemens Computers Test date: Sep-2005 Hardware Avail: Nov-2005 Software Avail: Jun-2005

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
168.wupwise	1600	60.2	2658	60.2	2658	
171.swim	3100	168	1842	168	1842	
172.mgrid	1800	115	1571	115	1571	
173.applu	2100	158	1331	158	1331	
177.mesa	1400	130	1078	130	1078	
178.galgel	2900	106	2748	106	2748	
179.art	2600	63.4	4103	63.4	4103	
183.earth	1300	83.8	1550	83.8	1550	
187.facerec	1900	102	1870	102	1870	
188.amp	2200	186	1184	186	1184	
189.lucas	2000	128	1567	128	1567	
191.fma3d	2100	138	1523	138	1523	
200.sixtrack	1100	130	844	130	844	
301.apsi	2600	173	1503	173	1503	

Hardware

CPU: AMD Opteron (TM) 254 processor (2.80 GHz)
CPU MHz: 2800
FPU: Integrated
CPU(s) enabled: 1 core, 1 chip, 1 core/chip
CPU(s) orderable: 1,2
Parallel: No
Primary Cache: 64KBI + 64KBD on chip
Secondary Cache: 1024KB (I+D) on chip
L3 Cache: N/A
Other Cache: N/A
Memory: 4x2048MB DDR-RAM PC3200R
Disk Subsystem: Western Digital WD2500 (SATA, 7.2krpm)
Other Hardware: None

Software

Operating System: Windows Server 2003 Enterprise Edition + SP1
Compiler: PGI Fortran compiler 6.0-4 for Windows XP, PGI C compiler 6.0-4 for Windows XP
File System: NTFS
System State: Default

Notes/Tuning Information

GENERAL

+FDO: PASS1=-Mpfi PASS2=-Mpfo
ONESTEP is set to 1 for every compile with the PGI compilers.

Portability flags

178.galgel: -Mfixed

Base tuning flags

for Fortran programs: -fastsse -Mipa=fast,inline +FDO
for C programs: -fastsse -Mipa=fast,inline

Peak tuning flags

same as baseline (basepeak=yes set globally)

boot options: /NoExecute=alwaysoff



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Fujitsu Siemens Computers
PRIMERGY RX220, AMD Opteron (TM) 254

SPECfp2000 = 1668

SPECfp_base2000 = 1668

SPEC license #: 22 | Tested by: Fujitsu Siemens Computers | Test date: Sep-2005 | Hardware Avail: Nov-2005 | Software Avail: Jun-2005

Notes/Tuning Information (Continued)

This result was measured with 32-bit binaries using the 32-bit version of the operating system.

For information about Fujitsu Siemens Computers in your country please see:
<http://www.fujitsu-siemens.com/countries>