



# SPEC® CINT2006 Result

Copyright ©2007 Standard Performance Evaluation Corporation

## Fujitsu Siemens Computers

**SPECint®2006 = 16.9**

### CELSIUS R640, Intel Xeon 5160 processor

**SPECint\_base2006 = 16.2**

CPU2006 license: 22


Test sponsor: Fujitsu Siemens Computers

Tested by: Fujitsu Siemens Computers

Test date: Nov-2006

Hardware Availability: Sep-2006

Software Availability: Nov-2006



### Hardware

CPU Name: Intel Xeon 5160  
 CPU Characteristics: Dual Core, 3.0 GHz  
 CPU MHz: 3000  
 FPU: Integrated  
 CPU(s) enabled: 4 cores, 2 chips, 2 cores/chip  
 CPU(s) orderable: 1,2 chips  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 4 MB I+D on chip per chip  
 L3 Cache: None  
 Other Cache: None  
 Memory: 8 GB (8x1 GB DDR2 5300F, 2 rank, CL5-5-5, ECC)  
 Disk Subsystem: SATA II 7200 rpm  
 Other Hardware: None

### Software

Operating System: Windows XP Professional x64 Edition  
 Compiler: Intel C++ Compiler for EM64T version 9.1  
 - Build 20061104, Package-ID W\_CC\_C\_9.1.033  
 Microsoft Visual Studio 2005 (libr. & linker)  
 Auto Parallel: No  
 File System: NTFS  
 System State: Default  
 Base Pointers: 64-bit  
 Peak Pointers: 64-bit  
 Other Software: Smart Heap Library, Version 8



# SPEC CINT2006 Result

Copyright ©2007 Standard Performance Evaluation Corporation

Fujitsu Siemens Computers

SPECint2006 = 16.9

CELSIUS R640, Intel Xeon 5160 processor

SPECint\_base2006 = 16.2

CPU2006 license: 22

Test date: Nov-2006

Test sponsor: Fujitsu Siemens Computers

Hardware Availability: Sep-2006

Tested by: Fujitsu Siemens Computers

Software Availability: Nov-2006

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	521	18.8	518	18.9	<u>520</u>	<u>18.8</u>	<u>441</u>	<u>22.2</u>	441	22.2	442	22.1
401.bzip2	576	16.7	577	16.7	<u>577</u>	<u>16.7</u>	576	16.7	577	16.7	<u>577</u>	<u>16.7</u>
403.gcc	740	10.9	<u>756</u>	<u>10.7</u>	757	10.6	734	11.0	<u>730</u>	<u>11.0</u>	727	11.1
429.mcf	679	13.4	639	14.3	<u>674</u>	<u>13.5</u>	660	13.8	648	14.1	<u>649</u>	<u>14.0</u>
445.gobmk	575	18.2	<u>575</u>	<u>18.2</u>	575	18.2	549	19.1	<u>549</u>	<u>19.1</u>	549	19.1
456.hmmer	<u>625</u>	<u>14.9</u>	625	14.9	625	14.9	<u>625</u>	<u>14.9</u>	625	14.9	625	14.9
458.sjeng	707	17.1	706	17.1	<u>707</u>	<u>17.1</u>	641	18.9	640	18.9	<u>641</u>	<u>18.9</u>
462.libquantum	<u>1189</u>	<u>17.4</u>	1188	17.4	1197	17.3	<u>1189</u>	<u>17.4</u>	1188	17.4	1197	17.3
464.h264ref	<u>600</u>	<u>36.9</u>	601	36.8	600	36.9	572	38.7	571	38.7	<u>571</u>	<u>38.7</u>
471.omnetpp	<u>568</u>	<u>11.0</u>	567	11.0	568	11.0	<u>565</u>	<u>11.1</u>	565	11.1	564	11.1
473.astar	536	13.1	535	13.1	<u>536</u>	<u>13.1</u>	509	13.8	<u>507</u>	<u>13.8</u>	507	13.8
483.xalancbmk	<u>415</u>	<u>16.6</u>	415	16.6	414	16.7	<u>415</u>	<u>16.6</u>	415	16.6	414	16.7

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## General Notes

For information about Fujitsu Siemens Computers in your country please see:  
<http://www.fujitsu-siemens.com/countries>

## Compiler Invocation

C benchmarks:  
icl -Qvc8 -Qc99

C++ benchmarks:  
icl -Qvc8

## Portability Flags

```

400.perlbench: -D_Complex= -DSPEC_CPU_P64 -DSPEC_CPU_NO_NEED_VA_COPY
               -DSPEC_CPU_WIN64_X64
401.bzip2: -D_Complex= -DSPEC_CPU_P64
403.gcc: -DSPEC_CPU_P64 -DSPEC_CPU_WIN64
429.mcf: -D_Complex= -DSPEC_CPU_P64
445.gobmk: -D_Complex= -DSPEC_CPU_P64
456.hmmer: -D_Complex= -DSPEC_CPU_P64
458.sjeng: -DSPEC_CPU_P64
462.libquantum: -DSPEC_CPU_P64

```

Continued on next page



# SPEC CINT2006 Result

Copyright ©2007 Standard Performance Evaluation Corporation

Fujitsu Siemens Computers

SPECint2006 = 16.9

CELSIUS R640, Intel Xeon 5160 processor

SPECint\_base2006 = 16.2

CPU2006 license: 22

Test date: Nov-2006

Test sponsor: Fujitsu Siemens Computers

Hardware Availability: Sep-2006

Tested by: Fujitsu Siemens Computers

Software Availability: Nov-2006

## Portability Flags (Continued)

464.h264ref: -D\_Complex= -DSPEC\_CPU\_P64 -DWIN32 -DSPEC\_CPU\_NO\_INTTYPES  
471.omnetpp: -DSPEC\_CPU\_P64 -DSPEC\_CPU\_WIN64  
473.astar: -DSPEC\_CPU\_LITTLE\_ENDIAN -DSPEC\_CPU\_P64  
483.xalancbmk: -DSPEC\_CPU\_P64 -Qoption,cpp,--no\_wchar\_t\_keyword

## Base Optimization Flags

C benchmarks:

-fast -F512000000 shlw32M.lib -link -FORCE:MULTIPLE

C++ benchmarks:

-fast -Qcxx-features -F512000000 shlw32M.lib -link -FORCE:MULTIPLE

## Peak Optimization Flags

C benchmarks:

400.perlbench: -Qprof\_gen(pass 1) -Qprof\_use(pass 2) -fast -F512000000  
shlw32M.lib -link -FORCE:MULTIPLE

401.bzip2: basepeak = yes

403.gcc: Same as 400.perlbench

429.mcf: Same as 400.perlbench

445.gobmk: Same as 400.perlbench

456.hmmer: basepeak = yes

458.sjeng: Same as 400.perlbench

462.libquantum: basepeak = yes

464.h264ref: Same as 400.perlbench

C++ benchmarks:

471.omnetpp: -Qprof\_gen(pass 1) -Qprof\_use(pass 2) -fast -Qcxx-features  
-F512000000 shlw32M.lib -link -FORCE:MULTIPLE

473.astar: Same as 471.omnetpp

483.xalancbmk: basepeak = yes



# SPEC CINT2006 Result

Copyright ©2007 Standard Performance Evaluation Corporation

Fujitsu Siemens Computers

SPECint2006 = 16.9

CELSIUS R640, Intel Xeon 5160 processor

SPECint\_base2006 = 16.2

CPU2006 license: 22

Test sponsor: Fujitsu Siemens Computers

Tested by: Fujitsu Siemens Computers

Test date: Nov-2006

Hardware Availability: Sep-2006

Software Availability: Nov-2006

## Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

The flags file that was used to format this result can be browsed at

[http://www.spec.org/cpu2006/flags/CPU2006\\_flags.20061213.html](http://www.spec.org/cpu2006/flags/CPU2006_flags.20061213.html)

You can also download the XML flags source by saving the following link:

[http://www.spec.org/cpu2006/flags/CPU2006\\_flags.20061213.xml](http://www.spec.org/cpu2006/flags/CPU2006_flags.20061213.xml)

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.0.

Report generated on Sat Dec 15 22:03:57 2007 by SPEC CPU2006 PS/PDF formatter v5614.