



SPEC® CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

Intel Corporation

Intel DQ965GF motherboard (Intel Core 2 Quad Q6600)

SPECint®2006 = 18.2

SPECint_base2006 = 16.3

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Jun-2007

Hardware Availability: Jan-2007

Software Availability: Aug-2006



Hardware

CPU Name: Intel Core 2 Quad Q6600
 CPU Characteristics: 2.40 GHz, 1066 MHz bus
 CPU MHz: 2400
 FPU: Integrated
 CPU(s) enabled: 4 cores, 1 chip, 4 cores/chip
 CPU(s) orderable: 1 chip
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 8 MB I+D on chip per chip, 4 MB shared / 2 cores
 L3 Cache: None
 Other Cache: None
 Memory: 2 GB (2 1GB Micron MT16HTF12864AY-80ED4 DDR2 800, CL5)
 Disk Subsystem: Seagate ST3320620AS 320GB Barracuda 7200.10 NCQ SATA II
 Other Hardware: None

Software

Operating System: Windows Vista32 Ultimate
 Compiler: Intel C++ Compiler for IA32 version 10.0
 Build 20070426 Package ID: W_CC_P_10.0.025
 Microsoft Visual Studio .Net 2003 (for libraries)
 Auto Parallel: No
 File System: NTFS
 System State: Default
 Base Pointers: 32-bit
 Peak Pointers: 32-bit
 Other Software: SmartHeap Library Version 8.0 from <http://www.microquill.com/>



SPEC CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

Intel Corporation

Intel DQ965GF motherboard (Intel Core 2 Quad Q6600)

SPECint2006 = 18.2

SPECint_base2006 = 16.3

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Jun-2007

Hardware Availability: Jan-2007

Software Availability: Aug-2006

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	565	17.3	565	17.3	<u>565</u>	<u>17.3</u>	<u>492</u>	<u>19.9</u>	492	19.8	491	19.9
401.bzip2	749	12.9	<u>748</u>	<u>12.9</u>	748	12.9	719	13.4	<u>720</u>	<u>13.4</u>	720	13.4
403.gcc	<u>731</u>	<u>11.0</u>	732	11.0	720	11.2	<u>466</u>	<u>17.3</u>	466	17.3	467	17.3
429.mcf	394	23.2	393	23.2	<u>393</u>	<u>23.2</u>	394	23.2	393	23.2	<u>393</u>	<u>23.2</u>
445.gobmk	654	16.0	<u>654</u>	<u>16.1</u>	653	16.1	592	17.7	<u>591</u>	<u>17.7</u>	591	17.7
456.hammer	740	12.6	<u>740</u>	<u>12.6</u>	740	12.6	733	12.7	732	12.8	<u>732</u>	<u>12.7</u>
458.sjeng	<u>837</u>	<u>14.4</u>	838	14.4	837	14.5	747	16.2	747	16.2	<u>747</u>	<u>16.2</u>
462.libquantum	831	24.9	831	24.9	<u>831</u>	<u>24.9</u>	656	31.6	657	31.5	<u>657</u>	<u>31.6</u>
464.h264ref	<u>898</u>	<u>24.6</u>	898	24.6	898	24.6	845	26.2	844	26.2	<u>845</u>	<u>26.2</u>
471.omnetpp	433	14.4	433	14.4	<u>433</u>	<u>14.4</u>	388	16.1	<u>388</u>	<u>16.1</u>	388	16.1
473.astar	<u>569</u>	<u>12.3</u>	569	12.3	568	12.4	529	13.3	<u>529</u>	<u>13.3</u>	529	13.3
483.xalancbmk	353	19.5	<u>353</u>	<u>19.5</u>	354	19.5	351	19.7	<u>351</u>	<u>19.7</u>	351	19.7

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

Tested systems can be used with Shin-G ATX case, Antec NeoPower 480W power supply
Product description located as of 7/2007:

<http://www.intel.com/products/motherboard/DQ965GF/index.htm>

The system bus runs at 1066 MHz

System was configured with integrated graphics card

Binaries were built on Windows XP Professional SP2 with 4GB of RAM and /3GB boot switch

Compiler Invocation

C benchmarks:

```
icl -Qvc7.1 -Qc99
```

C++ benchmarks:

```
icl -Qvc7.1
```

Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32
464.h264ref: -DSPEC_CPU_NO_INTTYPES -DWIN32
```



SPEC CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

Intel Corporation

Intel DQ965GF motherboard (Intel Core 2 Quad Q6600)

SPECint2006 = 18.2

SPECint_base2006 = 16.3

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Jun-2007

Hardware Availability: Jan-2007

Software Availability: Aug-2006

Base Optimization Flags

C benchmarks:

-fast /F512000000 shlw32m.lib -link /FORCE:MULTIPLE

C++ benchmarks:

-fast -Qcxx_features /F512000000 shlw32m.lib
-link /FORCE:MULTIPLE

Peak Optimization Flags

C benchmarks:

400.perlbench: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias
-Qprefetch /F512000000 shlw32m.lib
-link /FORCE:MULTIPLE

401.bzip2: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast /F512000000
shlw32m.lib -link /FORCE:MULTIPLE

403.gcc: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast /F512000000
-link /FORCE:MULTIPLE

429.mcf: basepeak = yes

445.gobmk: -Qprof_gen(pass 1) -Qprof_use(pass 2) -QxT -O2 -Qipo
-Qprec_div- -Qansi-alias /F512000000
-link /FORCE:MULTIPLE

456.hmmer: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll2
-Qansi-alias /F512000000 shlw32m.lib
-link /FORCE:MULTIPLE

458.sjeng: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll4
/F512000000 shlw32m.lib -link /FORCE:MULTIPLE

462.libquantum: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll4
-Ob0 -Qprefetch -Qopt-streaming-stores:always /F512000000
shlw32m.lib -link /FORCE:MULTIPLE

464.h264ref: Same as 456.hmmer

C++ benchmarks:

-Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias
-Qcxx_features /F512000000 shlw32m.lib
-link /FORCE:MULTIPLE



SPEC CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

Intel Corporation

Intel DQ965GF motherboard (Intel Core 2 Quad Q6600)

SPECint2006 = 18.2

SPECint_base2006 = 16.3

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Jun-2007
Hardware Availability: Jan-2007
Software Availability: Aug-2006

Other Flags

C benchmarks:

403.gcc: -Dalloca=_alloca

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic10-ia32-intel64-linux-flags.20090714.42.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic10-ia32-intel64-linux-flags.20090714.42.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 14 17:25:58 2009 by SPEC CPU2006 PS/PDF formatter v6323.