



SPEC[®] CFP2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp[®]_rate2006 = **NC**

IBM System x3455 (AMD Opteron 2347)

SPECfp_rate_base2006 = **NC**

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Aug-2007
Hardware Availability: Nov-2007
Software Availability: Oct-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability date of the system.

Hardware

CPU Name: AMD Opteron 2347
CPU Characteristics:
CPU MHz: 1900
FPU: Integrated
CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip
CPU(s) orderable: 1, 2 chips
Primary Cache: 64 KB I + 64 KB D on chip per core
Secondary Cache: 512 KB I+D on chip per core
L3 Cache: 2 MB I+D on chip per chip
Other Cache: None
Memory: 16 GB (8 x 2GB, DDR2-667 ECC Reg Dual Rank)
Disk Subsystem: 1 x 160 GB Serial ATA 7200 RPM
Other Hardware: None

Software

Operating System: SuSE Linux Enterprise Server 10 SP1 64-bit kernel
Compiler: The Portland Group (PGI)
PGI pgf90 7.1-0 Fortran Compiler
PGI pgcc 7.1-0 C Compiler
PGI pgCC 7.1-0 C++ Compiler
PathScale Compiler Suite, Release 3.0
Auto Parallel: No
File System: ReiserFS
System State: Multi-user, run level 3
Base Pointers: 64-bit
Peak Pointers: 32/64-bit
Other Software: None

Non-Compliant



SPEC CFP2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = **NC**

IBM System x3455 (AMD Opteron 2347)

SPECfp_rate_base2006 = **NC**

CPU2006 license: 11

Test date: Aug-2007

Test sponsor: IBM Corporation

Hardware Availability: Nov-2007

Tested by: Advanced Micro Devices

Software Availability: Oct-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability date of the system.

Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
410.bwaves	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
416.gamess	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
433.milc	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
434.zeusmp	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
435.gromacs	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
436.cactusADM	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
437.leslie3d	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
444.namd	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
447.dealII	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
450.soplex	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
453.povray	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
454.calculix	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
459.GemsFDTD	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
465.tonto	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
470.lbm	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
481.wrf	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		
482.spm	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC	NC	NC		

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

```
'ulimit -s unlimited' was used to set environment stack size
'ulimit -l 2457600' was used to set environment locked pages in memory quantity
'numactl' was used to bind copies to the cores
Set vm/nr_hugepages=1200 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
Environment variable PGI_HUGE_PAGES set to 150
```



SPEC CFP2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = **NC**

IBM System x3455 (AMD Opteron 2347)

SPECfp_rate_base2006 = **NC**

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Aug-2007
Hardware Availability: Nov-2007
Software Availability: Oct-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability date of the system.

Base Compiler Invocation

C benchmarks:
pgcc
C++ benchmarks:
pgcpp
Fortran benchmarks:
pgf95
Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.lslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
467.tonto: -DSPEC_CPU_LP64
479.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64



SPEC CFP2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = **NC**

IBM System x3455 (AMD Opteron 2347)

SPECfp_rate_base2006 = **NC**

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Aug-2007
Hardware Availability: Nov-2007
Software Availability: Oct-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability date of the system.

Base Optimization Flags

C benchmarks:

-fast -Mipa=fast -Mipa=inline -Mfp~~relaxed~~ -Msmartalloc=huge:448
-tp barcelona-64 -Bstatic_pgi

C++ benchmarks:

-fast -Mipa=fast -Mipa=inline -Mfp~~relaxed~~ -Msmartalloc=huge:448
--zc_eh -tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:

-fast -Mipa=fast -Mipa=inline -Mfp~~relaxed~~ -Msmartalloc=huge:448
-tp barcelona-64 -Bstatic_pgi

Benchmarks using both Fortran and C:

-fast -Mipa=fast -Mipa=inline -Mfp~~relaxed~~ -Msmartalloc=huge:448
-tp barcelona-64 -Bstatic_pgi

Base Other Flags

C benchmarks:

-w

C++ benchmarks:

-w

Fortran benchmarks:

-w

Benchmarks using both Fortran and C:

-w



SPEC CFP2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = **NC**

IBM System x3455 (AMD Opteron 2347)

SPECfp_rate_base2006 = **NC**

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Aug-2007
Hardware Availability: Nov-2007
Software Availability: Oct-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability date of the system.

Peak Compiler Invocation

C benchmarks (except as noted below):
pathcc

433.milc: pgcc

C++ benchmarks (except as noted below):
pathCC

444.namd: pgcpp

453.povray: pgcpp

Fortran benchmarks (except as noted below):
pathf95

434.zeusmp: pgf95

465.tonto: pgf95

Benchmarks using both Fortran and C (except as noted below):
pgcc pgf95

436.cactusADM: pathcc pathf95

Peak Portability Flags

412.bwaves: -DSPEC_CPU_LP64
416.gromacs: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = NC

IBM System x3455 (AMD Opteron 2347)

SPECfp_rate_base2006 = NC

CPU2006 license: 11

Test date: Aug-2007

Test sponsor: IBM Corporation

Hardware Availability: Nov-2007

Tested by: Advanced Micro Devices

Software Availability: Oct-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability date of the system.

Peak Portability Flags (Continued)

453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_WIN32_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -Mphi(pass 2) -Mipa=fast(pass 2) -Mipa=inline(pass 2)
-Mipa=hoare(pass 2) -Mpfo(pass 2) -fast -O4 -Mdse
-Mfprelaxed -Msmartalloc=huge:448 -tp barcelona-64
-Bstatic_pgi
470.lbm: -Ofast
482.sphinx3: -fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -O3
-OPT:Ofast -WOPT:aggstr=0 -m32

C++ benchmarks:

444.namd: -fast -O4 -Mfprelaxed -Msmartalloc=huge:448 --zc_eh
-tp barcelona-64 -Mnodepchk -Mprefetch -Msafe_lastval
-Msafeptr=static -Mstride0 -Munroll=n:4 -Mvect=noidiom
-Mvect=prefetch -Bstatic_pgi
447.deallI: -Ofast -INLINE:aggressive=on -OPT:malloc_alg=1 -m32
-fno-exceptions
450.soplex: -fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -m32 -O3
-OPT:IEEE_arith=3 -CG:load_exe=0 -CG:movnti=1
-LNO:minvariant=off -LNO:prefetch=1 -fno-exceptions

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = **NC**

IBM System x3455 (AMD Opteron 2347)

SPECfp_rate_base2006 = **NC**

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Aug-2007
Hardware Availability: Nov-2007
Software Availability: Oct-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability date of the system.

Peak Optimization Flags (Continued)

453.povray: basepeak = yes

Fortran benchmarks:

410.bwaves: -fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -O3
-OPT:Ofast -OPT:IEEE_arith -LNO:blocking=off
-LNO:ignore_feedback=off

416.gamess: -fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -O2
-OPT:Ofast -OPT:unroll_size=256

434.zeusmp: basepeak = yes

437.leslie3d: -Ofast -OPT:malloc_alg=1

459.GemsFDTD: -Ofast -LNO:fission=2 -LNO:prefetch=0

465.tonto: -fast -Mfprelaxed -Msmartalloc=huge:448 -Mipa=fast
-Mipa=inline -Mvect=noaltcode -tp barcelona-64 -Bstatic_pgi

Benchmarks using both Fortran and C:

435.gamacs: -fast -Mfpapprox=rsqrt -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:448 -tp barcelona-64 -Bstatic_pgi

-fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -O3
-LNO:prefetch=3 -LNO:prefetch_ahead=5 -LNO:ou_prod_max=10
-LNO:full_unroll=5 -ipa

454.cactus: basepeak = yes

481.wrf: -fast -Mfprelaxed -Msmartalloc=huge:448 -Mvect=noaltcode
-tp barcelona-64 -Bstatic_pgi



SPEC CFP2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = **NC**

IBM System x3455 (AMD Opteron 2347)

SPECfp_rate_base2006 = **NC**

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Aug-2007
Hardware Availability: Nov-2007
Software Availability: Oct-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability date of the system.

Peak Other Flags

C benchmarks:

433.milc: -w

C++ benchmarks (except as noted below):

-w

447.dealIII: -static

Fortran benchmarks (except as noted below):

-w

Benchmarks using both Fortran and C (except as noted below):

-w

The flags format that was used to format this result can be browsed at
<http://www.spec.org/cpu2006/flags/amd814GH-flags.20090714.html>

You can also download the XML flags source by saving the following link:
<http://www.spec.org/cpu2006/flags/amd814GH-flags.20090714.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 14 19:19:08 2009 by SPEC CPU2006 PS/PDF formatter v6323.