



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint®_rate2006 = 31.9

Lenovo ThinkPad T61 (Intel Core 2 Duo T9500)

SPECint_rate_base2006 = 29.4

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Dec-2007

Hardware Availability: Jan-2008

Software Availability: Nov-2007



Hardware

CPU Name: Intel Core 2 Duo T9500
CPU Characteristics:
CPU MHz: 2600
FPU: Integrated
CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip
CPU(s) orderable: 1 chip
Primary Cache: 32 KB I + 32 KB D on chip per core
Secondary Cache: 6 MB I+D on chip per chip
L3 Cache: None
Other Cache: None
Memory: 2 GB (2x1GB Hynix DDR2-667 CL5)
Disk Subsystem: Hitachi 100 GB SATA, 7200 RPM
Other Hardware: None

Software

Operating System: Windows Vista Ultimate (32-bit)
Compiler: Intel C++ Compiler for IA32 version 10.1
Build 20070913 Package ID: w_cc_p_10.1.011
Microsoft Visual Studio 2005 SP1 (for libraries)
Auto Parallel: Yes
File System: NTFS
System State: Default
Base Pointers: 32-bit
Peak Pointers: 32-bit
Other Software: None
SmartHeap Library Version 8.1 from
<http://www.microquill.com/>



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 31.9

Lenovo ThinkPad T61 (Intel Core 2 Duo T9500)

SPECint_rate_base2006 = 29.4

CPU2006 license: 13

Test date: Dec-2007

Test sponsor: Intel Corporation

Hardware Availability: Jan-2008

Tested by: Intel Corporation

Software Availability: Nov-2007

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	2	669	29.2	670	29.2	670	29.2	2	472	41.4	471	41.5	472	41.4
401.bzip2	2	793	24.3	737	26.2	736	26.2	2	710	27.2	708	27.3	711	27.1
403.gcc	2	906	17.8	900	17.9	915	17.6	2	889	18.1	889	18.1	891	18.1
429.mcf	2	504	36.2	505	36.2	505	36.1	2	512	35.6	512	35.6	513	35.5
445.gobmk	2	617	34.0	618	34.0	620	33.9	2	566	37.1	566	37.1	566	37.0
456.hammer	2	686	27.2	686	27.2	686	27.2	2	632	29.5	631	29.6	633	29.5
458.sjeng	2	785	30.8	785	30.8	785	30.8	2	694	34.9	694	34.9	696	34.8
462.libquantum	2	1287	32.2	1289	32.2	1277	32.4	1	620	33.4	623	33.3	624	33.2
464.h264ref	2	812	54.5	812	54.5	812	54.5	2	765	57.9	767	57.7	766	57.7
471.omnetpp	2	561	22.3	561	22.3	561	22.3	2	523	23.9	523	23.9	523	23.9
473.astar	2	626	22.4	627	22.4	625	22.5	2	573	24.5	574	24.5	575	24.4
483.xalancbmk	2	403	34.3	403	34.2	404	34.2	2	391	35.3	392	35.2	392	35.2

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

The system bus runs at 800 MHz

Binaries were built on Windows Vista (32-bit)

The following VS 2005 SP1 updates were applied: KB926601 and KB932232

OMP_NUM_THREADS set to number of cores

KMP_AFFINITY set to physical,0

Base Compiler Invocation

C benchmarks:

icl -Qvc8 -Qc99

C++ benchmarks:

icl -Qvc8

Base Portability Flags

403.gcc: -DSPEC_CPU_WIN32

464.h264ref: -DSPEC_CPU_NO_INTTYPES -DWIN32

483.xalancbmk: -Qoption,cpp, --no_wchar_t_keyword



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 31.9

Lenovo ThinkPad T61 (Intel Core 2 Duo T9500)

SPECint_rate_base2006 = 29.4

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Dec-2007

Hardware Availability: Jan-2008

Software Availability: Nov-2007

Base Optimization Flags

C benchmarks:

```
-fast -Qvec-guard-write /F512000000
```

C++ benchmarks:

```
-fast -Qcxx_features /F5120000000 shlw32m.lib  
-link /FORCE:MULTIPLE
```

Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

Peak Compiler Invocation

C benchmarks:

```
icl -Qvc8 -Qc99
```

C++ benchmarks:

```
icl -Qvc8
```

Peak Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32
```

```
464.h264ref: -DSPEC_CPU_NO_INTTYPES -DWIN32
```

```
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```

Peak Optimization Flags

C benchmarks:

```
400.perlbench: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias  
-Qprefetch /F512000000 shlw32m.lib  
-link /FORCE:MULTIPLE
```

```
401.bzip2: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qprefetch  
/F512000000
```

```
403.gcc: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast /F512000000
```

```
429.mcf: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qprefetch  
/F512000000 shlw32m.lib  
-link /FORCE:MULTIPLE
```

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 31.9

Lenovo ThinkPad T61 (Intel Core 2 Duo T9500)

SPECint_rate_base2006 = 29.4

CPU2006 license: 13

Test date: Dec-2007

Test sponsor: Intel Corporation

Hardware Availability: Jan-2008

Tested by: Intel Corporation

Software Availability: Nov-2007

Peak Optimization Flags (Continued)

445.gobmk: -Qprof_gen(pass 1) -Qprof_use(pass 2) -QxT -O2 -Qipo
-Qprec-div- -Qansi-alias /F512000000

456.hmmer: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll12
-Qansi-alias -Qopt-multi-version-aggressive /F512000000

458.sjeng: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll14
/F512000000

462.libquantum: -fast -Qunroll14 -Ob0 -Qprefetch
-Qopt-streaming-stores:always -Qparallel
-Qpar-runtime-control /F512000000

464.h264ref: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll12
-Qansi-alias /F512000000

C++ benchmarks:

471.omnetpp: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias
-Qopt-ra-region-strategy=block -Qcxx_features /F512000000
shlw32m.lib -link /FORCE:MULTIPLE

473.astar: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias
-Qopt-ra-region-strategy=routine -Qcxx_features /F512000000
shlw32m.lib -link /FORCE:MULTIPLE

483.xalancbmk: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias
-Qcxx_features /F512000000 shlw32m.lib
-link /FORCE:MULTIPLE

Peak Other Flags

C benchmarks:

403.gnu: -Dalloca=_alloca

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic10-ia32-intel64-linux-flags.20090714.09.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic10-ia32-intel64-linux-flags.20090714.09.xml>



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 31.9

Lenovo ThinkPad T61 (Intel Core 2 Duo T9500)

SPECint_rate_base2006 = 29.4

CPU2006 license: 13

Test date: Dec-2007

Test sponsor: Intel Corporation

Hardware Availability: Jan-2008

Tested by: Intel Corporation

Software Availability: Nov-2007

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Jul 22 16:06:41 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 23 January 2008.