



SPEC® CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

ACTION S.A.

SPECint®_rate2006 = 134

ACTINA SOLAR 410 S3 (Intel Xeon processor E5450, 3.0GHz)

SPECint_rate_base2006 = 110

CPU2006 license: 9008


Test date: Jun-2008

Test sponsor: ACTION S.A.

Hardware Availability: Dec-2007

Tested by: ACTION S.A.

Software Availability: Nov-2007



Hardware

CPU Name: Intel Xeon E5450
 CPU Characteristics: 3.0 GHz, 12 MB L2, 1333 MHz bus
 CPU MHz: 3000
 FPU: Integrated
 CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip
 CPU(s) orderable: 1,2 chip
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 12 MB I+D on chip per chip, 6 MB shared / 2 cores
 L3 Cache: None
 Other Cache: None
 Memory: 16 GB (8x 2 GB PC2-5300 ECC FBDIMM)
 Disk Subsystem: 1x 160 GB SATA II, 7200 RPM
 Other Hardware: None

Software

Operating System: SUSE Linux Enterprise Server 10 (x86_64) SP1, Kernel 2.6.16.46-0.12-smp
 Compiler: Intel C++ Compiler 10.1 for Linux Build 20070913 Package ID: l_cc_p_10.1.008
 Auto Parallel: Yes
 File System: ReiserFS
 System State: Multi-user, run level 3
 Base Pointers: 32-bit
 Peak Pointers: 32/64-bit
 Other Software: Microquill SmartHeap V8.1 Binutils 2.17.50.0.15



SPEC CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

ACTION S.A.

ACTINA SOLAR 410 S3 (Intel Xeon processor E5450, 3.0GHz)

SPECint_rate2006 = 134

SPECint_rate_base2006 = 110

CPU2006 license: 9008

Test sponsor: ACTION S.A.

Tested by: ACTION S.A.

Test date: Jun-2008

Hardware Availability: Dec-2007

Software Availability: Nov-2007

Results Table

Benchmark	Base						Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	531	147	533	147	527	148	8	445	176	447	175	442	177
401.bzip2	8	738	105	730	106	735	105	8	692	112	693	111	689	112
403.gcc	8	665	96.9	669	96.2	669	96.3	8	669	96.2	669	96.3	666	96.7
429.mcf	8	903	80.8	905	80.6	903	80.8	8	894	81.6	897	81.4	901	81.0
445.gobmk	8	560	150	560	150	561	150	8	520	161	519	162	521	161
456.hammer	8	591	126	592	126	592	126	8	349	214	349	214	348	214
458.sjeng	8	689	141	687	141	687	141	8	627	154	629	154	630	154
462.libquantum	8	2694	61.5	2691	61.6	2698	61.4	1	90.0	230	90.2	230	90.2	230
464.h264ref	8	704	251	705	251	704	252	8	672	263	673	263	673	263
471.omnetpp	8	810	61.7	811	61.6	810	61.7	8	784	63.7	784	63.8	785	63.7
473.astar	8	691	81.2	697	80.5	696	80.7	8	651	86.3	651	86.2	654	85.9
483.xalancbmk	8	441	125	440	125	441	125	8	441	125	440	125	441	125

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

All benchmarks compiled in 32-bit mode except 401.bzip2 and 456.hammer, for peak, are compiled in 64-bit mode.
Taskset command was used to bind processes to CPUs.

Base Compiler Invocation

C benchmarks:
icc

C++ benchmarks:
icpc

Base Portability Flags

400.perlbench: -DSPEC_CPU_LINUX_IA32
462.libquantum: -DSPEC_CPU_LINUX
483.xalancbmk: -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-fast -inline-calloc -opt-malloc-options=3

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

ACTION S.A.

SPECint_rate2006 = 134

ACTINA SOLAR 410 S3 (Intel Xeon processor E5450, 3.0GHz)

SPECint_rate_base2006 = 110

CPU2006 license: 9008

Test date: Jun-2008

Test sponsor: ACTION S.A.

Hardware Availability: Dec-2007

Tested by: ACTION S.A.

Software Availability: Nov-2007

Base Optimization Flags (Continued)

C++ benchmarks:

```
-xT -ipo -O3 -no-prec-div -Wl,-z,muldefs
-L/spec/users/rahul/cpu2006.1.0/lib -lsmartheap
```

Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

Peak Compiler Invocation

C benchmarks (except as noted below):

icc

```
401.bzip2: /opt/intel/cce/10.1.008/bin/icc
-L/opt/intel/cce/10.1.008/lib
-I/opt/intel/cce/10.1.008/include
```

```
456.hmmer: /opt/intel/cce/10.1.008/bin/icc
-L/opt/intel/cce/10.1.008/lib
-I/opt/intel/cce/10.1.008/include
```

C++ benchmarks:

icpc

Peak Portability Flags

```
400.perlbench: -DSPEC_CPU_LINUX_IA32
401.bzip2: -DSPEC_CPU_LP64
456.hmmer: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LINUX
483.xalancbmk: -DSPEC_CPU_LINUX
```

Peak Optimization Flags

C benchmarks:

```
400.perlbench: -prof-gen(pass 1) -prof-use(pass 2) -fast -ansi-alias
-prefetch
```

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

ACTION S.A.

SPECint_rate2006 = 134

ACTINA SOLAR 410 S3 (Intel Xeon processor E5450, 3.0GHz)

SPECint_rate_base2006 = 110

CPU2006 license: 9008

Test date: Jun-2008

Test sponsor: ACTION S.A.

Hardware Availability: Dec-2007

Tested by: ACTION S.A.

Software Availability: Nov-2007

Peak Optimization Flags (Continued)

401.bzip2: -prof-gen(pass 1) -prof-use(pass 2) -fast -prefetch

403.gcc: -fast -inline-calloc -opt-malloc-options=3

429.mcf: -fast -prefetch

445.gobmk: -prof-gen(pass 1) -prof-use(pass 2) -xT -O2 -ipo
-no-prec-div -ansi-alias

456.hmmr: -fast -unroll2 -ansi-alias -opt-multi-version-aggressive

458.sjeng: -prof-gen(pass 1) -prof-use(pass 2) -fast -unroll4

462.libquantum: -fast -unroll4 -Ob0 -prefetch
-opt-streaming-stores always -vec-guard-write
-opt-malloc-options=3 -parallel -par-runtime-control

464.h264ref: -prof-gen(pass 1) -prof-use(pass 2) -fast -unroll2
-ansi-alias

C++ benchmarks:

471.omnetpp: -prof-gen(pass 1) -prof-use(pass 2) -xT -O3 -ipo
-no-prec-div -ansi-alias -opt-ra-region-strategy=block
-Wl,-z,muldefs
-L/spec/users/rahul/cpu2006.1.0/lib -lsmartheap

473.astar: -prof-gen(pass 1) -prof-use(pass 2) -xT -O3 -ipo
-no-prec-div -ansi-alias -opt-ra-region-strategy=routine
-Wl,-z,muldefs
-L/spec/users/rahul/cpu2006.1.0/lib -lsmartheap

483.xalancbmk: basepeak = yes

Peak Other Flags

Same as Base Other Flags

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic10.1-int-linux64-revC.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic10.1-int-linux64-revC.xml>



SPEC CINT2006 Result

Copyright 2006-2009 Standard Performance Evaluation Corporation

ACTION S.A.

ACTINA SOLAR 410 S3 (Intel Xeon processor E5450, 3.0GHz)

SPECint_rate2006 = 134

SPECint_rate_base2006 = 110

CPU2006 license: 9008

Test sponsor: ACTION S.A.

Tested by: ACTION S.A.

Test date: Jun-2008

Hardware Availability: Dec-2007

Software Availability: Nov-2007

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.1.
Report generated on Mon Jul 13 19:07:18 2009 by SPEC CPU2006 PS/PDF formatter v6323.