



SPEC® CFP2006 Result

Copyright 2006-2008 Standard Performance Evaluation Corporation

ASUSTeK Computer Inc.

Asus P6T Deluxe (Intel Core i7-965 Extreme Edition)

SPECfp®_rate2006 = 86.1

SPECfp_rate_base2006 = 82.9

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Oct-2008

Hardware Availability: Nov-2008

Software Availability: Nov-2008



Hardware

CPU Name: Intel Core i7-965 Extreme Edition
 CPU Characteristics: Intel Turbo Boost Technology up to 3.46 GHz
 CPU MHz: 3200
 FPU: Integrated
 CPU(s) enabled: 4 cores, 1 chip, 4 cores/chip, 2 threads/core
 CPU(s) orderable: 1 chip
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 256 KB I+D on chip per core

Continued on next page

Software

Operating System: Windows Vista Ultimate w/ SP1 (64-bit)
 Compiler: Intel C++ Compiler Professional 11.0 for IA32
 Build 20080930 Package ID: w_cproc_p_11.0.054
 Intel Visual Fortran Compiler Professional 11.0 for IA32
 Build 20080930 Package ID: w_cprof_p_11.0.054
 Microsoft Visual Studio 2008 (for libraries)
 Auto Parallel: No
 File System: NTFS

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2008 Standard Performance Evaluation Corporation

ASUSTeK Computer Inc.

SPECfp_rate2006 = **86.1**

Asus P6T Deluxe (Intel Core i7-965 Extreme Edition)

SPECfp_rate_base2006 = **82.9**

CPU2006 license: 13

Test date: Oct-2008

Test sponsor: Intel Corporation

Hardware Availability: Nov-2008

Tested by: Intel Corporation

Software Availability: Nov-2008

Hardware (Continued)

Software (Continued)

L3 Cache: 8 MB I+D on chip per chip
 Other Cache: None
 Memory: 12 GB (6 x 2GB Samsung M378B5673DZ1-CF8 DDR3-1066 CL7)
 Disk Subsystem: 80 GB Intel X-25M SATA Solid-State Drive
 Other Hardware: None

System State: Default
 Base Pointers: 32-bit
 Peak Pointers: 32-bit
 Other Software: SmartHeap Library Version 8.1 from <http://www.microquill.com/>

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	8	1465	74.4	1466	74.4	1467	74.4	4	694	78.4	694	78.4	694	78.4
416.gamess	8	1688	92.8	1688	92.8	1682	92.8	8	1681	92.8	1674	93.6	1693	92.8
433.milc	8	1021	72.0	1021	72.0	1021	72.0	8	1022	72.0	1022	72.0	1022	72.0
434.zeusmp	8	729	100	741	98.4	721	101	8	698	104	698	104	694	105
435.gromacs	8	605	94.4	605	94.4	605	94.4	8	577	99.2	577	99.2	577	99.2
436.cactusADM	8	951	101	955	100	958	100	8	951	101	955	100	958	100
437.leslie3d	8	1438	52.0	1439	52.0	1443	52.0	8	1440	52.0	1440	52.0	1440	52.0
444.namd	8	705	91.2	704	91.2	704	91.2	8	690	92.8	688	93.6	688	93.6
447.dealII	8	861	106	863	106	861	106	8	742	123	746	122	746	122
450.soplex	8	1083	61.6	1083	61.6	1084	61.6	4	503	66.4	503	66.4	503	66.4
453.povray	8	311	137	310	137	311	137	8	257	166	257	166	257	166
454.calculix	8	602	110	602	110	602	110	8	598	110	598	110	598	110
459.GemsFDTD	8	1784	47.2	1782	48.0	1783	48.0	8	1796	47.2	1794	47.2	1790	47.2
465.tonto	8	827	95.2	826	95.2	825	95.2	8	769	102	772	102	776	102
470.lbm	8	2337	47.2	2337	47.2	2336	47.2	8	2337	47.2	2337	47.2	2336	47.2
481.wrf	8	955	93.6	959	92.8	961	92.8	8	955	93.6	959	92.8	961	92.8
482.sphinx3	8	1636	95.2	1634	95.2	1635	95.2	8	1630	96.0	1629	96.0	1629	96.0

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

General Notes

Tested systems can be used with Shin-G ATX case,
 PC Power and Cooling 1200W power supply
 System was configured with nVidia GTX 280 discrete graphics card
 Binaries were built on Windows Vista Ultimate (32-bit)



SPEC CFP2006 Result

Copyright 2006-2008 Standard Performance Evaluation Corporation

ASUSTeK Computer Inc.

SPECfp_rate2006 = 86.1

Asus P6T Deluxe (Intel Core i7-965 Extreme Edition)

SPECfp_rate_base2006 = 82.9

CPU2006 license: 13

Test date: Oct-2008

Test sponsor: Intel Corporation

Hardware Availability: Nov-2008

Tested by: Intel Corporation

Software Availability: Nov-2008

Compiler Invocation

C benchmarks:

icl -Qvc9 -Qc99

C++ benchmarks:

icl -Qvc9

Fortran benchmarks:

ifort

Benchmarks using both Fortran and C:

icl -Qvc9 -Qc99 ifort

Portability Flags

436.cactusADM: -Qlowercase /assume:underscore
444.namd: -TP
447.dealII: -DDEAL_II_MEMBER_VAR_SPECIALIZATION_BUG
453.povray: -DSPEC_CPU_WINDOWS_ICL
454.calculix: -DSPEC_CPU_NOZMODIFIER -Qlowercase
481.wrf: -DSPEC_CPU_WINDOWS_ICL

Base Optimization Flags

C benchmarks:

-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch /F1000000000

C++ benchmarks:

-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features
/F1000000000 shlw32m.lib -link /FORCE:MULTIPLE

Fortran benchmarks:

-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch /F1000000000

Benchmarks using both Fortran and C:

-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch /F1000000000

Peak Optimization Flags

C benchmarks:

433.milc: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
-Qipo -O3 -Qprec-div- -Oa /F1000000000

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2008 Standard Performance Evaluation Corporation

ASUSTeK Computer Inc.

SPECfp_rate2006 = 86.1

Asus P6T Deluxe (Intel Core i7-965 Extreme Edition)

SPECfp_rate_base2006 = 82.9

CPU2006 license: 13

Test date: Oct-2008

Test sponsor: Intel Corporation

Hardware Availability: Nov-2008

Tested by: Intel Corporation

Software Availability: Nov-2008

Peak Optimization Flags (Continued)

470.lbm: -QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch /F1000000000

482.sphinx3: -QxSSE4.2 -Qipo -O3 -Qprec-div- -Qunroll2 /F1000000000

C++ benchmarks:

444.namd: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Oa /F1000000000 shlw32m.lib -link /FORCE:MULTIPLE

447.dealII: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll2 -Qansi-alias -Qscalar-rep- /F1000000000 shlw32m.lib -link /FORCE:MULTIPLE

450.soplex: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- /F1000000000 shlw32m.lib -link /FORCE:MULTIPLE

453.povray: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll4 -Qansi-alias /F1000000000 shlw32m.lib -link /FORCE:MULTIPLE

Fortran benchmarks:

410.bwaves: -QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch /F1000000000

416.gamess: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll2 -Ob0 -Qansi-alias -Qscalar-rep- /F1000000000

434.zeusmp: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- /F1000000000

437.leslie3d: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qopt-prefetch /F1000000000

459.GemsFDTD: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll2 -Ob0 -Qopt-prefetch /F1000000000

465.tonto: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll4 -Qauto /F1000000000

Benchmarks using both Fortran and C:

435.gromacs: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qopt-prefetch /F1000000000

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2008 Standard Performance Evaluation Corporation

ASUSTeK Computer Inc.

Asus P6T Deluxe (Intel Core i7-965 Extreme Edition)

SPECfp_rate2006 = 86.1

SPECfp_rate_base2006 = 82.9

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Oct-2008
Hardware Availability: Nov-2008
Software Availability: Nov-2008

Peak Optimization Flags (Continued)

436.cactusADM: basepeak = yes

454.calculix: -QxSSE4.2 -Qipo -O3 -Qprec-div- /F1000000000

481.wrf: basepeak = yes

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic11.0-win32-revA.html>
<http://www.spec.org/cpu2006/flags/Intel-Win32-Platform.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/Intel-ic11.0-win32-revA.xml>
<http://www.spec.org/cpu2006/flags/Intel-Win32-Platform.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.
Report generated on Tue Mar 3 13:59:03 2009 by SPEC CPU2006 PS/PDF formatter v6197.