SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM System x3755 (AMD Opteron 8384)

SPECfp®2006 = 22.3

SPECfp_base2006 = 20.7

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Nov-2008
Hardware Availability: Mar-2009
Software Availability: Jun-2008



Hardware

CPU Name:	AMD Opteron 8384
CPU Characteristics:	
CPU MHz:	2700
FPU:	Integrated
CPU(s) enabled:	16 cores, 4 chips, 4 cores/chip
CPU(s) orderable:	1,2,3,4 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core

Continued on next page

Software

Operating System:	SuSE Linux Enterprise Server 10 (x86_64) SP1, Kernel 2.6.16.46-0.12-smp
Compiler:	PGI Server Complete Version 7.2
Auto Parallel:	Yes
File System:	ReiserFS
System State:	Run level 3 (Full multiuser with network)
Base Pointers:	32/64-bit
Peak Pointers:	64-bit
Other Software:	binutils 2.18.50

SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM System x3755 (AMD Opteron 8384)

SPECfp2006 = 22.3

SPECfp_base2006 = 20.7

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Nov-2008
Hardware Availability: Mar-2009
Software Availability: Jun-2008

L3 Cache: 6 MB I+D on chip per chip
Other Cache: None
Memory: 64 GB (16 x 4 GB, DDR2-667 CL5 Reg Dual Rank)
Disk Subsystem: 1 x 73.4 GB SAS, 15000 RPM
Other Hardware: None

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	275	49.4	**267**	**50.8**	252	54.0	275	49.4	**267**	**50.8**	252	54.0
416.gamess	1194	16.4	**1195**	**16.4**	1197	16.4	**1133**	**17.3**	1137	17.2	1131	17.3
433.milc	591	15.5	592	15.5	**592**	**15.5**	**581**	**15.8**	580	15.8	583	15.7
434.zeusmp	**643**	**14.1**	645	14.1	643	14.2	571	15.9	588	15.5	**581**	**15.7**
435.gromacs	466	15.3	**466**	**15.3**	465	15.3	386	18.5	385	18.5	**386**	**18.5**
436.cactusADM	89.6	133	95.4	125	**92.4**	**129**	87.2	137	91.5	131	**87.6**	**136**
437.leslie3d	**635**	**14.8**	636	14.8	633	14.9	720	13.1	578	16.3	**578**	**16.3**
444.namd	**613**	**13.1**	614	13.1	613	13.1	536	15.0	535	15.0	**535**	**15.0**
447.dealII	602	19.0	593	19.3	**594**	**19.2**	**534**	**21.4**	534	21.4	535	21.4
450.soplex	**724**	**11.5**	725	11.5	724	11.5	**724**	**11.5**	725	11.5	724	11.5
453.povray	313	17.0	**314**	**17.0**	315	16.9	290	18.3	**291**	**18.3**	291	18.3
454.calculix	**485**	**17.0**	482	17.1	485	17.0	**391**	**21.1**	392	21.1	391	21.1
459.GemsFDTD	336	31.6	361	29.4	**341**	**31.1**	336	31.6	361	29.4	**341**	**31.1**
465.tonto	620	15.9	**619**	**15.9**	616	16.0	543	18.1	**544**	**18.1**	544	18.1
470.lbm	**498**	**27.6**	498	27.6	498	27.6	**498**	**27.6**	498	27.6	498	27.6
481.wrf	511	21.9	515	21.7	**512**	**21.8**	574	19.5	**577**	**19.4**	581	19.2
482.sphinx3	1094	17.8	1144	17.0	**1140**	**17.1**	900	21.7	**901**	**21.6**	901	21.6

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

```
The config file option 'submit' was used.
 'numactl' was used to bind copies to the cores.
```

Operating System Notes

```
Environment stack size set to 'unlimited'.
The powersaved was disabled, set the CPU frequency to its maximum.
Total number of huge pages available is 14336.
'ulimit -l 2097152' was used to set environment locked pages in memory quantity.
Set vm/nr_hugepages=14336 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
```

General Notes

```
Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/root/work/cpu2006v1.1/pgi72/linux_lib64:/root/work/cpu2006v1.1/pgi72/linux_lib32"
NCPUS = "16"
```

Base Compiler Invocation

C benchmarks:
pgcc

C++ benchmarks:
pgcpp

Fortran benchmarks:
pgf95

Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Base Optimization Flags

C benchmarks:
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mconcur
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi

Continued on next page

Base Optimization Flags (Continued)

C++ benchmarks:
```
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mfprelaxed
-Mconcur --zc_eh -Mipa=fast -Mipa=inline -tp barcelona-64
-Bstatic_pgi
```

Fortran benchmarks:
```
-Mvect=cachesize:6291456 -fastsse -Mfprelaxed -Msmartalloc=huge
-Mconcur -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi
```

Benchmarks using both Fortran and C:
```
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mconcur
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi
```

Base Other Flags

C benchmarks:
```
-Mipa=jobs:8
```

C++ benchmarks:
```
-Mipa=jobs:8
```

Fortran benchmarks:
```
-Mipa=jobs:8
```

Benchmarks using both Fortran and C:
```
-Mipa=jobs:8
```

Peak Compiler Invocation

C benchmarks:
```
pgcc
```

C++ benchmarks:
```
pgcpp
```

Fortran benchmarks:
```
pgf95
```

Benchmarks using both Fortran and C:
```
pgcc pgf95
```

Peak Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Msafeptr -Mconcur -Mfprelaxed -Mipa=inline -Mipa=arg
-Mipa=const -Mipa=ptr -Mipa=shape -tp barcelona-64
-Bstatic_pgi

470.lbm: basepeak = yes

482.sphinx3: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Mfprelaxed -Msmartalloc -tp barcelona-64 -Bstatic_pgi

C++ benchmarks:

444.namd: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Munroll=n:4 -Munroll=m:8 -Msmartalloc=huge -Mnodepchk
-Mfprelaxed --zc_eh -tp barcelona-64 -Bstatic_pgi

447.dealII: -Mvect=cachesize:6291456 -fastsse -alias=ansi
-Msmartalloc=huge -Mprefetch=t0 -Mnovect -Mfprelaxed
--zc_eh -Mipa=fast -Mipa=inline -tp barcelona-32
-Bstatic_pgi

450.soplex: basepeak = yes

453.povray: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mipa=fast(pass 2) -Mipa=inlinenopfo:3(pass 2)
-Mipa=staticfunc(pass 2) -Mvect=cachesize:6291456 -fastsse

Continued on next page

Peak Optimization Flags (Continued)

453.povray (continued):
-Msmartalloc=huge -Mprefetch=t0 -Mfprelaxed
-tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:

410.bwaves: basepeak = yes

416.gamess: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Msmartalloc=huge -Mvect=noaltcode -Mprefetch=t0
-Mfprelaxed -tp barcelona-64 -Bstatic_pgi

434.zeusmp: -Mvect=cachesize:6291456 -fastsse -Mfprelaxed -Mconcur
-Mprefetch=distance:8 -Mprefetch=t0 -Msmartalloc=huge
-Msmartalloc=hugebss -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

437.leslie3d: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mconcur=noaltcode(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Mvect=fuse -Msmartalloc=huge -Mprefetch=distance:8
-Mprefetch=t0 -Mfprelaxed -tp barcelona-64 -Bstatic_pgi

459.GemsFDTD: basepeak = yes

465.tonto: -Mvect=cachesize:6291456 -fastsse -O4 -Mvect=noaltcode
-Msmartalloc=huge -Mprefetch=distance:8 -Mprefetch=t0
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64
-Bstatic_pgi

Benchmarks using both Fortran and C:

435.gromacs: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mfprelaxed -Mconcur -Mfpapprox=rsqrt -Mipa=fast
-Mipa=inline -tp barcelona-64 -Bstatic_pgi

436.cactusADM: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mfprelaxed -Mconcur -Mdse -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

454.calculix: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mipa=fast(pass 2) -Mipa=inline(pass 2)
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mloop32 -Mprefetch=t0 -Mpre -Mfprelaxed -tp barcelona-64
-Bstatic_pgi

481.wrf: -Mvect=cachesize:6291456 -fastsse -Mvect=noaltcode
-Msmartalloc=huge -Mprefetch=distance:8 -Mconcur=noaltcode
-Mfprelaxed -tp barcelona-64 -Bstatic_pgi

Peak Other Flags

C benchmarks:
`-Mipa=jobs:8`(pass 2)

C++ benchmarks:
`-Mipa=jobs:8`(pass 2)

Fortran benchmarks:
`-Mipa=jobs:8`

Benchmarks using both Fortran and C (except as noted below):
`-Mipa=jobs:8`(pass 2)

481.wrf: `No flags used`

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/pgi72_linux_flags.20090713.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/pgi72_linux_flags.20090713.xml`

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.
Report generated on Thu Jul 24 16:55:33 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 5 March 2009.