SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM System x3755 (AMD Opteron 8382)

SPECfp®2006 = 21.6

SPECfp_base2006 = 20.3

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Dec-2008
Hardware Availability: Mar-2009
Software Availability: May-2008



Hardware

CPU Name:	AMD Opteron 8382
CPU Characteristics:	
CPU MHz:	2600
FPU:	Integrated
CPU(s) enabled:	16 cores, 4 chips, 4 cores/chip
CPU(s) orderable:	1,2,3,4 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core

Continued on next page

Software

Operating System:	SuSE Linux Enterprise Server 10 (x86_64) SP1, Kernel 2.6.16.46-0.12-smp
Compiler:	PGI Server Complete Version 7.2
Auto Parallel:	Yes
File System:	ReiserFS
System State:	Run level 3 (Full multiuser with network)
Base Pointers:	32/64-bit
Peak Pointers:	64-bit
Other Software:	binutils 2.18.50

SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM System x3755 (AMD Opteron 8382)

SPECfp2006 = 21.6

SPECfp_base2006 = 20.3

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Dec-2008
Hardware Availability: Mar-2009
Software Availability: May-2008

L3 Cache: 6 MB I+D on chip per chip
Other Cache: None
Memory: 64 GB (16 x 4 GB, DDR2-667 CL5 Reg Dual Rank)
Disk Subsystem: 1 x 73.4 GB SAS, 15000 RPM
Other Hardware: None

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	**250**	**54.4**	267	51.0	246	55.1	**250**	**54.4**	267	51.0	246	55.1
416.gamess	**1240**	**15.8**	1238	15.8	1246	15.7	1175	16.7	1177	16.6	**1177**	**16.6**
433.milc	**597**	**15.4**	603	15.2	596	15.4	**585**	**15.7**	589	15.6	584	15.7
434.zeusmp	655	13.9	**657**	**13.9**	658	13.8	623	14.6	578	15.7	**586**	**15.5**
435.gromacs	484	14.7	482	14.8	**484**	**14.8**	400	17.9	**400**	**17.8**	402	17.8
436.cactusADM	95.7	125	93.3	128	**94.9**	**126**	93.5	128	91.6	130	**93.4**	**128**
437.leslie3d	640	14.7	**641**	**14.7**	808	11.6	589	16.0	725	13.0	**675**	**13.9**
444.namd	**636**	**12.6**	636	12.6	637	12.6	554	14.5	555	14.4	**555**	**14.4**
447.dealII	**607**	**18.8**	609	18.8	607	18.8	549	20.8	**549**	**20.8**	550	20.8
450.soplex	733	11.4	734	11.4	**733**	**11.4**	733	11.4	734	11.4	**733**	**11.4**
453.povray	324	16.4	**323**	**16.4**	323	16.5	302	17.6	303	17.6	**302**	**17.6**
454.calculix	**500**	**16.5**	499	16.5	503	16.4	405	20.4	**405**	**20.4**	405	20.4
459.GemsFDTD	**365**	**29.1**	363	29.3	368	28.8	**365**	**29.1**	363	29.3	368	28.8
465.tonto	**637**	**15.4**	639	15.4	637	15.5	563	17.5	**564**	**17.4**	567	17.4
470.lbm	504	27.2	**505**	**27.2**	507	27.1	504	27.2	**505**	**27.2**	507	27.1
481.wrf	522	21.4	**521**	**21.4**	521	21.4	582	19.2	**584**	**19.1**	585	19.1
482.sphinx3	1135	17.2	**1070**	**18.2**	1001	19.5	922	21.1	**921**	**21.2**	921	21.2

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

```
The config file option 'submit' was used.
 'numactl' was used to bind copies to the cores.
```

Operating System Notes

```
Environment stack size set to 'unlimited'.
The powersaved was disabled, set the CPU frequency to its maximum.
Total number of huge pages available is 14336.
'ulimit -l 2097152' was used to set environment locked pages in memory quantity.
Set vm/nr_hugepages=14336 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
```

General Notes

```
Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/root/work/cpu2006v1.1/pgi72/linux_lib64:/root/work/cpu2006v1.1/pgi72/linux_lib32"
NCPUS = "16"
```

Base Compiler Invocation

C benchmarks:
pgcc

C++ benchmarks:
pgcpp

Fortran benchmarks:
pgf95

Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Base Optimization Flags

C benchmarks:
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mconcur
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi

Continued on next page

Base Optimization Flags (Continued)

C++ benchmarks:
```
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mfprelaxed
-Mconcur --zc_eh -Mipa=fast -Mipa=inline -tp barcelona-64
-Bstatic_pgi
```

Fortran benchmarks:
```
-Mvect=cachesize:6291456 -fastsse -Mfprelaxed -Msmartalloc=huge
-Mconcur -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi
```

Benchmarks using both Fortran and C:
```
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mconcur
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi
```

Base Other Flags

C benchmarks:
```
-Mipa=jobs:8
```

C++ benchmarks:
```
-Mipa=jobs:8
```

Fortran benchmarks:
```
-Mipa=jobs:8
```

Benchmarks using both Fortran and C:
```
-Mipa=jobs:8
```

Peak Compiler Invocation

C benchmarks:
```
pgcc
```

C++ benchmarks:
```
pgcpp
```

Fortran benchmarks:
```
pgf95
```

Benchmarks using both Fortran and C:
```
pgcc pgf95
```

Peak Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Msafeptr -Mconcur -Mfprelaxed -Mipa=inline -Mipa=arg
-Mipa=const -Mipa=ptr -Mipa=shape -tp barcelona-64
-Bstatic_pgi

470.lbm: basepeak = yes

482.sphinx3: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Mfprelaxed -Msmartalloc -tp barcelona-64 -Bstatic_pgi

C++ benchmarks:

444.namd: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Munroll=n:4 -Munroll=m:8 -Msmartalloc=huge -Mnodepchk
-Mfprelaxed --zc_eh -tp barcelona-64 -Bstatic_pgi

447.dealII: -Mvect=cachesize:6291456 -fastsse -alias=ansi
-Msmartalloc=huge -Mprefetch=t0 -Mnovect -Mfprelaxed
--zc_eh -Mipa=fast -Mipa=inline -tp barcelona-32
-Bstatic_pgi

450.soplex: basepeak = yes

453.povray: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mipa=fast(pass 2) -Mipa=inlinenopfo:3(pass 2)
-Mipa=staticfunc(pass 2) -Mvect=cachesize:6291456 -fastsse

Continued on next page

Peak Optimization Flags (Continued)

453.povray (continued):
-Msmartalloc=huge -Mprefetch=t0 -Mfprelaxed
-tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:

410.bwaves: basepeak = yes

416.gamess: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Msmartalloc=huge -Mvect=noaltcode -Mprefetch=t0
-Mfprelaxed -tp barcelona-64 -Bstatic_pgi

434.zeusmp: -Mvect=cachesize:6291456 -fastsse -Mfprelaxed -Mconcur
-Mprefetch=distance:8 -Mprefetch=t0 -Msmartalloc=huge
-Msmartalloc=hugebss -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

437.leslie3d: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mconcur=noaltcode(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Mvect=fuse -Msmartalloc=huge -Mprefetch=distance:8
-Mprefetch=t0 -Mfprelaxed -tp barcelona-64 -Bstatic_pgi

459.GemsFDTD: basepeak = yes

465.tonto: -Mvect=cachesize:6291456 -fastsse -O4 -Mvect=noaltcode
-Msmartalloc=huge -Mprefetch=distance:8 -Mprefetch=t0
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64
-Bstatic_pgi

Benchmarks using both Fortran and C:

435.gromacs: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mfprelaxed -Mconcur -Mfpapprox=rsqrt -Mipa=fast
-Mipa=inline -tp barcelona-64 -Bstatic_pgi

436.cactusADM: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mfprelaxed -Mconcur -Mdse -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

454.calculix: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mipa=fast(pass 2) -Mipa=inline(pass 2)
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mloop32 -Mprefetch=t0 -Mpre -Mfprelaxed -tp barcelona-64
-Bstatic_pgi

481.wrf: -Mvect=cachesize:6291456 -fastsse -Mvect=noaltcode
-Msmartalloc=huge -Mprefetch=distance:8 -Mconcur=noaltcode
-Mfprelaxed -tp barcelona-64 -Bstatic_pgi

Peak Other Flags

C benchmarks:
`-Mipa=jobs:8`(pass 2)

C++ benchmarks:
`-Mipa=jobs:8`(pass 2)

Fortran benchmarks:
`-Mipa=jobs:8`

Benchmarks using both Fortran and C (except as noted below):
`-Mipa=jobs:8`(pass 2)

481.wrf: `No flags used`

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/pgi72_linux_flags.20090713.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/pgi72_linux_flags.20090713.xml`

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.
Report generated on Tue Jul 22 22:32:22 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 5 March 2009.