



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 92.1

Intel DH77KC Motherboard (Intel Core i3-3240)

SPECint_rate_base2006 = 85.6

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Sep-2012

Hardware Availability: Sep-2012

Software Availability: Apr-2011



Hardware		Software	
CPU Name:	Intel Core i3-3240	Operating System:	Microsoft Windows 7 Ultimate 6.1.7601 Service Pack 1 Build 7601
CPU Characteristics:		Compiler:	C/C++: Version 12.1.0.229 of Intel C++ Studio XE for Windows; Libraries: Version 15.00.30729.01 of Microsoft Visual Studio 2008 Professional SP1
CPU MHz:	3400	Auto Parallel:	No
FPU:	Integrated	File System:	NTFS
CPU(s) enabled:	2 cores, 1 chip, 2 cores/chip, 2 threads/core	System State:	Default
CPU(s) orderable:	1 chip	Base Pointers:	32-bit
Primary Cache:	32 KB I + 32 KB D on chip per core	Peak Pointers:	32/64-bit
Secondary Cache:	256 KB I+D on chip per core	Other Software:	SmartHeap Library Version 9.01 from http://www.microquill.com/
L3 Cache:	3 MB I+D on chip per chip		
Other Cache:	None		
Memory:	8 GB (2 x 4 GB 2Rx8 PC3-12800U-9)		
Disk Subsystem:	1 TB Seagate SATA, 7200 RPM		
Other Hardware:	None		



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 92.1

Intel DH77KC Motherboard (Intel Core i3-3240)

SPECint_rate_base2006 = 85.6

CPU2006 license: 13

Test date: Sep-2012

Test sponsor: Intel Corporation

Hardware Availability: Sep-2012

Tested by: Intel Corporation

Software Availability: Apr-2011

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	618	63.2	619	63.2	621	62.8	4	495	79.2	494	79.2	498	78.4
401.bzip2	4	828	46.8	824	46.8	848	45.6	4	819	47.2	844	45.6	812	47.6
403.gcc	4	442	72.8	434	74.0	437	73.6	4	421	76.4	421	76.4	421	76.4
429.mcf	4	392	93.2	395	92.4	395	92.4	4	392	93.2	395	92.4	395	92.4
445.gobmk	4	618	68.0	620	67.6	617	68.0	4	599	70.0	596	70.4	587	71.6
456.hmmer	4	338	110	336	111	337	111	4	270	138	270	138	270	138
458.sjeng	4	751	64.4	752	64.4	750	64.4	4	729	66.4	728	66.4	728	66.4
462.libquantum	4	146	567	146	567	146	567	4	129	644	129	645	128	646
464.h264ref	4	760	116	761	116	760	116	4	740	120	740	120	741	120
471.omnetpp	4	459	54.4	458	54.8	459	54.4	4	429	58.4	428	58.4	429	58.4
473.astar	4	534	52.4	533	52.8	534	52.8	4	488	57.6	486	58.0	486	57.6
483.xalancbmk	4	329	84.0	328	84.0	329	84.0	4	329	84.0	328	84.0	329	84.0

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Compiler Invocation Notes

ipsxe-comp-vars batch file invoked with ia32

Submit Notes

Processes were bound to specific processors using the start command with the /affinity switch. The config file option 'submit' was used to generate the affinity mask for each process.

Platform Notes

```
Sysinfo program C:\CPU200~1.17A\Docs\sysinfo
$Rev: 6775 $ $Date::: 2011-08-16 #\$ \8787f7622badcf24e01c368b1db4377c
running on ClteE840F2070731 Thu Sep 20 02:09:52 2012
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:

<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
Trying 'systeminfo'
OS Name      : Microsoft Windows 7 Ultimate
OS Version   : 6.1.7601 Service Pack 1 Build 7601
System Manufacturer: INTEL_
System Model  : DH77KC_
Processor(s) : 1 Processor(s) Installed.
[01]: Intel64 Family 6 Model 58 Stepping 9 GenuineIntel ~3400 Mhz
BIOS Version  : Intel Corp. KCH7710H.86A.0095.2012.0608.1754, 6/8/2012
Total Physical Memory: 8,092 MB
```

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 92.1

Intel DH77KC Motherboard (Intel Core i3-3240)

SPECint_rate_base2006 = 85.6

CPU2006 license: 13

Test date: Sep-2012

Test sponsor: Intel Corporation

Hardware Availability: Sep-2012

Tested by: Intel Corporation

Software Availability: Apr-2011

Platform Notes (Continued)

```
Trying 'wmic cpu get /value'
DeviceID      : CPU0
L2CacheSize   : 512
L3CacheSize   : 3072
MaxClockSpeed : 3400
Name          : Intel(R) Core(TM) i3-3240 CPU @ 3.40GHz
NumberOfCores  : 2
NumberOfLogicalProcessors: 4
```

(End of data from sysinfo program)

Component Notes

Tested systems can be used with Shin-G ATX case,
PC Power and Cooling 1200W power supply

General Notes

Binaries compiled on a system with 1x Intel Core i7-860 CPU
+ 8GB memory using Windows 7 Enterprise 64-bit

Base Compiler Invocation

C benchmarks:

```
icl -Qvc9 -Qstd=c99
```

C++ benchmarks:

```
icl -Qvc9
```

Base Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```

Base Optimization Flags

C benchmarks:

```
-QxAVX -Qipo -O3 -Qprec-div- -Qopt-prefetch /F512000000
```

C++ benchmarks:

```
-QxAVX -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features
/F512000000 shlw32M.lib           -link /FORCE:MULTIPLE
```



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 92.1

Intel DH77KC Motherboard (Intel Core i3-3240)

SPECint_rate_base2006 = 85.6

CPU2006 license: 13

Test date: Sep-2012

Test sponsor: Intel Corporation

Hardware Availability: Sep-2012

Tested by: Intel Corporation

Software Availability: Apr-2011

Base Other Flags

C benchmarks:

403.gcc: -Dalloca=_alloca

Peak Compiler Invocation

C benchmarks (except as noted below):

icl -Qvc9 -Qstd=c99

456.hmmmer: C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/bin/intel64/icl.exe

458.sjeng: C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/bin/intel64/icl.exe

462.libquantum: C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/bin/intel64/icl.exe
-Qstd=c99

C++ benchmarks (except as noted below):

icl -Qvc9

473.astar: C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/bin/intel64/icl.exe

Peak Portability Flags

403.gcc: -DSPEC_CPU_WIN32
456.hmmmer: -DSPEC_CPU_P64
458.sjeng: -DSPEC_CPU_P64
462.libquantum: -DSPEC_CPU_P64
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES
473.astar: -DSPEC_CPU_P64
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword

Peak Optimization Flags

C benchmarks:

400.perlbench: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
-O3 -Qprec-div- -Qansi-alias -Qopt-prefetch /F512000000
shlw32M.lib -link /FORCE:MULTIPLE

401.bzip2: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
-O3 -Qprec-div- -Qopt-prefetch -Qansi-alias /F512000000

403.gcc: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
-O3 -Qprec-div- -Qopt-prefetch /F512000000

Continued on next page



SPEC CINT2006 Result Copyright 2006-2014 Standard Performance Evaluation Corporation

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation Intel DH77KC Motherboard (Intel Core i3-3240)	SPECint_rate2006 = 92.1 SPECint_rate_base2006 = 85.6
CPU2006 license: 13 Test sponsor: Intel Corporation Tested by: Intel Corporation	Test date: Sep-2012 Hardware Availability: Sep-2012 Software Availability: Apr-2011

Peak Optimization Flags (Continued)

429.mcf: basepeak = yes

```
445.gobmk: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo  
-O2 -Qprec-div- -Qansi-alias /F512000000
```

456.hmmr: -Qauto-ilp32 -QxAVX(pass 2) -Qprof_gen(pass 1)
-Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qopt-prefetch
/F512000000

458.sjeng: -Qauto -ilp32 -QxAVX(pass 2) -Qprof_gen(pass 1)
-Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll14
/F512000000

462.libquantum: -Qauto-ilp32 -QxAVX -Qipo -O3 -Qprec-div- -Qopt-prefetch
/F512000000

464.h264ref: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
-O3 -Oprec-div- -Ounroll2 -Qansi-alias /F512000000

C++ benchmarks:

```
471.omnetpp: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo  
-O3 -Qprec-div- -Qansi-alias  
-Qopt-ra-region-strategy=block /F512000000 shlw32M.lib  
-link /FORCE:MULTIPLE
```

```
473.astar: -Qauto-ilp32 -QxAVX -Qipo -O3 -Qprec-div- -Qopt-prefetch  
/F512000000 shlw64M.lib -link /FORCE:MULTIPLE
```

483.xalancbmk: basepeak = yes

Peak Other Flags

C benchmarks:

403.gcc: -Dalloca=__alloca

```
456.hmmr: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229\compiler\lib\intel64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib/AMD64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64
```

```
458.sjeng: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229\compiler\lib\intel64  
          -link -LIBPATH:C:\Program Files (x86)\Microsoft Visual Studio 9.0\VC\lib\AMD64  
          -link -LIBPATH:C:\Program Files (x86)\Microsoft Visual Studio 9.0\VC\lib  
          -link -LIBPATH:C:\Program Files (x86)\Microsoft SDKs\Windows\v7.0A\lib\x64
```

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint_rate2006 = 92.1

Intel DH77KC Motherboard (Intel Core i3-3240)

SPECint_rate_base2006 = 85.6

CPU2006 license: 13

Test date: Sep-2012

Test sponsor: Intel Corporation

Hardware Availability: Sep-2012

Tested by: Intel Corporation

Software Availability: Apr-2011

Peak Other Flags (Continued)

```
462.libquantum: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229\compiler\lib/intel64  
                  -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib/AMD64  
                  -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib  
                  -link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64
```

C++ benchmarks:

```
473.astar: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229\compiler\lib/intel64  
                  -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib/AMD64  
                  -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib  
                  -link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64
```

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic12.1-official-windows.20120117.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic12.1-official-windows.20120117.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.

Report generated on Thu Jul 24 13:09:02 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 6 November 2012.