



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH77KC motherboard (Intel Core i7-3770K)

**SPECint®\_rate2006 = 187**

**SPECint\_rate\_base2006 = 178**

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: May-2014

Hardware Availability: May-2013

Software Availability: Oct-2013



**SPECint\_rate\_base2006 = 178**

**SPECint\_rate2006 = 187**

### Hardware

CPU Name: Intel Core i7-3770K  
 CPU Characteristics: Intel Turbo Boost Technology up to 3.90 GHz  
 CPU MHz: 3500  
 FPU: Integrated  
 CPU(s) enabled: 4 cores, 1 chip, 4 cores/chip, 2 threads/core  
 CPU(s) orderable: 1 chip  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 256 KB I+D on chip per core  
 L3 Cache: 8 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 8 GB (2 x 4 GB 2Rx4 PC3-12800U-11)  
 Disk Subsystem: 1 TB Seagate HDD 7200 RPM  
 Other Hardware: None

### Software

Operating System: Microsoft Windows 8.1 Pro 6.3.9600 N/A Build 9600  
 Compiler: C/C++: Version 14.0.1.139 of Intel C++ Studio XE for Windows;  
 Libraries: Version 16.00.30319.01 of Microsoft Visual Studio 2010 Professional SP1  
 Auto Parallel: No  
 File System: NTFS  
 System State: Default  
 Base Pointers: 32-bit  
 Peak Pointers: 32/64-bit  
 Other Software: SmartHeap Library Version 10.0 from <http://www.microquill.com/>



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

Intel DH77KC motherboard (Intel Core i7-3770K)

**SPECint\_rate2006 = 187**

**SPECint\_rate\_base2006 = 178**

CPU2006 license: 13

Test date: May-2014

Test sponsor: Intel Corporation

Hardware Availability: May-2013

Tested by: Intel Corporation

Software Availability: Oct-2013

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	548	142	557	140	<b>557</b>	<b>140</b>	8	<b>452</b>	<b>173</b>	454	172	449	174
401.bzip2	8	<b>775</b>	<b>100</b>	768	101	775	100	8	<b>758</b>	102	771	100	<b>769</b>	<b>100</b>
403.gcc	8	463	139	<b>475</b>	<b>135</b>	482	134	8	<b>460</b>	<b>140</b>	460	140	460	140
429.mcf	8	406	180	411	178	<b>409</b>	<b>178</b>	8	406	180	411	178	<b>409</b>	<b>178</b>
445.gobmk	8	<b>566</b>	<b>148</b>	567	148	561	150	8	<b>547</b>	<b>154</b>	543	154	547	154
456.hmmer	8	<b>308</b>	<b>242</b>	307	243	308	242	8	258	290	263	284	<b>259</b>	<b>288</b>
458.sjeng	8	675	143	677	143	<b>676</b>	<b>143</b>	8	<b>668</b>	<b>145</b>	667	145	668	145
462.libquantum	8	133	1250	132	1250	<b>132</b>	<b>1250</b>	8	126	1320	<b>126</b>	<b>1320</b>	127	1310
464.h264ref	8	713	248	706	250	<b>708</b>	<b>250</b>	8	703	252	699	254	<b>699</b>	<b>254</b>
471.omnetpp	8	510	98.4	<b>510</b>	<b>98.4</b>	522	96.0	8	489	102	<b>490</b>	<b>102</b>	490	102
473.astar	8	544	103	<b>545</b>	<b>103</b>	545	103	8	544	103	<b>542</b>	<b>103</b>	542	104
483.xalancbmk	8	296	186	<b>295</b>	<b>187</b>	295	187	8	296	186	<b>295</b>	<b>187</b>	295	187

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Compiler Invocation Notes

To compile these binaries, the Intel Compiler 14.0 was set up to generate 32-bit binaries with the command:

"ipsxe-comp-vars.bat ia32 vs2010" (shortcut provided in the Intel(r) Parallel Studio XE 2013 program folder)

## Submit Notes

Processes were bound to specific processors using the start command with the /affinity switch. The config file option 'submit' was used to generate the affinity mask for each process.

## Platform Notes

```
Sysinfo program C:\SPEC14.0\Docs/sysinfo
$Rev: 6775 $ $Date::: 2011-08-16 #\$ \8787f7622badcf24e01c368b1db4377c
running on IVB9600 Thu May 29 23:34:16 2014
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
Trying 'systeminfo'
OS Name      : Microsoft Windows 8.1 Pro
OS Version   : 6.3.9600 N/A Build 9600
System Manufacturer: INTEL_
System Model  : DH77KC_
Processor(s)  : 1 Processor(s) Installed.
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH77KC motherboard (Intel Core i7-3770K)

**SPECint\_rate2006 = 187**

CPU2006 license: 13

**Test date:** May-2014

Test sponsor: Intel Corporation

**Hardware Availability:** May-2013

Tested by: Intel Corporation

**Software Availability:** Oct-2013

## Platform Notes (Continued)

[01]: Intel64 Family 6 Model 58 Stepping 8 GenuineIntel ~3501 Mhz  
BIOS Version : Intel Corp. KCH7710H.86A.0110.2013.0513.1018, 5/13/2013  
Total Physical Memory: 8,089 MB

```
Trying 'wmic cpu get /value'  
DeviceID      : CPU0  
L2CacheSize   : 1024  
L3CacheSize   : 8192  
MaxClockSpeed : 3501  
Name          : Intel(R) Core(TM) i7-3770K CPU @ 3.50GHz  
NumberOfCores  : 4  
NumberOfLogicalProcessors: 8
```

(End of data from sysinfo program)  
BIOS: SATA mode set to RAID  
Windows Disk Driver: Intel Rapid Storage Technology 12.9.0.1001

## Component Notes

Tested systems can be used with Shin-G ATX case,  
PC Power and Cooling 1200W power supply

## General Notes

Binaries compiled on a system with 1x Intel Core i7-860 CPU  
+ 8GB memory using Windows 7 Enterprise 64-bit

## Base Compiler Invocation

C benchmarks:

```
icl -Qvc10 -Qstd=c99
```

C++ benchmarks:

```
icl -Qvc10
```

## Base Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32  
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES  
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH77KC motherboard (Intel Core i7-3770K)

**SPECint\_rate2006 = 187**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** May-2014

**Hardware Availability:** May-2013

**Software Availability:** Oct-2013

## Base Optimization Flags

C benchmarks:

```
-QxAVX -Qipo -O3 -Qprec-div- -Qopt-prefetch /F512000000
```

C++ benchmarks:

```
-QxAVX -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features  
/F5120000000 shlw32M.lib -link /FORCE:MULTIPLE
```

## Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

## Peak Compiler Invocation

C benchmarks (except as noted below):

```
icl -Qvc10 -Qstd=c99
```

```
456.hmmr: C:\Program Files (x86)\Intel\Composer XE 2013 SP1/bin/intel64/icl.exe
```

```
458.sjeng: C:\Program Files (x86)\Intel\Composer XE 2013 SP1/bin/intel64/icl.exe
```

```
462.libquantum: C:\Program Files (x86)\Intel\Composer XE 2013 SP1/bin/intel64/icl.exe  
-Qstd=c99
```

C++ benchmarks (except as noted below):

```
icl -Qvc10
```

```
473.astar: C:\Program Files (x86)\Intel\Composer XE 2013 SP1/bin/intel64/icl.exe
```

## Peak Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32
```

```
456.hmmr: -DSPEC_CPU_P64
```

```
458.sjeng: -DSPEC_CPU_P64
```

```
462.libquantum: -DSPEC_CPU_P64
```

```
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES
```

```
473.astar: -DSPEC_CPU_P64
```

```
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH77KC motherboard (Intel Core i7-3770K)

**SPECint\_rate2006 = 187**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** May-2014

**Hardware Availability:** May-2013

**Software Availability:** Oct-2013

## Peak Optimization Flags

C benchmarks:

```
400.perlbench: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
               -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch /F512000000
               shlw32M.lib           -link /FORCE:MULTIPLE
```

```
401.bzip2: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
            -O3 -Qprec-div- -Qopt-prefetch -Qansi-alias /F512000000
```

```
403.gcc: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
          -O3 -Qprec-div- -Qopt-prefetch /F512000000
```

429.mcf: basepeak = yes

```
445.gobmk: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
            -O2 -Qprec-div- -Qansi-alias /F512000000
```

```
456.hmmr: -Qauto-ilp32 -QxAVX(pass 2) -Qprof_gen(pass 1)
            -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qopt-prefetch
            /F512000000
```

```
458.sjeng: -Qauto-ilp32 -QxAVX(pass 2) -Qprof_gen(pass 1)
            -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll14
            /F512000000
```

```
462.libquantum: -Qauto-ilp32 -QxAVX -Qipo -O3 -Qprec-div- -Qopt-prefetch
                /F512000000
```

```
464.h264ref: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
               -O3 -Qprec-div- -Qunroll12 -Qansi-alias /F512000000
```

C++ benchmarks:

```
471.omnetpp: -QxAVX(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
               -O3 -Qprec-div- -Qansi-alias
               -Qopt-ra-region-strategy=block /F512000000 shlw32M.lib
               -link /FORCE:MULTIPLE
```

```
473.astar: -Qauto-ilp32 -QxAVX -Qipo -O3 -Qprec-div- -Qopt-prefetch
            /F512000000 shlw64M.lib           -link /FORCE:MULTIPLE
```

483.xalancbmk: basepeak = yes

## Peak Other Flags

C benchmarks:

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH77KC motherboard (Intel Core i7-3770K)

**SPECint\_rate2006 = 187**

CPU2006 license: 13

**Test date:** May-2014

Test sponsor: Intel Corporation

**Hardware Availability:** May-2013

Tested by: Intel Corporation

**Software Availability:** Oct-2013

## Peak Other Flags (Continued)

403.gcc: -Dalloca=\_alloca

456.hmmer: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013 SP1/compiler/lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

458.sjeng: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013 SP1/compiler/lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

462.libquantum: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013 SP1/compiler/lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

C++ benchmarks:

473.astar: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013 SP1/compiler/lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-windows.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-windows.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.

Report generated on Tue Sep 9 10:45:00 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 18 June 2014.