SPEC® MPIM2007 Result

Copyright 2006-2010 Standard Performance Evaluation Corporation

Linux Networx

LS-1,
Scali MPI Connect 5.6.1,
Intel 10.1 compilers

SPECmpiM_peak2007 = Not Run

SPECmpiM_base200[illegible] = NC

MPI2007 license: 021
Test sponsor: Scali, Inc
Tested by: Scali, Inc

Test date: Feb-2008
Hardware Availability: Sep-2007
Software Availability: Feb-2008

SPEC has determined that this result was not in compliance with the SPEC MPI2007 run and reporting rules. Specifically, the result did not meet the requirement for baseline optimization flags to not use assertion flags (the flag -fno-alias is a violation of this rule). The result was found to be performance neutral compared to runs without -fno-alias. Replacement results could not be produced because of system access limitations.

Non-Compliant

	Ranks
104.milc	
107.leslie3d	
113.GemsFDTD	
115.fds4	
121.pop2	
122.tachyon	
126.lammps	
127.wrf2	
128.GAPgeofem	
129.tera_tf	
[illegible]	
132.zeusmp2	
137.lu	

SPEC MPIM2007 Result

Copyright 2006-2010 Standard Performance Evaluation Corporation

Linux Networx

LS-1,
Scali MPI Connect 5.6.1,
Intel 10.1 compilers

SPECmpiM_peak2007 = Not Run

SPECmpiM_base200[illegible] = NC

MPI2007 license: 021
Test sponsor: Scali, Inc
Tested by: Scali, Inc

Test date: Feb-2008
Hardware Availability: Sep-2007
Software Availability: Feb-2008

SPEC has determined that this result was not in compliance with the SPEC MPI2007 run and reporting rules. Specifically, the result did not meet the requirement for baseline optimization flags to not use assertion flags (the flag -fno-alias is a violation of this rule). The result was found to be performance neutral compared to runs without -fno-alias. Replacement results could not be produced because of system access limitations.

Non-Compliant

Results Table

Benchmark	Base							Peak						
	Ranks	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Ranks	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
104.milc	64	NC	NC	NC	NC	NC	NC							
107.leslie3d	64	NC	NC	NC	NC	NC	NC							
113.GemsFDTD	64	NC	NC	NC	NC	NC	NC							
115.fds4	64	NC	NC	NC	NC	NC	NC							
121.pop2	64	NC	NC	NC	NC	NC	NC							
122.tachyon	64	NC	NC	NC	NC	NC	NC							
126.lammps	64	NC	NC	NC	NC	NC	NC							
127.wrf2	64	NC	NC	NC	NC	NC	NC							
128.GAPgeofem	64	NC	NC	NC	NC	NC	NC							
129.tera_tf	64	NC	NC	NC	NC	NC	NC							
130.socorro	64	NC	NC	NC	NC	NC	NC							
132.zeusmp2	64	NC	NC	NC	NC	NC	NC							
137.lu	64	NC	NC	NC	NC	NC	NC							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Hardware Summary

Type of System:	Homogenous
Compute Node:	Linux Networx LS-1
Interconnect:	InfiniBand
File Server Node:	Linux Networx LS1 I/O Nodes
Total Compute Nodes:	16
Total Chips:	32
Total Cores:	64
Total Threads:	64
Total Memory:	128 GB
Base Ranks Run:	64
Minimum Peak Ranks:	--
Maximum Peak Ranks:	--

Software Summary

C Compiler:	Intel C Compiler 10.1 for Linux (10.1.008)
C++ Compiler:	Intel C++ Compiler 10.1 for Linux (10.1.008)
Fortran Compiler:	Intel Fortran Compiler 10.1 for Linux (10.1.008)
Base Pointers:	64-bit
Peak Pointers:	Not Applicable
MPI Library:	Scali MPI Connect 5.6.1-58818
Other MPI Info:	IB Gold VAPI
Pre-processors:	None
Other Software:	None

SPEC MPIM2007 Result

Copyright 2006-2010 Standard Performance Evaluation Corporation

Linux Networx

LS-1,
Scali MPI Connect 5.6.1,
Intel 10.1 compilers

SPECmpiM_peak2007 = Not Run

SPECmpiM_base200[illegible] = NC

MPI2007 license: 021
Test sponsor: Scali, Inc
Tested by: Scali, Inc

Test date: Feb-2008
Hardware Availability: Sep-2007
Software Availability: Feb-2008

SPEC has determined that this result was not in compliance with the SPEC MPI2007 run and reporting rules. Specifically, the result did not meet the requirement for baseline optimization flags to not use assertion flags (the flag -fno-alias is a violation of this rule). The result was found to be performance neutral compared to runs without -fno-alias. Replacement results could not be produced because of system access limitations.

Non-Compliant

Node Description: Linux Networx LS-1

Hardware

Number of nodes:	16
Uses of the node:	compute
Vendor:	Linux Networx, Inc.
Model:	LS-1
CPU Name:	Intel Xeon 5160
CPU(s) orderable:	1-2 chips
Chips enabled:	2
Cores enabled:	4
Cores per chip:	2
Threads per core:	1
CPU Characteristics:	1333 Mhz FSB
CPU MHz:	3000
Primary Cache:	32 KB I+32 KB D on chip per core
Secondary Cache:	4 MB I+D on chip per chip
L3 Cache:	None
Other Cache:	None
Memory:	8 GB (8 x 1GB DIMMs 667 MHz)
Disk Subsystem:	250GB SATA hard drive
Other Hardware:	None
Adapter:	Mellanox MHGA28-XTC PCI-Express DDR InfiniBand HCA
Number of Adapters:	1
Slot Type:	PCIe x8
Data Rate:	InfiniBand 4x DDR
Ports Used:	1
Interconnect Type:	Infiniband

Software

Adapter:	Mellanox MHGA28-XTC PCI-Express DDR InfiniBand HCA
Adapter Driver:	IBGD 1.8.2
Adapter Firmware:	5.1.4
Operating System:	SLES9 SP3
Local File System:	Not applicable
Shared File System:	GPFS
System State:	multi-user
Other Software:	None

SPEC MPIM2007 Result

Copyright 2006-2010 Standard Performance Evaluation Corporation

Linux Networx

LS-1,
Scali MPI Connect 5.6.1,
Intel 10.1 compilers

SPECmpiM_peak2007 = Not Run

SPECmpiM_base200[illegible] = NC

MPI2007 license: 021
Test sponsor: Scali, Inc
Tested by: Scali, Inc

Test date: Feb-2008
Hardware Availability: Sep-2007
Software Availability: Feb-2008

SPEC has determined that this result was not in compliance with the SPEC MPI2007 run and reporting rules. Specifically, the result did not meet the requirement for baseline optimization flags to not use assertion flags (the flag -fno-alias is a violation of this rule). The result was found to be performance neutral compared to runs without -fno-alias. Replacement results could not be produced because of system access limitations.

Non-Compliant

Node Description: Linux Networx LS1 I/O Nodes

Hardware

Number of nodes:	8
Uses of the node:	file server
Vendor:	Linux Networx, Inc.
Model:	LS1
CPU Name:	Intel Xeon 5150
CPU(s) orderable:	1-2 chips
Chips enabled:	2
Cores enabled:	4
Cores per chip:	2
Threads per core:	1
CPU Characteristics:	1333 Mhz FSB
CPU MHz:	2660
Primary Cache:	32 KB I + 32 KB D on chip per core
Secondary Cache:	4 MB [illegible]D on chip per chip
L3 Cache:	None
Other Cache:	None
Memory:	[illegible] GB (8 x 1GB DIMMs 667 MHz)
Disk Subsystem:	18 TB SAN interconnected by FC4
Other Hardware:	None
Adapter:	Mellanox MHGA28-XTC PCI-X DDR InfiniBand HCA
Number of Adapters:	1
Slot Type:	PCIe x8
Data Rate:	InfiniBand 4x DDR
Ports Used:	1
Interconnect Type:	InfiniBand

Software

Adapter:	Mellanox MHGA28-XTC PCI-X DDR InfiniBand HCA
Adapter Driver:	IBGD 1.8.2
Adapter Firmware:	5.2.0
Operating System:	SLES9 SP3
Local File System:	Not applicable
Shared File System:	GPFS
System State:	multi-user
Other Software:	None

SPEC MPIM2007 Result

Copyright 2006-2010 Standard Performance Evaluation Corporation

Linux Networx

LS-1,
Scali MPI Connect 5.6.1,
Intel 10.1 compilers

SPECmpiM_peak2007 = Not Run

SPECmpiM_base200[illegible] = NC

MPI2007 license: 021
Test sponsor: Scali, Inc
Tested by: Scali, Inc

Test date: Feb-2008
Hardware Availability: Sep-2007
Software Availability: Feb-2008

SPEC has determined that this result was not in compliance with the SPEC MPI2007 run and reporting rules. Specifically, the result did not meet the requirement for baseline optimization flags to not use assertion flags (the flag -fno-alias is a violation of this rule). The result was found to be performance neutral compared to runs without -fno-alias. Replacement results could not be produced because of system access limitations.

Non-Compliant

Interconnect Description: InfiniBand

Hardware		Software
Vendor:	QLogic	
Model:	QLogic Silverstorm 9120 Fabric Director	
Switch Model:	9120	
Number of Switches:	1	
Number of Ports:	144	
Data Rate:	InfiniBand 4x SDR and InfiniBand 4x DDR	
Firmware:	4.1.1.1.11	
Topology:	Single switch (star)	
Primary Use:	MPI and filesystem traffic	

General Notes

```
The following approved srcalts are used
   tera_tf - fixbuffer
   wrf2    - fixcalling
```

Base Compiler Invocation

C benchmarks:

```
/opt/scali/bin/mpicc  -ccl icc
```

C++ benchmarks:

126.lammps: `/opt/scali/bin/mpicc  -ccl icpc`

Fortran benchmarks:

```
/opt/scali/bin/mpif77 -ccl ifort
```

Benchmarks using both Fortran and C:

```
/opt/scali/bin/mpicc  -ccl icc /opt/scali/bin/mpif77 -ccl ifort
```

SPEC MPIM2007 Result

Copyright 2006-2010 Standard Performance Evaluation Corporation

Linux Networx

LS-1,
Scali MPI Connect 5.6.1,
Intel 10.1 compilers

SPECmpiM_peak2007 = Not Run

SPECmpiM_base200[illegible] = NC

MPI2007 license: 021
Test sponsor: Scali, Inc
Tested by: Scali, Inc

Test date: Feb-2008
Hardware Availability: Sep-2007
Software Availability: Feb-2008

SPEC has determined that this result was not in compliance with the SPEC MPI2007 run and reporting rules. Specifically, the result did not meet the requirement for baseline optimization flags to not use assertion flags (the flag -fno-alias is a violation of this rule). The result was found to be performance neutral compared to runs without -fno-alias. Replacement results could not be produced because of system access limitations.

Base Portability Flags

121.pop2: -DSPEC_MPI_CASE_FLAG
127.wrf2: -DSPEC_MPI_LINUX -DSPEC_MPI_CASE_FLAG

Base Optimization Flags

C benchmarks:
-O3 -no-prec-div -fno-alias -xT

C++ benchmarks:

126.lammps: -O3 -no-prec-div -fno-alias -xT

Fortran benchmarks:
-O3 -no-prec-div -fno-alias -xT

Benchmarks using both Fortran and C:
-O3 -no-prec-div -fno-alias -xT

The flags files that were used to format this result can be browsed at
http://www.spec.org/mpi2007/flags/MPI2007_flags.20080611.html
http://www.spec.org/mpi2007/flags/MPI2007_flags.0.20080611.html

You can also download the XML flags sources by saving the following links:
http://www.spec.org/mpi2007/flags/MPI2007_flags.20080611.xml
http://www.spec.org/mpi2007/flags/MPI2007_flags.0.20080611.xml

Non-Compliant

SPEC MPIM2007 Result

Copyright 2006-2010 Standard Performance Evaluation Corporation

Linux Networx

LS-1,
Scali MPI Connect 5.6.1,
Intel 10.1 compilers

SPECmpiM_peak2007 = Not Run

SPECmpiM_base200[illegible] = NC

MPI2007 license: 021
Test sponsor: Scali, Inc
Tested by: Scali, Inc

Test date: Feb-2008
Hardware Availability: Sep-2007
Software Availability: Feb-2008

SPEC has determined that this result was not in compliance with the SPEC MPI2007 run and reporting rules. Specifically, the result did not meet the requirement for baseline optimization flags to not use assertion flags (the flag -fno-alias is a violation of this rule). The result was found to be performance neutral compared to runs without -fno-alias. Replacement results could not be produced because of system access limitations.

Non-Compliant

SPEC and SPEC MPI are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC MPI2007 v1.0.
Report generated on Tue Jul 22 13:33:29 2014 by SPEC MPI2007 PS/PDF formatter v1463.
Originally published on 31 March 2008.