



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Bull
Express5800-120Rh-2 (3.6GHz Intel Xeon)

SPECfp_rate2000 = 32.7
SPECfp_rate_base2000 = 32.7

SPEC license #: 20 | Tested by: Bull | Test date: May-2006 | Hardware Avail: Dec-2005 | Software Avail: Jun-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	2	62.2	59.7	2	62.2	59.7
171.swim	2	269	26.7	2	269	26.7
172.mgrid	2	171	24.5	2	171	24.5
173.applu	2	209	23.3	2	209	23.3
177.mesa	2	88.9	36.5	2	88.9	36.5
178.galgel	2	92.5	72.7	2	92.5	72.7
179.art	2	85.8	70.3	2	85.8	70.3
183.quake	2	98.9	30.5	2	98.9	30.5
187.facerec	2	121	36.3	2	121	36.3
188.amp	2	186	27.4	2	186	27.4
189.lucas	2	185	25.0	2	185	25.0
191.fma3d	2	180	27.0	2	180	27.0
200.sixtrack	2	155	16.4	2	155	16.4
301.apsi	2	220	27.4	2	220	27.4

Hardware

CPU: Intel Xeon Processor(3.6GHz, 2MB L2, 800MHz bus)
 CPU MHz: 3600
 FPU: Integrated
 CPU(s) enabled: 2 cores, 2 chips, 1 core/chip (Hyper-Threading Technology disabled)
 CPU(s) orderable: 1 to 2
 Parallel: No
 Primary Cache: 12K(I) micro-ops + 16KB(D) on chip
 Secondary Cache: 2048KB(I+D) on chip
 L3 Cache: N/A
 Other Cache: N/A
 Memory: 8GB (1GB DIMMx8, DDR2-400 2-way interleaved, CL3)
 Disk Subsystem: 2x73GB SCSI 10000 rpm
 Other Hardware:

Software

Operating System: Windows Server 2003 Enterprise Edition (32 bits), Service Pack 1
 Compiler: Intel(R) C++ Compiler for 32-bit app., Version 9.1, - Build 20060323Z Package ID: W_CC_P_9.1.022
 Intel(R) Fortran Compiler for 32-bit app., Version 9.1, - Build 20060323Z Package ID: W_FC_P_9.1.024
 Microsoft Visual Studio .NET 2003 (for libraries)
 File System: NTFS
 System State: Default

Notes/Tuning Information

Portability flags:
178.galgel: -FI /F32000000

Feedback optimization:
+FDO: PASS1= -Qprof_gen PASS2= -Qprof_use

Baseline Tuning Flags:
for C programs:
-fast -Qansi_alias +FDO
for Fortran programs:
-fast -Qansi_alias +FDO

Peak Tuning Flags:
BasePeak=Yes

For information about Bull please see:
<http://www.bull.com>