



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

**Dell**  
Precision WorkStation 340 (2.0A GHz P4)

SPECint2000 = **753**  
SPECint\_base2000 = **735**

SPEC license #: 55 Tested by: Dell, Round Rock, TX Test date: Jan-2002 Hardware Avail: Jan-2002 Software Avail: Jun-2001

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	300 600 900 1200			
164.gzip	1400	184	762	182	771	[Bar chart showing ratio]			
175.vpr	1400	327	428	313	447	[Bar chart showing ratio]			
176.gcc	1100	124	885	124	885	[Bar chart showing ratio]			
181.mcf	1800	319	564	319	565	[Bar chart showing ratio]			
186.crafty	1000	146	687	146	686	[Bar chart showing ratio]			
197.parser	1800	250	721	249	724	[Bar chart showing ratio]			
252.eon	1300	141	921	122	1069	[Bar chart showing ratio]			
253.perlbnk	1800	189	954	189	953	[Bar chart showing ratio]			
254.gap	1100	119	927	116	946	[Bar chart showing ratio]			
255.vortex	1900	186	1023	175	1086	[Bar chart showing ratio]			
256.bzip2	1500	254	590	254	590	[Bar chart showing ratio]			
300.twolf	3000	478	627	475	631	[Bar chart showing ratio]			

### Hardware

CPU: Intel Pentium 4  
CPU MHz: 2000  
FPU: Integrated  
CPU(s) enabled: 1 core, 1 chip, 1 core/chip  
CPU(s) orderable: 1  
Parallel: No  
Primary Cache: 12K(I) micro-ops + 8KB(D) on chip  
Secondary Cache: 512KB(I+D) on chip  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 2 x 128MB PC800 ECC RDRAM  
Disk Subsystem: 1 x 20GB Maxtor 7.2K ATA/5  
Other Hardware:

### Software

Operating System: Windows 2000 Professional (SP2)  
Compiler: Intel C++ Compiler 5.0.1 (010727Z)  
Microsoft Visual C++ 6.0 (SP5)  
MicroQuill SmartHeap Library 5.0  
File System: NTFS  
System State: Default

## Notes/Tuning Information

### PORTABILITY FLAGS

176.gcc: -Dalloca=\_alloca /F10000000  
186.crafy: -DNT\_i386  
253.perlbnk: -DSPEC\_CPU2000\_NTOS -DPERLDLL /MT  
254.gap: -DSYS\_HAS\_CALLOC\_PROTO -DSYS\_HAS\_MALLOC\_PROTO

### FEEDBACK-DIRECTED OPTIMIZATION

FDO: PASS1= -Qprof\_gen PASS2= -Qprof\_use

### BASE TUNING

C: -Qipo +FDO -QxW shlw32M.lib  
C++: -Qipo -QxW -GX -GR

### PEAK TUNING

164.gzip: -Qipo +FDO -QxW -Oi- -Oa  
175.vpr: -Qwp\_ipo +FDO -QxW  
176.gcc: -Qipo +FDO -QxW shlw32M.lib  
181.mcf: -Qipo +FDO -QxW shlw32M.lib  
186.crafty: -Qipo +FDO -QxW -Oa shlw32M.lib  
197.parser: -Qipo +FDO -QxW  
252.eon: -Qipo +FDO -QxW  
253.perlbnk: -Qipo +FDO -QxW shlw32M.lib  
254.gap: -Qipo +FDO -QaxW



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Dell  
Precision WorkStation 340 (2.0A GHz P4)

SPECint2000 =	753
SPECint_base2000 =	735

SPEC license #:	55	Tested by:	Dell, Round Rock, TX	Test date:	Jan-2002	Hardware Avail:	Jan-2002	Software Avail:	Jun-2001
-----------------	----	------------	----------------------	------------	----------	-----------------	----------	-----------------	----------

## Notes/Tuning Information (Continued)

```
255.vortex: -Qwp_ipo +FDO -QxW -Oa shlw32M.lib
256.bzip2:  -Qipo +FDO -QxW shlw32M.lib
300.twolf:  -Qipo +FDO -QxW shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib: MicroQuill SmartHeap Library 5.0
              www.microquill.com
```