



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Fujitsu Limited  
PRIMEPOWER900 (1350MHz)

SPECfp2000 = 1322

SPECfp\_base2000 = 1047

SPEC license #: 19 | Tested by: Fujitsu Limited | Test date: May-2003 | Hardware Avail: Jun-2003 | Software Avail: May-2003

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio
168.wupwise	1600	312	512	135	1183
171.swim	3100	245	1266	123	2526
172.mgrid	1800	209	863	169	1064
173.applu	2100	280	751	193	1089
177.mesa	1400	281	498	219	639
178.galgel	2900	131	2219	104	2791
179.art	2600	25.6	10165	25.5	10177
183.earth	1300	73.6	1767	67.1	1937
187.facerec	1900	153	1244	135	1405
188.amp	2200	315	698	273	804
189.lucas	2000	203	984	181	1103
191.fma3d	2100	288	729	255	823
200.sixtrack	1100	287	383	265	415
301.apsi	2600	270	963	270	965

### Hardware

CPU: SPARC64 V  
 CPU MHz: 1350  
 FPU: Integrated  
 CPU(s) enabled: 1 core, 1 chip, 1 core/chip  
 CPU(s) orderable: 1 to 16 (increments of 1)  
 Parallel: None  
 Primary Cache: 128KBI+128KBD on chip  
 Secondary Cache: 2MB(I+D) on chip  
 L3 Cache: None  
 Other Cache: None  
 Memory: 4096MB  
 Disk Subsystem: 1 x 36.4GB SCSI (10000rpm)  
 Other Hardware: None

### Software

Operating System: Solaris8 2/02 with current patches (see notes)  
 Compiler: Fujitsu Parallelnavi 2.1 with patch 912528-02  
 Sun ONE Studio 8 (EA2 version of Sun ONE Studio 8 used)  
 Sun Performance Library 8  
 File System: ufs  
 System State: multi user

## Notes/Tuning Information

```
FDO: (for Parallelnavi 2.1)
  fdo_pre0=rm -rf `pwd`/*.f.d
  PASS1=-Kpg PASS2=-Kpu
FDO: (for Sun ONE Studio 8 EA2)
  fdo_pre0=rm -rf ./feedback.profile ./SunWS_cache
  PASS1=-xprofile=collect:./feedback
  PASS2=-xprofile=use:./feedback
Baseline:
(using Fortran compiler of Sun ONE Studio 8 EA2)
  -fast -xtarget=ultra3 -lprism32 FDO
(using C compiler of Sun ONE Studio 8 EA2)
  -fast -xtarget=ultra3 -xipo=2 ONESTEP=yes FDO
Peak:
(for Parallelnavi 2.1)
168.wupwise: -fs -Kfast_GP2=2,largepage -O5 -x dir=./
  -Kpreex,prefetch_infer,alignl=64,preschedule_length=17 FDO
172.mgrid: -fs -Kfast_GP2=2,largepage,GREG_SYSTEM -Kpreex,prefetch_line=6,commonpad=144,alignc=64 FDO
```



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Fujitsu Limited  
PRIMEPOWER900 (1350MHz)

SPECfp2000 = 1322

SPECfp\_base2000 = 1047

SPEC license #: 19 | Tested by: Fujitsu Limited | Test date: May-2003 | Hardware Avail: Jun-2003 | Software Avail: May-2003

## Notes/Tuning Information (Continued)

```

189.lucas: -fs -Kfast_GP2=2,largepage,GREG_SYSTEM -O5
           -Kpreex,prefetch_infer,prefetch_line=6,preschedule_length=70 FDO
191.fma3d: -fs -Kfast_GP2=2,largepage,GREG_SYSTEM -x dir=./ -x55
           -Kpreex,prefetch_infer,prefetch=4 FDO
200.sixtrack: -fs -Kfast_GP2=2,largepage,GREG_SYSTEM -O5
              -Kunroll=2,preex,prefetch_line=8,recipro,novfunc,preschedule_length=27 FDO
(using FORTRAN90 compiler of Sun ONE Studio 8 EA2)
171.swim: -fast -xchip=ultra3cu -xcache=128/64/2:2048/64/4 -xarch=v8plusb
          -xpad=common:4002 -xprefetch=latx:2.2
          -Qoption iropt -Atile:skewp,-Ainline:cs=700 -lprism32
173.applu: -fast -xchip=ultra3 -xcache=128/64/2:2048/64/4 -xarch=v8plusb
          -xipo=2 -xprefetch=latx:0.6 FDO ONESTEP=yes
178.galgel: -fast -xchip=ultra3cu -xcache=128/64/2:2048/64/4 -xarch=v8plusb -xipo=2
            -xprefetch=latx:0.4 -Qoption iropt -Addindt:sf=9
            -lprism32 -xlic_lib=sunperf RM_SOURCES=lapak.f90 FDO ONESTEP=yes

187.facerec: -xO5 -xchip=ultra3 -xcache=128/64/2:2048/64/4 -xarch=v8plus
             -xprefetch=yes -xprefetch_level=1 -xprefrtch=latx:2.0 -xvector=no -xdepend -ftrap=%none
             -fns -fsimple=2 -lprism32 FDO ONESTEP=yes
301.apsi: -fast -xchip=ultra3 -xcache=128/64/2:2048/64/4 -xarch=v8plusb
          -xipo=2 -xprefrtch=latx:2.0 -Qoption iropt -Mt450 -lprism32 FDO ONESTEP=yes

(using C compiler of Sun ONE Studio 8 EA2)
177.mesa: -fast -xchip=ultra2 -xcache=128/64/2:2048/64/4 -xarch=v8plusb -xipo=2 -xrestrict
          -xalias_level=strong -Wc,-Qgsched-trace_late=1,-Qgsched-T4,-Qms_pipe+unoovf FDO ONESTEP=yes
179.art: -fast -xchip=ultra3 -xcache=128/64/2:2048/64/4 -xarch=v8plusb -xipo=2 -xalias_level=std FDO ONESTEP=yes
183.equake: -fast -xchip=ultra3cu -xcache=128/64/2:2048/64/4 -xarch=v8plusb
            -xalias_level=strong -xdepend -W2,-whole,-Amemopt:arrayloc -xprefetch
            -Wc,-Qms_pipe-pref,-Qlp=1-av=512-t=6-fa=1-fl=1 -lprism32 -lmopt -lm FDO ONESTEP=yes
188.ammp: -fast -xchip=ultra3 -xcache=128/64/2:2048/64/4 -xarch=v8plusb
          -xipo=2 -xrestrict -xalias_level=std -xdepend -xprefetch=latx:2.6 -lprism32 FDO ONESTEP=yes

```

### Portability:

178.galgel: -e -fixed (for Sun ONE Studio 8 EA2)

### Note:

```

System Tunables: (for /etc/system)
consistent_coloring=1,
shmsys:shminfo_shmmax=2147483648, shmsys:shminfo_shmmni=256,
shmsys:shminfo_shmseg=400,shminfo_shmmni=1
set tune_t_fsflushr = 86400
set autoup = 86400

```

(for /etc/opt/FJSVpnm/lpg.conf)

TSS=1024M, SHMSEGSIZE=256M

### Shell Environments:

```

LD_LIBRARY_PATH="/opt3/SUNWspro/prod/lib/v8plusb"
PRISM_HEAP=268435456
PRISM_MODE=2

```

Feedback directed optimization was used except 171.swim(peak).

Small configuration memory system mode used ("4cpu mode", enabled via system console).

Stack size set to unlimited via "ulimit -s unlimited"

System board used with only one CPU present.

Sun ONE Studio 8 EA2 (Early Access 2), posted at URL <http://access1.sun.com/s1sprod8> as updated through 27-Mar-2003, was used for this submission.

Sun ONE Studio 8 (final) will ship May-2003.

All patches for Solaris8 posted at

Standard Performance Evaluation Corporation

info@spec.org

<http://www.spec.org>



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Fujitsu Limited  
PRIMEPOWER900 (1350MHz)

SPECfp2000 = 1322

SPECfp\_base2000 = 1047

SPEC license #: 19 | Tested by: Fujitsu Limited | Test date: May-2003 | Hardware Avail: Jun-2003 | Software Avail: May-2003

## Notes/Tuning Information (Continued)

[http://access1.sun.com/patch.public/cgi-bin/show\\_list.cgi/wrk/Sun\\_ONE\\_Studio\\_7\\_SPARC\\_SunOS\\_5.8](http://access1.sun.com/patch.public/cgi-bin/show_list.cgi/wrk/Sun_ONE_Studio_7_SPARC_SunOS_5.8)  
as of date 2003/04/21 were applied: 108434-11, 108435-11, 111697-04, 111721-03.