SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge R805 (AMD Opteron 2356, 2.30 GHz)

SPECfp®_rate2006 = 86.6

SPECfp_rate_base2006 = 79.2

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Mar-2008
Hardware Availability: Apr-2008
Software Availability: May-2008



Hardware

CPU Name:	AMD Opteron 2356
CPU Characteristics:	
CPU MHz:	2300
FPU:	Integrated
CPU(s) enabled:	8 cores, 2 chips, 4 cores/chip
CPU(s) orderable:	2 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core

Continued on next page

Software

Operating System:	SuSE Linux Enterprise Server 10 (x86_64) SP1, Kernel 2.6.16.46-0.12-smp
Compiler:	PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.1
Auto Parallel:	No
File System:	ReiserFS
System State:	Run level 3 (multi-user)
Base Pointers:	64-bit
Peak Pointers:	32/64-bit

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge R805 (AMD Opteron 2356, 2.30 GHz)

SPECfp_rate2006 = 86.6

SPECfp_rate_base2006 = 79.2

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Mar-2008
Hardware Availability: Apr-2008
Software Availability: May-2008

L3 Cache: 2 MB I+D on chip per chip
Other Cache: None
Memory: 16 GB (8x2GB, DDR2-667, CL5, Reg, Dual Rank)
Disk Subsystem: 1x73GB SAS, 10000 RPM
Other Hardware: None

Other Software: --

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	8	1451	74.9	1433	75.9	**1438**	**75.6**	8	**1347**	**80.7**	1344	80.9	1347	80.7
416.gamess	8	1382	113	**1380**	**113**	1380	113	8	1272	123	**1274**	**123**	1279	123
433.milc	8	1222	60.1	**1222**	**60.1**	1222	60.1	8	1204	61.0	**1204**	**61.0**	1206	60.9
434.zeusmp	8	816	89.2	809	90.0	**813**	**89.5**	8	824	88.4	**815**	**89.3**	808	90.0
435.gromacs	8	657	87.0	659	86.7	**657**	**86.9**	8	530	108	529	108	**530**	**108**
436.cactusADM	8	1066	89.7	**1069**	**89.4**	1096	87.2	8	1008	94.8	1000	95.6	**1007**	**94.9**
437.leslie3d	8	1484	50.7	**1485**	**50.7**	1485	50.7	8	1442	52.2	**1444**	**52.1**	1445	52.0
444.namd	8	753	85.2	**753**	**85.2**	752	85.3	8	664	96.6	663	96.8	**663**	**96.8**
447.dealII	8	807	113	810	113	**807**	**113**	8	**564**	**162**	574	159	557	164
450.soplex	8	**1217**	**54.8**	1217	54.8	1217	54.8	8	1211	55.1	**1206**	**55.3**	1198	55.7
453.povray	8	374	114	372	114	**373**	**114**	8	309	138	**310**	**137**	310	137
454.calculix	8	576	115	578	114	**577**	**114**	8	581	114	575	115	**577**	**114**
459.GemsFDTD	8	1803	47.1	**1800**	**47.2**	1798	47.2	8	**1740**	**48.8**	1744	48.7	1740	48.8
465.tonto	8	823	95.7	824	95.5	**823**	**95.6**	8	**717**	**110**	716	110	719	110
470.lbm	8	2350	46.8	2306	47.7	**2309**	**47.6**	8	**2257**	**48.7**	2257	48.7	2258	48.7
481.wrf	8	1008	88.7	**1008**	**88.6**	1010	88.4	8	**979**	**91.3**	979	91.3	979	91.2
482.sphinx3	8	1969	79.2	1970	79.1	**1969**	**79.2**	8	**1680**	**92.8**	1681	92.7	1678	92.9

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

```
'ulimit -s unlimited' was used to set environment stack size
'ulimit -l  2457600'  was used to set environment locked pages in memory quantity
Environment variable PGI_HUGE_PAGES set to 150
Set vm/nr_hugepages=1200 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
numactl used to bind copies to the cores
```

Base Compiler Invocation

C benchmarks:
pgcc

Continued on next page

Base Compiler Invocation (Continued)

C++ benchmarks:
pgcpp

Fortran benchmarks:
pgf95

Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Base Optimization Flags

C benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

C++ benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 --zc_eh -tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

Benchmarks using both Fortran and C:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

Base Other Flags

C benchmarks:
`-w`

C++ benchmarks:
`-w`

Fortran benchmarks:
`-w`

Benchmarks using both Fortran and C:
`-w`

Peak Compiler Invocation

C benchmarks (except as noted below):
`pathcc`

433.milc: `pgcc`

C++ benchmarks (except as noted below):
`pathCC`

444.namd: `pgcpp`

Fortran benchmarks (except as noted below):
`pathf95`

410.bwaves: `pgf95`

434.zeusmp: `pgf95`

Benchmarks using both Fortran and C (except as noted below):
`pgcc pgf95`

436.cactusADM: `pathcc pathf95`

481.wrf: `pathcc pathf95`

Peak Portability Flags

410.bwaves: `-DSPEC_CPU_LP64`
416.gamess: `-DSPEC_CPU_LP64`
433.milc: `-DSPEC_CPU_LP64`
434.zeusmp: `-DSPEC_CPU_LP64`
435.gromacs: `-DSPEC_CPU_LP64 -Mnomain`

Continued on next page

Peak Portability Flags (Continued)

436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX -fno-second-underscore
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -fastsse -Msmartalloc=huge:150 -Msafeptr -Mfprelaxed
-Mipa=jobs:4 -Mipa=inline -Mipa=arg -Mipa=const -Mipa=ptr
-Mipa=shape -tp barcelona-64 -Bstatic_pgi

470.lbm: -march=barcelona -Ofast -m3dnow

482.sphinx3: -march=barcelona -Ofast

C++ benchmarks:

444.namd: -Mpfi(pass 1) -Mipa=jobs:4(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mpfo(pass 2) -fast -Mfprelaxed
-Msmartalloc=huge:150 --zc_eh -Mnodepchk -Munroll=n:4
-Munroll=m:8 -tp barcelona-64 -Bstatic_pgi

447.dealII: -march=barcelona -Ofast -static -INLINE:aggressive=on
-OPT:malloc_alg=1 -m32 -fno-exceptions

450.soplex: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -m32 -O3 -TENV:frame_pointer=off
-LNO:prefetch=1

453.povray: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast -CG:load_exe=0

Fortran benchmarks:

410.bwaves: -Mpfi(pass 1) -Mipa=jobs:4(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mpfo(pass 2) -fastsse -Mfprelaxed
-Msmartalloc -Mprefetch=distance:12 -Mprefetch=nta
-tp barcelona-64 -Bstatic_pgi

Continued on next page

Peak Optimization Flags (Continued)

416.gamess: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-O2 -OPT:Ofast -OPT:ro=3`
`-OPT:unroll_size=256`

434.zeusmp: `-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=jobs:4`
`-Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi`

437.leslie3d: `-march=barcelona -Ofast -m3dnow -OPT:unroll_size=256`
`-CG:load_exe=0 -OPT:malloc_alg=1`

459.GemsFDTD: `-march=barcelona -Ofast -LNO:fission=2 -LNO:simd=2`
`-OPT:malloc_alg=1`

465.tonto: `-march=barcelona -Ofast -OPT:malloc_alg=1`
`-OPT:alias=no_f90_pointer_alias -LNO:blocking=off`
`-CG:load_exe=1 -IPA:plimit=525`

Benchmarks using both Fortran and C:

435.gromacs: `-fast -Mfpapprox=rsqrt -Mipa=jobs:4 -Mipa=fast`
`-Mipa=inline -Mfprelaxed -Msmartalloc=huge:150`
`-tp barcelona-64 -Bstatic_pgi`

436.cactusADM: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-Ofast -WOPT:aggstr=0`

454.calculix: `-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=jobs:4`
`-Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi`

481.wrf: `-march=barcelona -Ofast -LNO:blocking=off`
`-LNO:prefetch_ahead=10 -OPT:malloc_alg=1 -m3dnow`
`-LANG:copyinout=off -IPA:callee_limit=5000`

Peak Other Flags

C benchmarks:

433.milc: `-w`

C++ benchmarks:

444.namd: `-w`

Fortran benchmarks:

410.bwaves: `-w`

Continued on next page

Peak Other Flags (Continued)

434.zeusmp: `-w`

Benchmarks using both Fortran and C:

435.gromacs: `-w`

454.calculix: `-w`

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/amd123GH-flags.20090714.00.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/amd123GH-flags.20090714.00.xml`

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 18:07:38 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 7 May 2008.