SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge R805 (AMD Opteron 2354, 2.20 GHz)

SPECfp®_rate2006 = 84.3

SPECfp_rate_base2006 = 76.9

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Mar-2008
Hardware Availability: Apr-2008
Software Availability: May-2008



Hardware

CPU Name:	AMD Opteron 2354
CPU Characteristics:	
CPU MHz:	2200
FPU:	Integrated
CPU(s) enabled:	8 cores, 2 chips, 4 cores/chip
CPU(s) orderable:	2 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core

Continued on next page

Software

Operating System:	SuSE Linux Enterprise Server 10 (x86_64) SP1, Kernel 2.6.16.46-0.12-smp
Compiler:	PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.1
Auto Parallel:	No
File System:	ReiserFS
System State:	Run Level 3 (multi-user)
Base Pointers:	64-bit
Peak Pointers:	32/64-bit

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge R805 (AMD Opteron 2354, 2.20 GHz)

SPECfp_rate2006 = 84.3

SPECfp_rate_base2006 = 76.9

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Mar-2008
Hardware Availability: Apr-2008
Software Availability: May-2008

L3 Cache: 2 MB I+D on chip per chip
Other Cache: None
Memory: 16 GB (8 x 2GB, DDR2-667, CL5, Reg, Dual Rank)
Disk Subsystem: 1 x 73 GB 15000 RPM SAS
Other Hardware: None

Other Software: None

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	8	1475	73.7	1453	74.8	**1454**	**74.8**	8	1346	80.8	**1352**	**80.4**	1357	80.1
416.gamess	8	1443	109	1446	108	**1444**	**108**	8	**1330**	**118**	1330	118	1329	118
433.milc	8	1227	59.9	**1227**	**59.9**	1226	59.9	8	1208	60.8	1210	60.7	**1210**	**60.7**
434.zeusmp	8	839	86.8	**843**	**86.3**	845	86.2	8	**848**	**85.8**	854	85.3	843	86.4
435.gromacs	8	687	83.1	688	83.0	**688**	**83.1**	8	554	103	**554**	**103**	554	103
436.cactusADM	8	**1122**	**85.2**	1123	85.1	1106	86.4	8	1045	91.5	1040	91.9	**1043**	**91.7**
437.leslie3d	8	1491	50.4	1491	50.4	**1491**	**50.4**	8	**1447**	**52.0**	1447	52.0	1450	51.9
444.namd	8	**786**	**81.6**	787	81.5	786	81.6	8	695	92.3	**694**	**92.5**	693	92.5
447.dealII	8	853	107	848	108	**849**	**108**	8	**599**	**153**	600	153	592	155
450.soplex	8	1247	53.5	**1242**	**53.7**	1242	53.7	8	1232	54.1	**1230**	**54.2**	1228	54.3
453.povray	8	393	108	388	110	**389**	**109**	8	325	131	**325**	**131**	325	131
454.calculix	8	**604**	**109**	605	109	604	109	8	604	109	**604**	**109**	605	109
459.GemsFDTD	8	1817	46.7	**1813**	**46.8**	1805	47.0	8	1754	48.4	1749	48.5	**1754**	**48.4**
465.tonto	8	**855**	**92.1**	855	92.0	855	92.1	8	739	107	**738**	**107**	738	107
470.lbm	8	2339	47.0	2357	46.6	**2355**	**46.7**	8	2264	48.5	**2265**	**48.5**	2266	48.5
481.wrf	8	1024	87.3	**1030**	**86.8**	1032	86.6	8	988	90.5	**988**	**90.4**	991	90.2
482.sphinx3	8	**2012**	**77.5**	2015	77.4	2012	77.5	8	1711	91.1	1720	90.6	**1716**	**90.9**

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

```
'numactl' was used to bind copies to the cores
Environment variable PGI_HUGE_PAGES set to 150
'ulimit -s unlimited' was used to set environment stack size
'ulimit -l 2457600' was used to set environment locked pages in memory quantity
Set vm/nr_hugepages=1200 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
```

Base Compiler Invocation

C benchmarks:

```
pgcc
```

Continued on next page

Base Compiler Invocation (Continued)

C++ benchmarks:
pgcpp

Fortran benchmarks:
pgf95

Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Base Optimization Flags

C benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

C++ benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 --zc_eh -tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

Benchmarks using both Fortran and C:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

Base Other Flags

C benchmarks:
`-w`

C++ benchmarks:
`-w`

Fortran benchmarks:
`-w`

Benchmarks using both Fortran and C:
`-w`

Peak Compiler Invocation

C benchmarks (except as noted below):
`pathcc`

433.milc: `pgcc`

C++ benchmarks (except as noted below):
`pathCC`

444.namd: `pgcpp`

Fortran benchmarks (except as noted below):
`pathf95`

410.bwaves: `pgf95`

434.zeusmp: `pgf95`

Benchmarks using both Fortran and C (except as noted below):
`pgcc pgf95`

436.cactusADM: `pathcc pathf95`

481.wrf: `pathcc pathf95`

Peak Portability Flags

410.bwaves: `-DSPEC_CPU_LP64`
416.gamess: `-DSPEC_CPU_LP64`
433.milc: `-DSPEC_CPU_LP64`
434.zeusmp: `-DSPEC_CPU_LP64`
435.gromacs: `-DSPEC_CPU_LP64 -Mnomain`

Continued on next page

Peak Portability Flags (Continued)

436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX -fno-second-underscore
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -fastsse -Msmartalloc=huge:150 -Msafeptr -Mfprelaxed
-Mipa=jobs:4 -Mipa=inline -Mipa=arg -Mipa=const -Mipa=ptr
-Mipa=shape -tp barcelona-64 -Bstatic_pgi

470.lbm: -march=barcelona -Ofast -m3dnow

482.sphinx3: -march=barcelona -Ofast

C++ benchmarks:

444.namd: -Mpfi(pass 1) -Mipa=jobs:4(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mpfo(pass 2) -fast -Mfprelaxed
-Msmartalloc=huge:150 --zc_eh -Mnodepchk -Munroll=n:4
-Munroll=m:8 -tp barcelona-64 -Bstatic_pgi

447.dealII: -march=barcelona -Ofast -static -INLINE:aggressive=on
-OPT:malloc_alg=1 -m32 -fno-exceptions

450.soplex: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -m32 -O3 -TENV:frame_pointer=off
-LNO:prefetch=1

453.povray: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast -CG:load_exe=0

Fortran benchmarks:

410.bwaves: -Mpfi(pass 1) -Mipa=jobs:4(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mpfo(pass 2) -fastsse -Mfprelaxed
-Msmartalloc -Mprefetch=distance:12 -Mprefetch=nta
-tp barcelona-64 -Bstatic_pgi

Continued on next page

Peak Optimization Flags (Continued)

416.gamess: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-O2 -OPT:Ofast -OPT:ro=3`
`-OPT:unroll_size=256`

434.zeusmp: `-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=jobs:4`
`-Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi`

437.leslie3d: `-march=barcelona -Ofast -m3dnow -OPT:unroll_size=256`
`-CG:load_exe=0 -OPT:malloc_alg=1`

459.GemsFDTD: `-march=barcelona -Ofast -LNO:fission=2 -LNO:simd=2`
`-OPT:malloc_alg=1`

465.tonto: `-march=barcelona -Ofast -OPT:malloc_alg=1`
`-OPT:alias=no_f90_pointer_alias -LNO:blocking=off`
`-CG:load_exe=1 -IPA:plimit=525`

Benchmarks using both Fortran and C:

435.gromacs: `-fast -Mfpapprox=rsqrt -Mipa=jobs:4 -Mipa=fast`
`-Mipa=inline -Mfprelaxed -Msmartalloc=huge:150`
`-tp barcelona-64 -Bstatic_pgi`

436.cactusADM: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-Ofast -WOPT:aggstr=0`

454.calculix: `-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=jobs:4`
`-Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi`

481.wrf: `-march=barcelona -Ofast -LNO:blocking=off`
`-LNO:prefetch_ahead=10 -OPT:malloc_alg=1 -m3dnow`
`-LANG:copyinout=off -IPA:callee_limit=5000`

Peak Other Flags

C benchmarks:

433.milc: `-w`

C++ benchmarks:

444.namd: `-w`

Fortran benchmarks:

410.bwaves: `-w`

Continued on next page

Peak Other Flags (Continued)

434.zeusmp: `-w`

Benchmarks using both Fortran and C:

435.gromacs: `-w`

454.calculix: `-w`

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/amd123GH-flags.20090714.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/amd123GH-flags.20090714.xml`

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 18:08:38 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 7 May 2008.