SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Tyan
(Test Sponsor: Advanced Micro Devices)

Transport TX46, AMD Opteron 8347 HE

SPECfp®_rate2006 = 132

SPECfp_rate_base2006 = 121

CPU2006 license: 49
Test sponsor: Advanced Micro Devices
Tested by: Advanced Micro Devices

Test date: Mar-2008
Hardware Availability: May-2008
Software Availability: May-2008



Hardware

CPU Name:	AMD Opteron 8347 HE
CPU Characteristics:	
CPU MHz:	1900
FPU:	Integrated
CPU(s) enabled:	16 cores, 4 chips, 4 cores/chip
CPU(s) orderable:	2,4 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core

Continued on next page

Software

Operating System:	Red Hat Enterprise Linux Server release 5.1, Kernel 2.6.18-53.el5
Compiler:	PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.1
Auto Parallel:	No
File System:	ext3
System State:	Runlevel 3 (Full multiuser with network)
Base Pointers:	64-bit
Peak Pointers:	32/64-bit

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Tyan
(Test Sponsor: Advanced Micro Devices)

Transport TX46, AMD Opteron 8347 HE

SPECfp_rate2006 = 132

SPECfp_rate_base2006 = 121

CPU2006 license: 49
Test sponsor: Advanced Micro Devices
Tested by: Advanced Micro Devices

Test date: Mar-2008
Hardware Availability: May-2008
Software Availability: May-2008

L3 Cache: 2 MB I+D on chip per chip
Other Cache: None
Memory: 32 GB (16x2GB, DDR2-667, CL5, Reg, Dual Rank)
Disk Subsystem: 1 x 250 GB SATA, 7200 RPM
Other Hardware: None

Other Software: None

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	16	2367	91.9	2377	91.5	**2369**	**91.8**	16	2281	95.3	**2257**	**96.3**	2248	96.7
416.gamess	16	1668	188	1672	187	**1671**	**188**	16	1548	202	**1538**	**204**	1536	204
433.milc	16	**1792**	**81.9**	1775	82.8	1797	81.7	16	1732	84.8	**1734**	**84.7**	1746	84.1
434.zeusmp	16	1034	141	**1028**	**142**	1019	143	16	1025	142	**1022**	**142**	1022	142
435.gromacs	16	**803**	**142**	803	142	802	142	16	652	175	650	176	**651**	**176**
436.cactusADM	16	**1341**	**143**	1321	145	1346	142	16	1290	148	**1283**	**149**	1281	149
437.leslie3d	16	2170	69.3	2159	69.7	**2164**	**69.5**	16	**1984**	**75.8**	1987	75.7	1976	76.1
444.namd	16	916	140	909	141	**911**	**141**	16	807	159	**805**	**159**	802	160
447.dealII	16	1083	169	**1091**	**168**	1094	167	16	727	252	737	248	**735**	**249**
450.soplex	16	**1612**	**82.8**	1646	81.1	1599	83.4	16	1719	77.6	**1584**	**84.2**	1549	86.1
453.povray	16	**450**	**189**	451	189	450	189	16	377	226	**378**	**225**	379	225
454.calculix	16	711	186	**711**	**186**	709	186	16	710	186	709	186	**710**	**186**
459.GemsFDTD	16	**2390**	**71.0**	2402	70.7	2388	71.1	16	**2223**	**76.4**	2220	76.5	2223	76.4
465.tonto	16	1000	157	**1003**	**157**	1004	157	16	879	179	**878**	**179**	878	179
470.lbm	16	**2697**	**81.5**	2689	81.8	2702	81.4	16	2688	81.8	2686	81.8	**2687**	**81.8**
481.wrf	16	1360	131	**1353**	**132**	1352	132	16	1377	130	**1368**	**131**	1368	131
482.sphinx3	16	3006	104	**3000**	**104**	2983	105	16	2714	115	2686	116	**2695**	**116**

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

```
'numactl' was used to bind copies to the cores
Environment variable PGI_HUGE_PAGES set to 150
'ulimit -s unlimited' was used to set environment stack size
'ulimit -l 4915200' was used to set environment locked pages in memory quantity
Set vm/nr_hugepages=2400 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
```

Base Compiler Invocation

C benchmarks:
pgcc

Continued on next page

Base Compiler Invocation (Continued)

C++ benchmarks:
pgcpp

Fortran benchmarks:
pgf95

Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Base Optimization Flags

C benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

C++ benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 --zc_eh -tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

Benchmarks using both Fortran and C:
-fast -Mipa=jobs:4 -Mipa=fast -Mipa=inline -Mfprelaxed
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi

Base Other Flags

C benchmarks:
`-w`

C++ benchmarks:
`-w`

Fortran benchmarks:
`-w`

Benchmarks using both Fortran and C:
`-w`

Peak Compiler Invocation

C benchmarks (except as noted below):
`pathcc`

433.milc: `pgcc`

C++ benchmarks (except as noted below):
`pathCC`

444.namd: `pgcpp`

Fortran benchmarks (except as noted below):
`pathf95`

410.bwaves: `pgf95`

434.zeusmp: `pgf95`

Benchmarks using both Fortran and C (except as noted below):
`pgcc pgf95`

436.cactusADM: `pathcc pathf95`

481.wrf: `pathcc pathf95`

Peak Portability Flags

410.bwaves: `-DSPEC_CPU_LP64`
416.gamess: `-DSPEC_CPU_LP64`
433.milc: `-DSPEC_CPU_LP64`
434.zeusmp: `-DSPEC_CPU_LP64`
435.gromacs: `-DSPEC_CPU_LP64 -Mnomain`

Continued on next page

Peak Portability Flags (Continued)

436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX -fno-second-underscore
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -fastsse -Msmartalloc=huge:150 -Msafeptr -Mfprelaxed
-Mipa=jobs:4 -Mipa=inline -Mipa=arg -Mipa=const -Mipa=ptr
-Mipa=shape -tp barcelona-64 -Bstatic_pgi

470.lbm: -march=barcelona -Ofast -m3dnow

482.sphinx3: -march=barcelona -Ofast

C++ benchmarks:

444.namd: -Mpfi(pass 1) -Mipa=jobs:4(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mpfo(pass 2) -fast -Mfprelaxed
-Msmartalloc=huge:150 --zc_eh -Mnodepchk -Munroll=n:4
-Munroll=m:8 -tp barcelona-64 -Bstatic_pgi

447.dealII: -march=barcelona -Ofast -static -INLINE:aggressive=on
-OPT:malloc_alg=1 -m32 -fno-exceptions

450.soplex: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -m32 -O3 -TENV:frame_pointer=off
-LNO:prefetch=1

453.povray: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast -CG:load_exe=0

Fortran benchmarks:

410.bwaves: -Mpfi(pass 1) -Mipa=jobs:4(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mpfo(pass 2) -fastsse -Mfprelaxed
-Msmartalloc -Mprefetch=distance:12 -Mprefetch=nta
-tp barcelona-64 -Bstatic_pgi

Continued on next page

Peak Optimization Flags (Continued)

416.gamess: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-O2 -OPT:Ofast -OPT:ro=3`
`-OPT:unroll_size=256`

434.zeusmp: `-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=jobs:4`
`-Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi`

437.leslie3d: `-march=barcelona -Ofast -m3dnow -OPT:unroll_size=256`
`-CG:load_exe=0 -OPT:malloc_alg=1`

459.GemsFDTD: `-march=barcelona -Ofast -LNO:fission=2 -LNO:simd=2`
`-OPT:malloc_alg=1`

465.tonto: `-march=barcelona -Ofast -OPT:malloc_alg=1`
`-OPT:alias=no_f90_pointer_alias -LNO:blocking=off`
`-CG:load_exe=1 -IPA:plimit=525`

Benchmarks using both Fortran and C:

435.gromacs: `-fast -Mfpapprox=rsqrt -Mipa=jobs:4 -Mipa=fast`
`-Mipa=inline -Mfprelaxed -Msmartalloc=huge:150`
`-tp barcelona-64 -Bstatic_pgi`

436.cactusADM: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-Ofast -WOPT:aggstr=0`

454.calculix: `-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=jobs:4`
`-Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi`

481.wrf: `-march=barcelona -Ofast -LNO:blocking=off`
`-LNO:prefetch_ahead=10 -OPT:malloc_alg=1 -m3dnow`
`-LANG:copyinout=off -IPA:callee_limit=5000`

Peak Other Flags

C benchmarks:

433.milc: `-w`

C++ benchmarks:

444.namd: `-w`

Fortran benchmarks:

410.bwaves: `-w`

Continued on next page

Peak Other Flags (Continued)

434.zeusmp: `-w`

Benchmarks using both Fortran and C:

435.gromacs: `-w`

454.calculix: `-w`

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.xml`

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 16:45:05 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 13 June 2008.