



SPEC® CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Acer Incorporated

SPECfp®_rate2006 = 90.4

Acer Altos R5250 (AMD Opteron 2360 SE)

SPECfp_rate_base2006 = 82.6

CPU2006 license: 97


Test date: Jun-2008

Test sponsor: Acer Incorporated

Hardware Availability: May-2008

Tested by: Acer Incorporated

Software Availability: May-2008



Hardware

CPU Name: AMD Opteron 2360 SE
 CPU Characteristics:
 CPU MHz:
 FPU: Integrated
 CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip
 CPU(s) orderable: 1,2 chips
 Primary Cache: 64 KB I + 64 KB D on chip per core
 Secondary Cache: 512 KB I+D on chip per core

Software

Operating System: SuSE Linux Enterprise Server 10 (x86_64) SP1, Kernel 2.6.16.46-0.12-smp
 Compiler: PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.1
 Auto Parallel: No
 File System: ReiserFS
 System State: Run level 3 (Full multiuser with network)
 Base Pointers: 64-bit
 Peak Pointers: 32/64-bit

Continued on next page

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Acer Incorporated

SPECfp_rate2006 = 90.4

Acer Altos R5250 (AMD Opteron 2360 SE)

SPECfp_rate_base2006 = 82.6

CPU2006 license: 97

Test date: Jun-2008

Test sponsor: Acer Incorporated

Hardware Availability: May-2008

Tested by: Acer Incorporated

Software Availability: May-2008

L3 Cache: 2 MB I+D on chip per chip
 Other Cache: None
 Memory: 16 GB (8x2GB, DDR2-667, CL5, Reg, Dual Rank)
 Disk Subsystem: 1x160GB SATA, 7200 RPM
 Other Hardware: None

Other Software: None

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	8	1413	77.0	1405	77.4	1405	77.4	8	1324	82.1	1323	82.2	1332	81.7
416.gamess	8	1271	123	1272	123	1273	123	8	1177	133	1171	134	1204	130
433.milc	8	1204	61.0	1205	61.0	1205	61.0	8	1187	61.9	1188	61.8	1187	61.9
434.zeusmp	8	788	92.3	781	93.3	782	93.1	8	780	93.4	783	93.0	778	93.5
435.gromacs	8	606	94.2	607	94.2	607	94.2	8	493	116	490	117	490	116
436.cactusADM	8	1035	92.4	1059	90.3	1034	92.5	8	976	98.0	974	98.2	978	97.8
437.leslie3d	8	1460	51.5	1460	51.5	1460	51.5	8	1409	53.4	1411	53.3	1416	53.1
444.namd	8	693	92.6	693	92.6	692	92.7	8	612	105	610	105	611	105
447.dealII	8	775	118	764	120	776	118	8	539	170	521	175	536	171
450.soplex	8	1204	55.4	1194	55.9	1194	55.9	8	1192	56.0	1206	55.3	1175	56.8
453.povray	8	342	124	341	125	342	124	8	285	149	286	149	284	150
454.calculix	8	536	123	538	123	539	122	8	539	122	537	123	538	123
459.GemsFDTD	8	1762	48.2	1761	48.2	1760	48.2	8	1709	49.7	1706	49.7	1702	49.9
465.tonto	8	776	101	773	102	774	102	8	679	116	678	116	676	116
470.lbm	8	2298	47.8	2293	47.9	2287	48.1	8	2208	49.8	2209	49.8	2209	49.8
481.wrf	8	982	91.0	979	91.3	982	91.0	8	959	93.2	955	93.5	957	93.4
482.sphinx3	8	1950	79.9	1939	80.4	1939	80.4	8	1642	94.9	1643	94.9	1647	94.7

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

'numactl' was used to bind copies to the cores

Environment variable PGI_HUGE_PAGES set to 150

'ulimit -s unlimited' was used to set environment stack size

'ulimit -l 2457600' was used to set environment locked pages in memory quantity

Set vm/nr_hugepages=150 in /etc/sysctl.conf

mount -t hugetlbfs nodev /mnt/hugepages

General Notes

This result was measured on the Acer Altos R5250
 The Altos R5250 and Altos G5450 are electronically equivalent.



SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Acer Incorporated

SPECfp_rate2006 = 90.4

Acer Altos R5250 (AMD Opteron 2360 SE)

SPECfp_rate_base2006 = 82.6

CPU2006 license: 97

Test date: Jun-2008

Test sponsor: Acer Incorporated

Hardware Availability: May-2008

Tested by: Acer Incorporated

Software Availability: May-2008

Base Compiler Invocation

C benchmarks:
 pgcc

C++ benchmarks:
 pgcpp

Fortran benchmarks:
 pgf95

Benchmarks using both Fortran and C:
 pgcc pgf95

Base Portability Flags

```
410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64
```

Base Optimization Flags

C benchmarks:
 -fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmaralloc=huge:150
 -tp barcelona-64 -Bstatic_pgi

C++ benchmarks:
 -fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmaralloc=huge:150
 --zc_eh -tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:
 -fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmaralloc=huge:150
 -tp barcelona-64 -Bstatic_pgi

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Acer Incorporated

SPECfp_rate2006 = 90.4

Acer Altos R5250 (AMD Opteron 2360 SE)

SPECfp_rate_base2006 = 82.6

CPU2006 license: 97

Test date: Jun-2008

Test sponsor: Acer Incorporated

Hardware Availability: May-2008

Tested by: Acer Incorporated

Software Availability: May-2008

Base Optimization Flags (Continued)

Benchmarks using both Fortran and C:

-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
-tp barcelona-64 -Bstatic_pgi

Base Other Flags

C benchmarks:

-w -Mipa=jobs:4

C++ benchmarks:

-w -Mipa=jobs:4

Fortran benchmarks:

-w -Mipa=jobs:4

Benchmarks using both Fortran and C:

-w -Mipa=jobs:4

Peak Compiler Invocation

C benchmarks (except as noted below):

pathcc

433.milc: pgcc

C++ benchmarks (except as noted below):

pathCC

444.namd: pgcpp

Fortran benchmarks (except as noted below):

pathf95

410.bwaves: pgf95

434.zeusmp: pgf95

Benchmarks using both Fortran and C (except as noted below):

pgcc pgf95

436.cactusADM: pathcc pathf95

481.wrf: pathcc pathf95



SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Acer Incorporated

SPECfp_rate2006 = 90.4

Acer Altos R5250 (AMD Opteron 2360 SE)

SPECfp_rate_base2006 = 82.6

CPU2006 license: 97

Test date: Jun-2008

Test sponsor: Acer Incorporated

Hardware Availability: May-2008

Tested by: Acer Incorporated

Software Availability: May-2008

Peak Portability Flags

```
410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
    433.milc: -DSPEC_CPU_LP64
    434.zeusmp: -DSPEC_CPU_LP64
    435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
    437.leslie3d: -DSPEC_CPU_LP64
        444.namd: -DSPEC_CPU_LP64
        453.povray: -DSPEC_CPU_LP64
    454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
    465.tonto: -DSPEC_CPU_LP64
    470.lbm: -DSPEC_CPU_LP64
        481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX -fno-second-underscore
482.sphinx3: -DSPEC_CPU_LP64
```

Peak Optimization Flags

C benchmarks:

```
433.milc: -fastsse -Msmartralloc=huge:150 -Msafeptr -Mfprelaxed
    -Mipa=inline -Mipa=arg -Mipa=const -Mipa=ptr -Mipa=shape
    -tp barcelona-64 -Bstatic_pgi

470.lbm: -march=barcelona -Ofast -m3dnow

482.sphinx3: -march=barcelona -Ofast
```

C++ benchmarks:

```
444.namd: -Mpfi(pass 1) -Mipa=fast(pass 2) -Mipa=inline(pass 2)
    -Mpfo(pass 2) -fast -Mfprelaxed -Msmartralloc=huge:150
    --zc_eh -Mnodepchk -Munroll=n:4 -Munroll=m:8
    -tp barcelona-64 -Bstatic_pgi

447.dealII: -march=barcelona -Ofast -static -INLINE:aggressive=on
    -OPT:malloc_alg=1 -m32 -fno-exceptions

450.soplex: -march=barcelona -fb_create fbdata(pass 1)
    -fb_opt fbdata(pass 2) -m32 -O3 -TENV:frame_pointer=off
    -LNO:prefetch=1

453.povray: -march=barcelona -fb_create fbdata(pass 1)
    -fb_opt fbdata(pass 2) -Ofast -CG:load_exe=0
```

Fortran benchmarks:

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Acer Incorporated	SPECfp_rate2006 = 90.4
Acer Altos R5250 (AMD Opteron 2360 SE)	SPECfp_rate_base2006 = 82.6
CPU2006 license: 97	Test date: Jun-2008
Test sponsor: Acer Incorporated	Hardware Availability: May-2008
Tested by: Acer Incorporated	Software Availability: May-2008

Peak Optimization Flags (Continued)

```
410.bwaves: -Mpfi(pass 1) -Mipa=fast(pass 2) -Mipa=inline(pass 2)
             -Mpfo(pass 2) -fastsse -Mfprelaxed -Msmaralloc
             -Mprefetch=distance:12 -Mprefetch=nta -tp barcelona-64
             -Bstatic_pgi

416.gamess: -march=barcelona -fb_create fbdata(pass 1)
              -fb_opt fbdata(pass 2) -O2 -OPT:Ofast -OPT:ro=3
              -OPT:unroll_size=256

434.zeusmp: -fastsse -Mfprelaxed -Msmaralloc=huge:150 -Mipa=fast
              -Mipa=inline -tp barcelona-64 -Bstatic_pgi

437.leslie3d: -march=barcelona -Ofast -m3dnow -OPT:unroll_size=256
                -CG:load_exe=0 -OPT:malloc_alg=1

459.GemsFDTD: -march=barcelona -Ofast -LNO:fission=2 -LNO:simd=2
                 -OPT:malloc_alg=1

465.tonto: -march=barcelona -Ofast -OPT:malloc_alg=1
              -OPT:alias=no_f90_pointer_alias -LNO:blocking=off
              -CG:load_exe=1 -IPA:plimit=525
```

Benchmarks using both Fortran and C:

```
435.gromacs: -fast -Mfpapprox=rsqrt -Mipa=fast -Mipa=inline -Mfprelaxed
              -Msmaralloc=huge:150 -tp barcelona-64 -Bstatic_pgi

436.cactusADM: -march=barcelona -fb_create fbdata(pass 1)
                  -fb_opt fbdata(pass 2) -Ofast -WOPT:aggstr=0

454.calculix: -fastsse -Mfprelaxed -Msmaralloc=huge:150 -Mipa=fast
                -Mipa=inline -tp barcelona-64 -Bstatic_pgi

481.wrf: -march=barcelona -Ofast -LNO:blocking=off
            -LNO:prefetch_ahead=10 -OPT:malloc_alg=1 -m3dnow
            -LANG:copyinout=off -IPA:callee_limit=5000
```

Peak Other Flags

C benchmarks:

```
433.milc: -w -Mipa=jobs:4
```

C++ benchmarks:

```
444.namd: -w -Mipa=jobs:4(pass 2)
```

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Acer Incorporated

SPECfp_rate2006 = 90.4

Acer Altos R5250 (AMD Opteron 2360 SE)

SPECfp_rate_base2006 = 82.6

CPU2006 license: 97

Test date: Jun-2008

Test sponsor: Acer Incorporated

Hardware Availability: May-2008

Tested by: Acer Incorporated

Software Availability: May-2008

Peak Other Flags (Continued)

Fortran benchmarks:

410.bwaves: -w -Mipa=jobs : 4(pass 2)

434.zeusmp: -w -Mipa=jobs : 4

Benchmarks using both Fortran and C:

435.gromacs: -w -Mipa=jobs : 4

454.calculix: -w -Mipa=jobs : 4

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.01.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.01.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Sep 13 11:33:15 2016 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 23 July 2008.