SPEC® CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

IBM Corporation

IBM System x3655 (AMD Opteron 2356)

SPECfp®2006 = 14.7

SPECfp_base2006 = 13.1

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Jun-2008
Hardware Availability: Jul-2008
Software Availability: Jun-2008



Hardware

CPU Name:	AMD Opteron 2356
CPU Characteristics:	
CPU MHz:	2300
FPU:	Integrated
CPU(s) enabled:	8 cores, 2 chips, 4 cores/chip
CPU(s) orderable:	1,2 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core

Continued on next page

Software

Operating System:	SuSE Linux Enterprise Server 10 (x86_64) SP1, Kernel 2.6.16.46-0.12-smp
Compiler:	PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.2
Auto Parallel:	No
File System:	ext3
System State:	Run level 3 (Full multiuser with network)
Base Pointers:	64-bit
Peak Pointers:	32/64-bit

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

IBM Corporation

IBM System x3655 (AMD Opteron 2356)

SPECfp2006 = 14.7

SPECfp_base2006 = 13.1

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Jun-2008
Hardware Availability: Jul-2008
Software Availability: Jun-2008

L3 Cache: 2 MB I+D on chip per chip
Other Cache: None
Memory: 16 GB (8 x 2 GB, DDR2-667 CL5 Reg Dual Rank)
Disk Subsystem: 1 x 73.4 GB SAS, 15000 RPM
Other Hardware: None

Other Software: None

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	**740**	**18.4**	739	18.4	740	18.4	**723**	**18.8**	723	18.8	724	18.8
416.gamess	1681	11.6	1669	11.7	**1673**	**11.7**	1290	15.2	**1290**	**15.2**	1304	15.0
433.milc	615	14.9	616	14.9	**616**	**14.9**	**599**	**15.3**	599	15.3	600	15.3
434.zeusmp	723	12.6	723	12.6	**723**	**12.6**	723	12.6	723	12.6	**723**	**12.6**
435.gromacs	694	10.3	692	10.3	**692**	**10.3**	579	12.3	578	12.4	**578**	**12.3**
436.cactusADM	**1025**	**11.7**	1023	11.7	1027	11.6	**793**	**15.1**	774	15.4	805	14.8
437.leslie3d	**754**	**12.5**	755	12.5	754	12.5	728	12.9	731	12.9	**731**	**12.9**
444.namd	**878**	**9.13**	879	9.12	878	9.13	779	10.3	781	10.3	**781**	**10.3**
447.dealII	748	15.3	750	15.3	**749**	**15.3**	**580**	**19.7**	579	19.7	582	19.7
450.soplex	856	9.74	**856**	**9.74**	857	9.74	882	9.45	**883**	**9.44**	883	9.44
453.povray	400	13.3	**376**	**14.2**	372	14.3	314	16.9	**314**	**16.9**	313	17.0
454.calculix	602	13.7	598	13.8	**598**	**13.8**	525	15.7	528	15.6	**528**	**15.6**
459.GemsFDTD	867	12.2	**864**	**12.3**	863	12.3	**781**	**13.6**	781	13.6	780	13.6
465.tonto	788	12.5	**788**	**12.5**	787	12.5	608	16.2	613	16.1	**612**	**16.1**
470.lbm	856	16.0	**857**	**16.0**	857	16.0	803	17.1	**801**	**17.2**	801	17.2
481.wrf	754	14.8	757	14.8	**755**	**14.8**	731	15.3	**731**	**15.3**	734	15.2
482.sphinx3	**1198**	**16.3**	1199	16.3	1198	16.3	**1070**	**18.2**	1069	18.2	1071	18.2

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

```
'numactl' was used to bind copies to the cores
Environment variable PGI_HUGE_PAGES set to 896
'ulimit -s unlimited' was used to set environment stack size
'ulimit -l 2097152'  was used to set environment locked pages in memory limit
Set vm/nr_hugepages=1792 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
powersave -f was used to set the CPU frequency to its maximum.
```

Base Compiler Invocation

C benchmarks:
pgcc

Continued on next page

Base Compiler Invocation (Continued)

C++ benchmarks:
pgcpp

Fortran benchmarks:
pgf95

Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Base Optimization Flags

C benchmarks:
-fastsse -Msmartalloc=huge:150 -Mfprelaxed -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

C++ benchmarks:
-fastsse -Msmartalloc=huge:150 -Mfprelaxed --zc_eh -Mipa=fast
-Mipa=inline -tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:
-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

Benchmarks using both Fortran and C:
-fastsse -Msmartalloc=huge:150 -Mfprelaxed -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

Base Other Flags

C benchmarks:
`-Mipa=jobs:4`

C++ benchmarks:
`-Mipa=jobs:4`

Fortran benchmarks:
`-Mipa=jobs:4`

Benchmarks using both Fortran and C:
`-Mipa=jobs:4`

Peak Compiler Invocation

C benchmarks (except as noted below):
`pgcc`

470.lbm: `pathcc`

C++ benchmarks (except as noted below):
`pathCC`

444.namd: `pgcpp`

Fortran benchmarks (except as noted below):
`pgf95`

416.gamess: `pathf95`

459.GemsFDTD: `pathf95`

465.tonto: `pathf95`

Benchmarks using both Fortran and C (except as noted below):
`pgcc pgf95`

436.cactusADM: `pathcc pathf95`

Peak Portability Flags

410.bwaves: `-DSPEC_CPU_LP64`
416.gamess: `-DSPEC_CPU_LP64`
433.milc: `-DSPEC_CPU_LP64`
434.zeusmp: `-DSPEC_CPU_LP64`
435.gromacs: `-DSPEC_CPU_LP64 -Mnomain`

Continued on next page

Peak Portability Flags (Continued)

436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -fastsse -Msmartalloc=huge:150 -Msafeptr -Mfprelaxed
-Mipa=inline -Mipa=arg -Mipa=const -Mipa=ptr -Mipa=shape
-tp barcelona-64 -Bstatic_pgi

470.lbm: -march=barcelona -Ofast -CG:sse_cse_regs=0
-CG:locs_shallow_depth=1 -m3dnow

482.sphinx3: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mipa=fast(pass 2) -Mipa=inline(pass 2) -fastsse
-Mfprelaxed -Msmartalloc -tp barcelona-64 -Bstatic_pgi

C++ benchmarks:

444.namd: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -fastsse -Munroll=n:4 -Munroll=m:8
-Msmartalloc=huge:150 -Mnodepchk -Mfprelaxed --zc_eh
-tp barcelona-64 -Bstatic_pgi

447.dealII: -march=barcelona -Ofast -static -INLINE:aggressive=on
-fno-exceptions -m32

450.soplex: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -O3 -TENV:frame_pointer=off
-LNO:prefetch=1 -OPT:malloc_alg=1 -CG:load_exe=0 -m32

453.povray: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast

Fortran benchmarks:

410.bwaves: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -fastsse -Msmartalloc
-Mprefetch=distance:12 -Mprefetch=nta -Mpre -Mfprelaxed
-tp barcelona-64 -Bstatic_pgi

Continued on next page

Peak Optimization Flags (Continued)

416.gamess: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-O2 -OPT:Ofast -OPT:ro=3`
`-OPT:unroll_size=256`

434.zeusmp: `basepeak = yes`

437.leslie3d: `-Mpfi=indirect`(pass 1) `-Mpfo=indirect`(pass 2)
`-Mipa=fast`(pass 2) `-Mipa=inline`(pass 2) `-fastsse`
`-Mvect=fuse -Msmartalloc=huge:150 -Mprefetch=distance:8`
`-Mprefetch=t0 -Mfprelaxed -tp barcelona-64 -Bstatic_pgi`

459.GemsFDTD: `-march=barcelona -Ofast -LNO:fission=2 -LNO:simd=2`
`-LNO:prefetch_ahead=1 -CG:load_exe=0`

465.tonto: `-march=barcelona -Ofast -OPT:alias=no_f90_pointer_alias`
`-LNO:blocking=off -CG:load_exe=1 -IPA:plimit=525`

Benchmarks using both Fortran and C:

435.gromacs: `-fastsse -Msmartalloc=huge:150 -Mfprelaxed -Mfpapprox=rsqrt`
`-Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi`

436.cactusADM: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-Ofast -LNO:blocking=off`

454.calculix: `-Mpfi=indirect`(pass 1) `-Mpfo=indirect`(pass 2)
`-Mipa=fast`(pass 2) `-Mipa=inline`(pass 2) `-fastsse`
`-Msmartalloc=huge:150 -Mprefetch=t0 -Mpre -Mfprelaxed`
`-tp barcelona-64 -Bstatic_pgi`

481.wrf: `-fastsse -Mvect=noaltcode -Msmartalloc`
`-Mprefetch=distance:8 -Mfprelaxed -tp barcelona-64`
`-Bstatic_pgi`

Peak Other Flags

C benchmarks (except as noted below):
`-Mipa=jobs:4`(pass 2)

470.lbm: `No flags used`

C++ benchmarks:

444.namd: `-Mipa=jobs:4`(pass 2)

Continued on next page

Peak Other Flags (Continued)

Fortran benchmarks (except as noted below):
`-Mipa=jobs:4`(pass 2)

416.gamess: `No flags used`

459.GemsFDTD: `No flags used`

465.tonto: `No flags used`

Benchmarks using both Fortran and C (except as noted below):
`-Mipa=jobs:4`(pass 2)

436.cactusADM: `No flags used`

481.wrf: `No flags used`

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/amd421GH-flags.20090713.00.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/amd421GH-flags.20090713.00.xml`

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Sep 13 11:35:05 2016 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 5 August 2008.