SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter LS42 (AMD Opteron 8384)

SPECfp®2006 = 23.8

SPECfp_base2006 = 22.1

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Oct-2008
Hardware Availability: Nov-2008
Software Availability: May-2008



Hardware

CPU Name:	AMD Opteron 8384
CPU Characteristics:	
CPU MHz:	2700
FPU:	Integrated
CPU(s) enabled:	8 cores, 2 chips, 4 cores/chip
CPU(s) orderable:	1,2,3,4 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core

Continued on next page

Software

Operating System:	SuSE Linux Enterprise Server 10 (x86_64) SP2, Kernel 2.6.16.60-0.21-smp
Compiler:	PGI Server Complete Version 7.2
Auto Parallel:	Yes
File System:	ReiserFS
System State:	Run level 3 (Full multiuser with network)
Base Pointers:	32/64-bit
Peak Pointers:	64-bit

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter LS42 (AMD Opteron 8384)

SPECfp2006 = 23.8

SPECfp_base2006 = 22.1

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Oct-2008
Hardware Availability: Nov-2008
Software Availability: May-2008

L3 Cache: 6 MB I+D on chip per chip
Other Cache: None
Memory: 32 GB (8 x 4 GB DDR2-6400 ECC)
Disk Subsystem: 1 x 73 GB SAS, 10000 RPM
Other Hardware: None

Other Software: binutils 2.18.50
32-bit and 64-bit libhugetlbfs libraries

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	283	48.0	248	54.8	**277**	**49.0**	283	48.0	248	54.8	**277**	**49.0**
416.gamess	**1191**	**16.4**	1189	16.5	1194	16.4	**1129**	**17.3**	1129	17.3	1130	17.3
433.milc	465	19.7	**464**	**19.8**	464	19.8	454	20.2	454	20.2	**454**	**20.2**
434.zeusmp	567	16.0	572	15.9	**569**	**16.0**	**532**	**17.1**	536	17.0	527	17.3
435.gromacs	464	15.4	463	15.4	**464**	**15.4**	385	18.5	384	18.6	**385**	**18.5**
436.cactusADM	104	115	110	108	**105**	**114**	**108**	**111**	107	112	112	107
437.leslie3d	522	18.0	521	18.1	**521**	**18.1**	554	17.0	**554**	**17.0**	494	19.0
444.namd	612	13.1	**612**	**13.1**	612	13.1	533	15.0	**533**	**15.0**	531	15.1
447.dealII	547	20.9	**547**	**20.9**	546	21.0	490	23.3	**490**	**23.3**	489	23.4
450.soplex	580	14.4	580	14.4	**580**	**14.4**	580	14.4	580	14.4	**580**	**14.4**
453.povray	315	16.9	**315**	**16.9**	312	17.1	**287**	**18.5**	287	18.5	288	18.5
454.calculix	471	17.5	**471**	**17.5**	471	17.5	**382**	**21.6**	383	21.5	381	21.6
459.GemsFDTD	340	31.2	**340**	**31.2**	340	31.2	340	31.2	**340**	**31.2**	340	31.2
465.tonto	596	16.5	595	16.5	**596**	**16.5**	**539**	**18.3**	543	18.1	538	18.3
470.lbm	458	30.0	**458**	**30.0**	457	30.0	458	30.0	**458**	**30.0**	457	30.0
481.wrf	**456**	**24.5**	457	24.5	456	24.5	410	27.2	407	27.5	**408**	**27.4**
482.sphinx3	**978**	**19.9**	979	19.9	975	20.0	778	25.1	**778**	**25.0**	779	25.0

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

```
The config file option 'submit' was used.
 'numactl' was used to bind copies to the cores.
```

General Notes

```
The libhugetlbfs libraries were installed using the
installation rpms that came with the distribution.

'ulimit -s unlimited' was used to set environment stack size
'ulimit -l 2097152'  was used to set environment locked pages in memory limit

Set vm/nr_hugepages=7168 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
```

Continued on next page

General Notes (Continued)

```
Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/root/work/cpu2006v1.1/pgi72/linux_lib64:/root/work/cpu2006v1.1/pgi72/linux_lib32"
PGI_HUGE_PAGES = "7168"
NCPUS = "8"
The powersaved was disabled, set the CPU frequency to its maximum.
```

Base Compiler Invocation

C benchmarks:
pgcc

C++ benchmarks:
pgcpp

Fortran benchmarks:
pgf95

Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Base Optimization Flags

C benchmarks:
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mconcur
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi

Continued on next page

Base Optimization Flags (Continued)

C++ benchmarks:
```
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mfprelaxed
-Mconcur --zc_eh -Mipa=fast -Mipa=inline -tp barcelona-64
-Bstatic_pgi
```

Fortran benchmarks:
```
-Mvect=cachesize:6291456 -fastsse -Mfprelaxed -Msmartalloc=huge
-Mconcur -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi
```

Benchmarks using both Fortran and C:
```
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge -Mconcur
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi
```

Base Other Flags

C benchmarks:
```
-Mipa=jobs:8
```

C++ benchmarks:
```
-Mipa=jobs:8
```

Fortran benchmarks:
```
-Mipa=jobs:8
```

Benchmarks using both Fortran and C:
```
-Mipa=jobs:8
```

Peak Compiler Invocation

C benchmarks:
```
pgcc
```

C++ benchmarks:
```
pgcpp
```

Fortran benchmarks:
```
pgf95
```

Benchmarks using both Fortran and C:
```
pgcc pgf95
```

Peak Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Msafeptr -Mconcur -Mfprelaxed -Mipa=inline -Mipa=arg
-Mipa=const -Mipa=ptr -Mipa=shape -tp barcelona-64
-Bstatic_pgi

470.lbm: basepeak = yes

482.sphinx3: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Mfprelaxed -Msmartalloc -tp barcelona-64 -Bstatic_pgi

C++ benchmarks:

444.namd: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Munroll=n:4 -Munroll=m:8 -Msmartalloc=huge -Mnodepchk
-Mfprelaxed --zc_eh -tp barcelona-64 -Bstatic_pgi

447.dealII: -Mvect=cachesize:6291456 -fastsse -alias=ansi
-Msmartalloc=huge -Mprefetch=t0 -Mnovect -Mfprelaxed
--zc_eh -Mipa=fast -Mipa=inline -tp barcelona-32
-Bstatic_pgi

450.soplex: basepeak = yes

453.povray: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mipa=fast(pass 2) -Mipa=inlinenopfo:3(pass 2)
-Mipa=staticfunc(pass 2) -Mvect=cachesize:6291456 -fastsse

Continued on next page

Peak Optimization Flags (Continued)

453.povray (continued):
-Msmartalloc=huge -Mprefetch=t0 -Mfprelaxed
-tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:

410.bwaves: basepeak = yes

416.gamess: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Msmartalloc=huge -Mvect=noaltcode -Mprefetch=t0
-Mfprelaxed -tp barcelona-64 -Bstatic_pgi

434.zeusmp: -Mvect=cachesize:6291456 -fastsse -Mfprelaxed -Mconcur
-Mprefetch=distance:8 -Mprefetch=t0 -Msmartalloc=huge
-Msmartalloc=hugebss -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

437.leslie3d: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mconcur=noaltcode(pass 2) -Mipa=fast(pass 2)
-Mipa=inline(pass 2) -Mvect=cachesize:6291456 -fastsse
-Mvect=fuse -Msmartalloc=huge -Mprefetch=distance:8
-Mprefetch=t0 -Mfprelaxed -tp barcelona-64 -Bstatic_pgi

459.GemsFDTD: basepeak = yes

465.tonto: -Mvect=cachesize:6291456 -fastsse -O4 -Mvect=noaltcode
-Msmartalloc=huge -Mprefetch=distance:8 -Mprefetch=t0
-Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64
-Bstatic_pgi

Benchmarks using both Fortran and C:

435.gromacs: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mfprelaxed -Mconcur -Mfpapprox=rsqrt -Mipa=fast
-Mipa=inline -tp barcelona-64 -Bstatic_pgi

436.cactusADM: -Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mfprelaxed -Mconcur -Mdse -Mipa=fast -Mipa=inline
-tp barcelona-64 -Bstatic_pgi

454.calculix: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2)
-Mipa=fast(pass 2) -Mipa=inline(pass 2)
-Mvect=cachesize:6291456 -fastsse -Msmartalloc=huge
-Mloop32 -Mprefetch=t0 -Mpre -Mfprelaxed -tp barcelona-64
-Bstatic_pgi

481.wrf: -Mvect=cachesize:6291456 -fastsse -Mvect=noaltcode
-Msmartalloc=huge -Mprefetch=distance:8 -Mconcur=noaltcode
-Mfprelaxed -tp barcelona-64 -Bstatic_pgi

Peak Other Flags

C benchmarks:
`-Mipa=jobs:8`(pass 2)

C++ benchmarks:
`-Mipa=jobs:8`(pass 2)

Fortran benchmarks:
`-Mipa=jobs:8`

Benchmarks using both Fortran and C (except as noted below):
`-Mipa=jobs:8`(pass 2)

481.wrf: `No flags used`

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/pgi72_linux_flags.20090713.01.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/pgi72_linux_flags.20090713.01.xml`

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.
Report generated on Tue Jul 22 21:21:34 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 9 December 2008.