



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

ACTION S.A.

SPECint®_rate2006 = Not Run

ACTINA SOLAR 200 X3 (Intel Xeon E5504)

SPECint_rate_base2006 = 64.6

CPU2006 license: 9008


Test sponsor: ACTION S.A.

Tested by: ACTION S.A.

Test date: Jul-2009

Hardware Availability: Apr-2009

Software Availability: Feb-2009



Hardware

CPU Name: Intel Xeon E5504
 CPU Characteristics:
 CPU MHz: 2000
 FPU: Integrated
 CPU(s) enabled: 4 cores, 1 chip, 4 cores/chip
 CPU(s) orderable: 1,2 chips
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 256 KB I+D on chip per core
 L3 Cache: 4 MB I+D on chip per chip
 Other Cache: None
 Memory: 24 GB (6 x 4 GB DDR3, 1066 MHz, Reg. ECC, running at 800)
 Disk Subsystem: 147 GB SAS, 10000 RPM
 Other Hardware: None

Software

Operating System: SuSe Linux Enterprise Server 10 (x86_64) with SP2, kernel 2.6.16.60-0.21-smp
 Compiler: Intel C++ Compiler 11.0 for Linux Build 20080930 Package ID: l_cproc_p_11.0.066
 Auto Parallel: No
 File System: ReiserFS
 System State: Run level 3 (multi-user)
 Base Pointers: 32-bit
 Peak Pointers: 32/64-bit
 Other Software: Binutils 2.18.50.0.7.20080502
 Microquill SmartHeap V8.1



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

ACTION S.A.

SPECint_rate2006 = Not Run

ACTINA SOLAR 200 X3 (Intel Xeon E5504)

SPECint_rate_base2006 = 64.6

CPU2006 license: 9008

Test date: Jul-2009

Test sponsor: ACTION S.A.

Hardware Availability: Apr-2009

Tested by: ACTION S.A.

Software Availability: Feb-2009

Results Table

Benchmark	Base								Peak					
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	<u>656</u>	<u>59.6</u>	656	59.6	654	59.8							
401.bzip2	4	<u>1063</u>	<u>36.3</u>	1066	36.2	1062	36.4							
403.gcc	4	<u>596</u>	<u>54.0</u>	596	54.1	599	53.8							
429.mcf	4	<u>419</u>	<u>87.1</u>	418	87.3	419	87.0							
445.gobmk	4	727	57.7	<u>727</u>	<u>57.7</u>	726	57.8							
456.hammer	4	670	55.7	671	55.6	<u>670</u>	<u>55.7</u>							
458.sjeng	4	812	59.6	813	59.6	<u>812</u>	<u>59.6</u>							
462.libquantum	4	362	229	<u>363</u>	<u>228</u>	364	228							
464.h264ref	4	<u>979</u>	<u>90.4</u>	980	90.3	978	90.5							
471.omnetpp	4	538	46.5	<u>539</u>	<u>46.4</u>	539	46.3							
473.astar	4	743	37.8	741	37.9	<u>741</u>	<u>37.9</u>							
483.xalancbmk	4	372	74.2	<u>372</u>	<u>74.2</u>	373	74.1							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

General Notes

'numactl' was used to bind copies to the cores
'ulimit -s unlimited' was used to set the stacksize to unlimited prior to run

Base Compiler Invocation

C benchmarks:
icc

C++ benchmarks:
icpc

Base Portability Flags

400.perlbench: -DSPEC_CPU_LINUX_IA32
462.libquantum: -DSPEC_CPU_LINUX
483.xalancbmk: -DSPEC_CPU_LINUX



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

ACTION S.A.

SPECint_rate2006 = Not Run

ACTINA SOLAR 200 X3 (Intel Xeon E5504)

SPECint_rate_base2006 = 64.6

CPU2006 license: 9008

Test date: Jul-2009

Test sponsor: ACTION S.A.

Hardware Availability: Apr-2009

Tested by: ACTION S.A.

Software Availability: Feb-2009

Base Optimization Flags

C benchmarks:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -inline-calloc  
-opt-malloc-options=3 -opt-prefetch
```

C++ benchmarks:

```
-xSSE4.2 -ipo -O3 -no-prec-div -opt-prefetch -Wl,-z,muldefs  
-L/spec/cpu2006.1.1/lib -lsmartheap
```

Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic11.0-int-linux64-revA.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic11.0-int-linux64-revA.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.

Report generated on Wed Jul 23 03:39:29 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 18 August 2009.