SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM PowerLinux 7R2 (4.2 GHz, 16 core, SLES)

SPECfp®_rate2006 = 575

SPECfp_rate_base2006 = 509

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: IBM Corporation

Test date: Jan-2013
Hardware Availability: Feb-2013
Software Availability: Dec-2012



Hardware

CPU Name:	POWER7+
CPU Characteristics:	Intelligent Energy Optimization enabled, up to 4.540 GHz
CPU MHz:	4228
FPU:	Integrated
CPU(s) enabled:	16 cores, 2 chips, 8 cores/chip, 4 threads/core
CPU(s) orderable:	16 cores
Primary Cache:	32 KB I + 32 KB D on chip per core

Continued on next page

Software

Operating System:	SUSE Linux Enterprise Server 11 SP2 (ppc64) kernel 3.0.42-0.7-ppc64
Compiler:	C/C++: Version 12.1 of IBM XL C/C++ for Linux; Fortran: Version 14.1 of IBM XL Fortran for Linux
Auto Parallel:	No
File System:	ext3
System State:	Run level 3 (multi-user)
Base Pointers:	32-bit
Peak Pointers:	32/64-bit

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM PowerLinux 7R2 (4.2 GHz, 16 core, SLES)

SPECfp_rate2006 = 575

SPECfp_rate_base2006 = 509

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: IBM Corporation

Test date: Jan-2013
Hardware Availability: Feb-2013
Software Availability: Dec-2012

Secondary Cache: 256 KB I+D on chip per core
L3 Cache: 10 MB I+D on chip per core
Other Cache: None
Memory: 128 GB (16 x 8 GB) DDR3 1066 MHz
Disk Subsystem: 1 x 146.8 GB SAS SFF 15K RPM
Other Hardware: None

Other Software: -Post-Link Optimization for Linux on POWER, version 5.6.1-7
-MicroQuill SmartHeap 9
-Apache C++ Standard Library V4.2.1

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	64	2209	394	2205	394	**2207**	**394**	16	516	422	**516**	**422**	516	421
416.gamess	64	2107	595	**2108**	**595**	2112	593	64	2086	601	2073	605	**2074**	**604**
433.milc	64	1511	389	1512	389	**1511**	**389**	16	356	412	356	412	**356**	**412**
434.zeusmp	64	**904**	**644**	904	644	905	644	64	**904**	**644**	904	644	905	644
435.gromacs	64	892	512	885	516	**889**	**514**	64	854	535	**856**	**534**	860	531
436.cactusADM	64	1204	635	**1208**	**633**	1217	628	32	**418**	**916**	416	918	420	911
437.leslie3d	64	2302	261	2305	261	**2303**	**261**	16	**476**	**316**	476	316	476	316
444.namd	64	660	777	**661**	**777**	663	774	64	654	784	650	790	**652**	**787**
447.dealII	64	**679**	**1080**	675	1090	683	1070	64	**560**	**1310**	560	1310	559	1310
450.soplex	64	1821	293	1805	296	**1821**	**293**	32	770	347	**726**	**368**	715	373
453.povray	64	550	619	**548**	**621**	548	621	64	**408**	**835**	405	840	408	835
454.calculix	64	816	647	**815**	**648**	815	648	64	816	647	**815**	**648**	815	648
459.GemsFDTD	64	3129	217	**3132**	**217**	3132	217	16	**779**	**218**	779	218	779	218
465.tonto	64	884	712	893	705	**890**	**707**	64	849	741	856	735	**850**	**741**
470.lbm	64	1522	578	1523	577	**1522**	**578**	64	1522	578	1523	577	**1522**	**578**
481.wrf	64	**1431**	**500**	1436	498	1430	500	64	**1431**	**500**	1436	498	1430	500
482.sphinx3	64	2648	471	**2640**	**473**	2639	473	16	381	818	378	825	**378**	**824**

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Compiler Invocation Notes

```
C/C++ compiler updated to December 2012 PTF
Version: 12.01.0000.0002
Fortran compiler updated to December 2012 PTF
Version: 14.01.0000.0002
```

Peak Tuning Notes

```
Post-Link optimization tool used for:
433.milc 435.gromacs 450.soplex 482.sphinx3
     with options -O4 -nodp
434.zeusmp
     with options -O4 -vrox -nodp
 437.leslie3d
```

Continued on next page

Peak Tuning Notes (Continued)

```
     with options -O3 -lu -1 -nodp -sdp 9
444.namd
     with options -O3 -lu -1 -nodp -sdp 9
450.soplex
    with options -O4 -nodp
465.tonto
   with options -O4
482.sphinx3
    with options -O4 -nodp
```

Submit Notes

```
The config file option 'submit' was used
to assign benchmark copy to specific kernel thread using
the "numactl" command (see flags file for details).
```

Operating System Notes

```
ulimit -s (stack) set to 1048576.

Large pages reserved as follows by root user:
echo 4224 > /proc/sys/vm/nr_hugepages

The Apache C++ Standard Library V4.2.1 was installed from
http://stdcxx.apache.org/download.html using:
gmake BUILDTYPE=8d CONFIG=gcc.config

The following environment varibles were set before the runspec command:
  export HUGETLB_VERBOSE=0
  export HUGETLB_MORECORE=yes
  export HUGETLB_ELFMAP=RW
  export XLFRTEOPTS=intrinthds=1
```

Base Compiler Invocation

C benchmarks:
```
xlc -qlanglvl=extc99
```

C++ benchmarks:
```
xlC
```

Fortran benchmarks:
```
xlf95
```

Benchmarks using both Fortran and C:
```
xlc -qlanglvl=extc99 xlf95
```

Base Portability Flags

410.bwaves: `-qfixed`
416.gamess: `-qfixed`
434.zeusmp: `-qfixed`
435.gromacs: `-qfixed -qextname`
436.cactusADM: `-qfixed -qextname`
437.leslie3d: `-qfixed`
454.calculix: `-qfixed -qextname`
481.wrf: `-DNOUNDERSCORE`
482.sphinx3: `-qchars=signed`

Base Optimization Flags

C benchmarks:
`-O5 -qarch=pwr7 -qtune=pwr7 -q32 -qipa=threads -B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align`

C++ benchmarks:
`-O5 -qarch=pwr7 -qtune=pwr7 -q32 -qipa=threads -qrtti -B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align`

Fortran benchmarks:
`-O5 -qarch=pwr7 -qtune=pwr7 -q32 -qipa=threads -qalias=nostd -B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align`

Benchmarks using both Fortran and C:
`-O5 -qarch=pwr7 -qtune=pwr7 -q32 -qipa=threads -B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align -qalias=nostd`

Base Other Flags

C benchmarks:

C++ benchmarks:

Fortran benchmarks:

Benchmarks using both Fortran and C:

Peak Compiler Invocation

C benchmarks:
`xlc -qlanglvl=extc99`

Continued on next page

Peak Compiler Invocation (Continued)

C++ benchmarks:
xlC

Fortran benchmarks:
xlf95

Benchmarks using both Fortran and C:
xlc -qlanglvl=extc99 xlf95

Peak Portability Flags

410.bwaves: -qfixed
416.gamess: -qfixed
434.zeusmp: -qfixed
435.gromacs: -qfixed -qextname
436.cactusADM: -DSPEC_CPU_LP64 -qfixed -qextname
437.leslie3d: -qfixed
453.povray: -DSPEC_CPU_LP64
454.calculix: -qfixed -qextname
481.wrf: -DNOUNDERSCORE
482.sphinx3: -qchars=signed

Peak Optimization Flags

C benchmarks:

433.milc: -Wl,-q -O5 -qarch=pwr7 -qtune=pwr7 -qipa=threads
-lhugetlbfs

470.lbm: basepeak = yes

482.sphinx3: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qarch=pwr7
-qtune=pwr7 -qipa=threads -lhugetlbfs

C++ benchmarks:

444.namd: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7
-qtune=pwr7 -qipa=threads -lhugetlbfs

447.dealII: -O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qrtti
-qcpp_stdinc=/opt/stdcxx421/include/ansi:/opt/stdcxx421/include:/opt/ibmcmp/vacpp/12.1/i
-lsmartheap -L/opt/stdcxx421/lib -R/opt/stdcxx421/lib
-lstd8d

450.soplex: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O3 -qarch=pwr7
-qtune=pwr7 -q64 -lhugetlbfs

Continued on next page

Peak Optimization Flags (Continued)

453.povray: `-Wl,-q -qpdf1`(pass 1) `-qpdf2`(pass 2) `-O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qsimd -q64 -lsmartheap64`

Fortran benchmarks:

410.bwaves: `-qpdf1`(pass 1) `-qpdf2`(pass 2) `-O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qsmallstack=dynlenonheap -q64 -lhugetlbfs`

416.gamess: `-qpdf1`(pass 1) `-qpdf2`(pass 2) `-O5 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qalias=nostd -lhugetlbfs`

434.zeusmp: `basepeak = yes`

437.leslie3d: `-Wl,-q -O5 -qarch=pwr7 -qtune=pwr7 -qipa=threads -q64 -B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align`

459.GemsFDTD: `-O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qsimd -B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align`

465.tonto: `-Wl,-q -qpdf1`(pass 1) `-qpdf2`(pass 2) `-O5 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qsimd -lhugetlbfs`

Benchmarks using both Fortran and C:

435.gromacs: `-Wl,-q -qpdf1`(pass 1) `-qpdf2`(pass 2) `-O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qsimd -lhugetlbfs`

436.cactusADM: `-O4 -qarch=pwr7 -qtune=pwr7 -qipa=threads -qsimd -qnostrict -q64 -lhugetlbfs`

454.calculix: `basepeak = yes`

481.wrf: `basepeak = yes`

Peak Other Flags

C benchmarks:

C++ benchmarks:

Fortran benchmarks:

Benchmarks using both Fortran and C:

The flags files that were used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/IBM-Power.html`
`http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20121024.html`

You can also download the XML flags sources by saving the following links:

http://www.spec.org/cpu2006/flags/IBM-Power.xml
http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20121024.xml

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Thu Jul 24 15:11:17 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 26 February 2013.