



# SPEC® OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

**Dell**

(Test Sponsor: University of Delaware)

**SPECompG\_peak2012 = Not Run**

**Dell M630 Blade (Intel Xeon E5-2680 v3)**

**SPECompG\_base2012 = 7.77**

**OMP2012 license:**056A


**Test sponsor:** University of Delaware

**Tested by:** University of Delaware

**Test date:** Sep-2018

**Hardware Availability:** Jun-2018

**Software Availability:** Jun-2018



## Hardware

CPU Name: Dual Intel Xeon E5-2680 v3  
 CPU Characteristics: Intel Turbo Boost Technology off, Hyper-Threading on  
 CPU MHz: 2500  
 CPU MHz Maximum: 3300  
 FPU: Integrated  
 CPU(s) enabled: 24 cores, 2 chips, 12 cores/chip, 2 threads/core  
 CPU(s) orderable: 1-2 chips  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 256 KB I+D on chip per core  
 L3 Cache: 30 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 128 GB (16 x 8 GB 2Rx4 PC4-2133P-R)  
 Disk Subsystem: 400GB (SATA Mix Use MLC 6Gbps 2.5in Hot-plug Drive, 13G (400-AEIX) dual SSDs, RAID-1)  
 Other Hardware: None

Continued on next page

## Software

Operating System: CentOS Linux release 7.5.1804 (Core) 3.10.0-862.3.3.el7.x86\_64  
 Compiler: C/C++/Fortran: Version 18.0.3.222 of Intel Parallel Studio XE for Linux Build 20180410  
 Auto Parallel: No  
 File System: XFS  
 System State: Run level 3 (multi-user)  
 Base Pointers: 64-bit  
 Peak Pointers: Not Applicable  
 Other Software: None



# SPEC OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

**Dell**

(Test Sponsor: University of Delaware)

SPECompG\_peak2012 = Not Run

**Dell M630 Blade (Intel Xeon E5-2680 v3)**

SPECompG\_base2012 = 7.77

OMP2012 license:056A

Test sponsor: University of Delaware

Tested by: University of Delaware

Test date: Sep-2018

Hardware Availability: Jun-2018

Software Availability: Jun-2018

Base Threads Run: 44

Minimum Peak Threads: --

Maximum Peak Threads: --

## Results Table

Benchmark	Base						Peak							
	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
350.md	44	<b>438</b>	<b>10.6</b>	435	10.6	439	10.6							
351.bwaves	44	441	10.3	445	10.2	<b>443</b>	<b>10.2</b>							
352.nab	44	<b>528</b>	<b>7.36</b>	530	7.33	528	7.37							
357.bt331	44	452	10.5	<b>452</b>	<b>10.5</b>	451	10.5							
358.botsalgn	44	862	5.05	862	5.05	<b>862</b>	<b>5.05</b>							
359.botsspar	44	1003	5.23	<b>1004</b>	<b>5.23</b>	1004	5.23							
360.ilbdc	44	587	6.07	616	5.78	<b>593</b>	<b>6.00</b>							
362.fma3d	44	598	6.36	<b>585</b>	<b>6.49</b>	577	6.59							
363.swim	44	556	8.14	547	8.28	<b>549</b>	<b>8.25</b>							
367.imagick	44	<b>712</b>	<b>9.87</b>	712	9.87	712	9.88							
370.mgrid331	44	635	6.96	<b>632</b>	<b>6.99</b>	629	7.03							
371.applu331	44	775	7.81	796	7.61	<b>779</b>	<b>7.78</b>							
372.smithwa	44	<b>451</b>	<b>11.9</b>	449	11.9	452	11.9							
376.kdtree	44	694	6.48	<b>695</b>	<b>6.47</b>	696	6.46							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Platform Notes

Sysinfo program /home/huberth/SPEC\_OMP2012v1.1/Docs/sysinfo  
Revision 563 of 2016-06-10 (097295389cf6073d8c3b03fa376740a5)  
running on r01c2b04 Thu Jul 5 12:31:11 2018

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/omp2012/Docs/config.html#sysinfo>

From /proc/cpuinfo

```
model name : Intel(R) Xeon(R) CPU E5-2680 v3 @ 2.50GHz
2 "physical id"s (chips)
48 "processors"
```

cores, siblings (Caution: counting these is hw and system dependent. The following excerpts from /proc/cpuinfo might not be reliable. Use with caution.)

```
cpu cores : 12
siblings : 24
physical 0: cores 0 1 2 3 4 5 8 9 10 11 12 13
physical 1: cores 0 1 2 3 4 5 8 9 10 11 12 13
cache size : 30720 KB
```

Continued on next page



# SPEC OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

**Dell**

(Test Sponsor: University of Delaware)

SPECompG\_peak2012 = Not Run

**Dell M630 Blade (Intel Xeon E5-2680 v3)**

SPECompG\_base2012 = 7.77

OMP2012 license:056A

Test sponsor: University of Delaware

Tested by: University of Delaware

Test date: Sep-2018

Hardware Availability: Jun-2018

Software Availability: Jun-2018

## Platform Notes (Continued)

From /proc/meminfo

MemTotal: 131612412 kB

HugePages\_Total: 0

Hugepagesize: 2048 kB

/usr/bin/lsb\_release -d

CentOS Linux release 7.5.1804 (Core)

From /etc/\*release\* /etc/\*version\*

centos-release: CentOS Linux release 7.5.1804 (Core)

centos-release-upstream: Derived from Red Hat Enterprise Linux 7.5 (Source)

os-release:

NAME="CentOS Linux"

VERSION="7 (Core)"

ID="centos"

ID\_LIKE="rhel fedora"

VERSION\_ID="7"

PRETTY\_NAME="CentOS Linux 7 (Core)"

ANSI\_COLOR="0;31"

CPE\_NAME="cpe:/o:centos:centos:7"

redhat-release: CentOS Linux release 7.5.1804 (Core)

system-release: CentOS Linux release 7.5.1804 (Core)

system-release-cpe: cpe:/o:centos:centos:7

uname -a:

Linux r01c2b04 3.10.0-862.3.3.el7.x86\_64 #1 SMP Fri Jun 15 04:15:27 UTC 2018  
x86\_64 x86\_64 x86\_64 GNU/Linux

run-level 3 Jul 5 11:28

SPEC is set to: /home/huberth/SPEC\_OMP2012v1.1

Filesystem	Type	Size	Used	Avail	Use%	Mounted on
/dev/mapper/centos_r01c2b04-root	xf	926G	43G	884G	5%	/

Additional information from dmidecode:

Warning: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)

## General Notes

Environment Variables:

KMP\_STACKSIZE=1G

ulimit -s unlimited

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5754 (Meltdown)

Continued on next page

Standard Performance Evaluation Corporation

info@spec.org

http://www.spec.org/

Page 3



# SPEC OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

## Dell

(Test Sponsor: University of Delaware)

SPECompG\_peak2012 = Not Run

Dell M630 Blade (Intel Xeon E5-2680 v3)

SPECompG\_base2012 = 7.77

OMP2012 license:056A

Test sponsor: University of Delaware

Tested by: University of Delaware

Test date: Sep-2018

Hardware Availability: Jun-2018

Software Availability: Jun-2018

## General Notes (Continued)

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5753 (Spectre variant 1)  
Yes: The test sponsor attests, as of date of publication, that CVE-2017-5715 (Spectre variant 2)

## Base Compiler Invocation

C benchmarks:

icc

C++ benchmarks:

icpc

Fortran benchmarks:

ifort

## Base Portability Flags

350.md: -free  
357.bt331: -mmodel=medium  
363.swim: -mmodel=medium  
367.imagick: -std=c99

## Base Optimization Flags

C benchmarks:

-ansi-alias -qopenmp -ipo -O3 -no-prec-div -no-prec-sqrt  
-fp-model fast=2 -xHost

C++ benchmarks:

-ansi-alias -qopenmp -ipo -O3 -no-prec-div -no-prec-sqrt  
-fp-model fast=2 -xHost

Fortran benchmarks:

-qopenmp -ipo -O3 -no-prec-div -no-prec-sqrt -fp-model fast=2  
-xHost

The flags file that was used to format this result can be browsed at

<http://www.spec.org/omp2012/flags/Intel-ic17-linux64.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/omp2012/flags/Intel-ic17-linux64.xml>



# SPEC OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

**Dell**

(Test Sponsor: University of Delaware)

SPECompG\_peak2012 = Not Run

**Dell M630 Blade (Intel Xeon E5-2680 v3)**

SPECompG\_base2012 = 7.77

**OMP2012 license:**056A

**Test sponsor:** University of Delaware

**Tested by:** University of Delaware

**Test date:** Sep-2018

**Hardware Availability:** Jun-2018

**Software Availability:** Jun-2018

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC OMP2012 v1.1.  
Report generated on Wed Dec 19 12:52:22 2018 by SPEC OMP2012 PS/PDF formatter v541.  
Originally published on 19 December 2018.