



SPEC® OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

Hewlett Packard Enterprise

(Test Sponsor: Indiana University)

Apollo 70

(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

SPECompG_peak2012 = Not Run

SPECompG_base2012 = 10.0

OMP2012 license:3440A


Test date: Jul-2019

Test sponsor: Indiana University

Hardware Availability: Jun-2019

Tested by: Indiana University

Software Availability: Jun-2019



Hardware

CPU Name: Cavium ThunderX2 CN9980 v2.1
CPU Characteristics: 4-way SMT on, Turbo on
CPU MHz: 2200
CPU MHz Maximum: 2500
FPU: Integrated
CPU(s) enabled: 64 cores, 2 chips, 32 cores/chip, 4 threads/core
CPU(s) orderable: 1-2 chips
Primary Cache: 32 KB I + 32 KB D on chip per core
Secondary Cache: 256 KB I+D on chip per core
L3 Cache: 32 MB I+D on chip per core
Other Cache: None
Memory: 128 GB (8 x 16 GB 2Rx8 PC4-2666V-RE2-12)
Disk Subsystem: 1x(HPE VK000960GWSRT 960GB) SSD
Other Hardware: None
Base Threads Run: 256
Minimum Peak Threads: --

Software

Operating System: CentOS Linux release 7.6.1810 (AltArch) 4.14.0-115.8.1.el7a.aarch64
Compiler: C/C++/Fortran: Version 19.2 of ARM Compiler Build 155 (based on LLVM 7.1.0)
Auto Parallel: No
File System: XFS
System State: Run level 3 (multi-user)
Base Pointers: 64-bit
Peak Pointers: Not Applicable
Other Software: None

Continued on next page



SPEC OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

Hewlett Packard Enterprise

(Test Sponsor: Indiana University)

Apollo 70

(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

SPECompG_peak2012 = Not Run

SPECompG_base2012 = 10.0

OMP2012 license:3440A

Test date: Jul-2019

Test sponsor: Indiana University

Hardware Availability: Jun-2019

Tested by: Indiana University

Software Availability: Jun-2019

Maximum Peak Threads: --

Results Table

Benchmark	Base								Peak							
	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
350.md	256	198	23.4	<u>200</u>	<u>23.2</u>	200	23.2									
351.bwaves	256	500	9.06	615	7.37	<u>509</u>	<u>8.90</u>									
352.nab	256	378	10.3	377	10.3	<u>377</u>	<u>10.3</u>									
357.bt331	256	635	7.47	558	8.50	<u>583</u>	<u>8.13</u>									
358.botsalgn	256	285	15.2	<u>287</u>	<u>15.1</u>	289	15.1									
359.botsspar	256	705	7.45	<u>715</u>	<u>7.34</u>	723	7.27									
360.ilbdc	256	438	8.12	<u>423</u>	<u>8.42</u>	422	8.43									
362.fma3d	256	425	8.94	463	8.21	<u>460</u>	<u>8.27</u>									
363.swim	256	<u>688</u>	<u>6.58</u>	789	5.74	680	6.66									
367.imagick	256	<u>775</u>	<u>9.07</u>	785	8.95	774	9.08									
370.mgrid331	256	672	6.58	773	5.72	<u>750</u>	<u>5.89</u>									
371.applu331	256	456	13.3	<u>459</u>	<u>13.2</u>	476	12.7									
372.smithwa	256	<u>490</u>	<u>10.9</u>	489	11.0	491	10.9									
376.kdtree	256	<u>288</u>	<u>15.6</u>	298	15.1	283	15.9									

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Platform Notes

```
Sysinfo program /home/lijunj/spec/omp2012-1.1/Docs/sysinfo
Revision 563 of 2016-06-10 (097295389cf6073d8c3b03fa376740a5)
running on armstrong.sca.iu.edu Wed Jul 17 02:50:43 2019
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/omp2012/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
*
* Did not identify cpu model. If you would
* like to write your own sysinfo program, see
* www.spec.org/omp2012/config.html#sysinfo
*
*
* 0 "physical id" tags found. Perhaps this is an older system,
* or a virtualized system. Not attempting to guess how to
* count chips/cores for this system.
*
256 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
```

Continued on next page



SPEC OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

Hewlett Packard Enterprise

(Test Sponsor: Indiana University)

Apollo 70

(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

SPECompG_peak2012 = Not Run

SPECompG_base2012 = 10.0

OMP2012 license:3440A

Test sponsor: Indiana University

Tested by: Indiana University

Test date: Jul-2019

Hardware Availability: Jun-2019

Software Availability: Jun-2019

Platform Notes (Continued)

```
From /proc/meminfo
MemTotal:       133322880 kB
HugePages_Total:        0
Hugepagesize:     524288 kB
```

```
From /etc/*release* /etc/*version*
centos-release: CentOS Linux release 7.6.1810 (AltArch)
centos-release-upstream: Derived from Red Hat Enterprise Linux 7.6 (Source)
os-release:
  NAME="CentOS Linux"
  VERSION="7 (AltArch)"
  ID="centos"
  ID_LIKE="rhel fedora"
  VERSION_ID="7"
  PRETTY_NAME="CentOS Linux 7 (AltArch)"
  ANSI_COLOR="0;31"
  CPE_NAME="cpe:/o:centos:centos:7"
redhat-release: CentOS Linux release 7.6.1810 (AltArch)
system-release: CentOS Linux release 7.6.1810 (AltArch)
system-release-cpe: cpe:/o:centos:centos:7
```

```
uname -a:
Linux armstrong.sca.iu.edu 4.14.0-115.8.1.el7a.aarch64 #1 SMP Wed Jun 5
15:01:21 UTC 2019 aarch64 aarch64 aarch64 GNU/Linux
```

run-level 3 Jul 2 15:36

```
SPEC is set to: /home/lijunj/spec/omp2012-1.1
Filesystem           Type  Size  Used Avail Use% Mounted on
/dev/mapper/centos-root xfs   256G   76G  181G  30% /
Additional information from dmidecode:
```

Warning: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)

General Notes

Environment Variables:

```
OMP_STACKSIZE=2G
ulimit -s unlimited
```

BIOS Info:

```
Version: L50_5.13_1.0.6
Release Date: 07/10/2018
```

Continued on next page



SPEC OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

Hewlett Packard Enterprise

(Test Sponsor: Indiana University)

Apollo 70

(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

SPECompG_peak2012 = Not Run

SPECompG_base2012 = 10.0

OMP2012 license:3440A

Test sponsor: Indiana University

Tested by: Indiana University

Test date: Jul-2019

Hardware Availability: Jun-2019

Software Availability: Jun-2019

General Notes (Continued)

BIOS Settings:

Turbo/CPMC Mode: Autonomous Turbo

Spectre & Meltdown:

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5754 (Meltdown) is mitigated in the system as tested and documented.

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5753 (Spectre variant 1) is mitigated in the system as tested and documented.

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5715 (Spectre variant 2) is mitigated in the system as tested and documented.

Base Compiler Invocation

C benchmarks:

armclang

C++ benchmarks:

armclang++

Fortran benchmarks:

armflang

Base Portability Flags

350.md: -Mfreeform

357.bt331: -mcmodel=large

363.swim: -mcmodel=large

Base Optimization Flags

C benchmarks:

-O3 -ffast-math -fopenmp -fsigned-char -mcpu=native

C++ benchmarks:

-O3 -ffast-math -fopenmp -mcpu=native

Fortran benchmarks:

-O3 -ffast-math -fopenmp -mcpu=native

The flags files that were used to format this result can be browsed at

http://www.spec.org/omp2012/flags/hpe_apollo70_bios.html

http://www.spec.org/omp2012/flags/arm_compiler.html



SPEC OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

Hewlett Packard Enterprise

(Test Sponsor: Indiana University)

Apollo 70

(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

SPECompG_peak2012 = Not Run

SPECompG_base2012 = 10.0

OMP2012 license:3440A

Test sponsor: Indiana University

Tested by: Indiana University

Test date: Jul-2019

Hardware Availability: Jun-2019

Software Availability: Jun-2019

You can also download the XML flags sources by saving the following links:

http://www.spec.org/omp2012/flags/hpe_apollo70_bios.xml

http://www.spec.org/omp2012/flags/arm_compiler.xml

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.

For other inquiries, please contact webmaster@spec.org.

Tested with SPEC OMP2012 v1.1.

Report generated on Wed Sep 4 19:07:11 2019 by SPEC OMP2012 PS/PDF formatter v541.

Originally published on 4 September 2019.