



SPEC® OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

Dell

(Test Sponsor: University of Delaware)

SPECompG_peak2012 = Not Run

Dell M630 Blade (Intel Xeon E5-2680 v3)

SPECompG_base2012 = 7.35

OMP2012 license:056A


Test sponsor: University of Delaware

Tested by: University of Delaware

Test date: Sep-2018

Hardware Availability: Jun-2018

Software Availability: Jun-2018



Hardware

CPU Name: Dual Intel Xeon E5-2680 v3
CPU Characteristics: Intel Turbo Boost Technology off, Hyper-Threading on
CPU MHz: 2500
CPU MHz Maximum: 3300
FPU: Integrated
CPU(s) enabled: 24 cores, 2 chips, 12 cores/chip, 2 threads/core
CPU(s) orderable: 1-2 chips
Primary Cache: 32 KB I + 32 KB D on chip per core
Secondary Cache: 256 KB I+D on chip per core
L3 Cache: 30 MB I+D on chip per chip
Other Cache: None
Memory: 128 GB (16 x 8 GB 2Rx4 PC4-2133P-R)
Disk Subsystem: 400GB (SATA Mix Use MLC 6Gbps 2.5in Hot-plug Drive, 13G (400-AEIX) dual SSDs, RAID-1)
Other Hardware: None

Software

Operating System: CentOS Linux release 7.5.1804 (Core) 3.10.0-862.11.6.el7.x86_64
Compiler: C/C++/Fortran: Version 18.0.3.222 of Intel Parallel Studio XE for Linux Build 20180410
Auto Parallel: No
File System: XFS
System State: Run level 3 (multi-user)
Base Pointers: 64-bit
Peak Pointers: Not Applicable
Other Software: None

Continued on next page



SPEC OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

Dell

(Test Sponsor: University of Delaware)

SPECompG_peak2012 = Not Run

Dell M630 Blade (Intel Xeon E5-2680 v3)

SPECompG_base2012 = 7.35

OMP2012 license:056A

Test date: Sep-2018

Test sponsor: University of Delaware

Hardware Availability: Jun-2018

Tested by: University of Delaware

Software Availability: Jun-2018

Base Threads Run: 44

Minimum Peak Threads: --

Maximum Peak Threads: --

Results Table

Benchmark	Base								Peak							
	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
350.md	44	444	10.4	437	10.6	439	10.5									
351.bwaves	44	469	9.67	468	9.67	469	9.67									
352.nab	44	558	6.98	560	6.95	559	6.96									
357.bt331	44	477	9.93	477	9.93	477	9.93									
358.botsalgn	44	914	4.76	914	4.76	914	4.76									
359.botsspar	44	1077	4.87	1080	4.86	1085	4.84									
360.ilbdc	44	598	5.95	598	5.95	598	5.95									
362.fma3d	44	604	6.29	600	6.33	601	6.32									
363.swim	44	588	7.71	588	7.70	590	7.67									
367.imagick	44	768	9.15	766	9.18	766	9.17									
370.mgrid331	44	671	6.59	673	6.57	674	6.56									
371.applu331	44	728	8.32	739	8.20	725	8.36									
372.smithwa	44	563	9.53	566	9.46	561	9.56									
376.kdtree	44	756	5.95	756	5.95	758	5.94									

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Platform Notes

Sysinfo program /home/huberth/SPEC_OMP2012v1.1/Docs/sysinfo
 Revision 563 of 2016-06-10 (097295389cf6073d8c3b03fa376740a5)
 running on r01c2b04 Thu Sep 13 19:18:58 2018

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:

<http://www.spec.org/omp2012/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
model name : Intel(R) Xeon(R) CPU E5-2680 v3 @ 2.50GHz
  2 "physical id"s (chips)
  48 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
  cpu cores : 12
  siblings : 24
  physical 0: cores 0 1 2 3 4 5 8 9 10 11 12 13
  physical 1: cores 0 1 2 3 4 5 8 9 10 11 12 13
cache size : 30720 KB
```

Continued on next page



SPEC OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

Dell

(Test Sponsor: University of Delaware)

SPECompG_peak2012 = Not Run

Dell M630 Blade (Intel Xeon E5-2680 v3)

SPECompG_base2012 = 7.35

OMP2012 license:056A

Test date: Sep-2018

Test sponsor: University of Delaware

Hardware Availability: Jun-2018

Tested by: University of Delaware

Software Availability: Jun-2018

Platform Notes (Continued)

From /proc/meminfo

```
MemTotal:      131612388 kB
HugePages_Total:       0
Hugepagesize:     2048 kB
```

/usr/bin/lsb_release -d

```
CentOS Linux release 7.5.1804 (Core)
```

From /etc/*release* /etc/*version*

```
centos-release: CentOS Linux release 7.5.1804 (Core)
```

```
centos-release-upstream: Derived from Red Hat Enterprise Linux 7.5 (Source)
```

```
os-release:
```

```
  NAME="CentOS Linux"
```

```
  VERSION="7 (Core)"
```

```
  ID="centos"
```

```
  ID_LIKE="rhel fedora"
```

```
  VERSION_ID="7"
```

```
  PRETTY_NAME="CentOS Linux 7 (Core)"
```

```
  ANSI_COLOR="0;31"
```

```
  CPE_NAME="cpe:/o:centos:centos:7"
```

```
redhat-release: CentOS Linux release 7.5.1804 (Core)
```

```
system-release: CentOS Linux release 7.5.1804 (Core)
```

```
system-release-cpe: cpe:/o:centos:centos:7
```

uname -a:

```
Linux r01c2b04 3.10.0-862.11.6.el7.x86_64 #1 SMP Tue Aug 14 21:49:04 UTC 2018
x86_64 x86_64 x86_64 GNU/Linux
```

run-level 3 Sep 13 18:53

SPEC is set to: /home/huberth/SPEC_OMP2012v1.1

Filesystem	Type	Size	Used	Avail	Use%	Mounted on
------------	------	------	------	-------	------	------------

/dev/mapper/centos_r01c2b04-root	xfs	926G	43G	884G	5%	/
----------------------------------	-----	------	-----	------	----	---

Additional information from dmidecode:

Warning: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)

General Notes

Environment Variables:

```
KMP_STACKSIZE=1G
```

```
ulimit -s unlimited
```

```
KMP_AFFINITY=compact
```

Continued on next page



SPEC OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

Dell

(Test Sponsor: University of Delaware)

SPECompG_peak2012 = Not Run

Dell M630 Blade (Intel Xeon E5-2680 v3)

SPECompG_base2012 = 7.35

OMP2012 license:056A

Test date: Sep-2018

Test sponsor: University of Delaware

Hardware Availability: Jun-2018

Tested by: University of Delaware

Software Availability: Jun-2018

General Notes (Continued)

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5754 (Meltdown)

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5753 (Spectre variant 1)

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5715 (Spectre variant 2)

Base Compiler Invocation

C benchmarks:
icc

C++ benchmarks:
icpc

Fortran benchmarks:
ifort

Base Portability Flags

350.md: -free
357.bt331: -mcmodel=medium
363.swim: -mcmodel=medium
367.imagick: -std=c99

Base Optimization Flags

C benchmarks:
-ansi-alias -qopenmp -ipo -O3 -no-prec-div -no-prec-sqrt
-fp-model fast=2 -xHost

C++ benchmarks:
-ansi-alias -qopenmp -ipo -O3 -no-prec-div -no-prec-sqrt
-fp-model fast=2 -xHost

Fortran benchmarks:
-qopenmp -ipo -O3 -no-prec-div -no-prec-sqrt -fp-model fast=2
-xHost

The flags file that was used to format this result can be browsed at

<http://www.spec.org/omp2012/flags/Intel-ic17-linux64.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/omp2012/flags/Intel-ic17-linux64.xml>



SPEC OMPG2012 Result

Copyright 2012-2018 Standard Performance Evaluation Corporation

Dell

(Test Sponsor: University of Delaware)

Dell M630 Blade (Intel Xeon E5-2680 v3)

SPECompG_peak2012 = Not Run

SPECompG_base2012 = 7.35

OMP2012 license:056A

Test sponsor: University of Delaware

Tested by: University of Delaware

Test date: Sep-2018

Hardware Availability: Jun-2018

Software Availability: Jun-2018

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC OMP2012 v1.1.

Report generated on Wed Dec 19 12:51:59 2018 by SPEC OMP2012 PS/PDF formatter v541.
Originally published on 19 December 2018.