## SPEC SERT 2 Suite Platform Acceptance Certificate



ISO / IEC 21836:2020 Ver. FDIS 0.96

Client Configuration Reference: Intel\_Lin\_HS18\_2

Platform Intel Xeon Scalable Processors Gen 3 -- Redhat Enterprise Linux Server 7.6 -- OpenJDK 11.0.7

Platform Owner Michael Rylee -- Intel

Acceptance Scope CPU Model

Processor (s) Xeon Gold 5318H

OS Redhat Enterprise Linux Server 7.6

JVM OpenJDK 11.0.7

Memory Memory Size: 192GB

DIMMs per Channel: 2, DIMMs per Socket: 6

Cooper Lake Reference Platform -- Minimum supported Memory size: 8 GB Cooper Lake Reference Platform -- Maximum supported Memory Size: 32 GB

Storage HDD Quantity: 0, NVMe Quantity: 0, SSD Quantity: 2

SERTv2 SERT-2.0.3

 $\textbf{Reference (s)} \ \text{https://ark.intel.com/content/www/us/en/ark/products/204086/intel-xeon-gold-5318h-processor-24-75m-cache-2-50-ghz.html}$ 

NOTE: The data behind this Platform Acceptance is available upon request -- e-mail sertsupport@spec.org

ISO / IEC 21836 Requirement	System: Configuration Summary	Pass / Fail
9.3.4.4.2.2, Validity & Variance	Cooper Lake Reference Platform: Xeon Gold 5318H 192GB @ 2.9GT/s Intel SSD 960GB, Intel SSD 960GB	Pass

Copyright © 2006-2020 Standard Performance Evaluation Corporation (SPEC). All rights reserved, see http://www.spec.org
SPEC, the SPEC logo, and the names PTDaemon, SPECpower are registered trademarks of SPEC and SERT is a trademark of SPEC.
Additional product and service names mentioned herein may be the trademarks of their respective owners.