


# SPEC SERT 2 Suite Platform Acceptance Certificate



ISO / IEC 21836:2020 Ver. FDIS 0.96

Client Configuration Reference: Intel\_Win\_HS18\_5

2020-08-12

**Platform** 4th Generation Intel® Core™ i5-4XXX Processors -- Windows Server 2012 R2 -- Java HS 1.8.0\_211

**Platform Owner** Michael Rylee -- Intel

**Acceptance Scope** CPU Model

**Processor (s)** Core i5-4570TE

**OS** Windows Server 2012 R2

**JVM** Java HS 1.8.0\_211

**Memory** Memory Size: 16GB

DIMMs per Channel: 1, DIMMs per Socket: 2

NEC FC-E27B -- Minimum supported Memory size: 4 GB

NEC FC-E27B -- Maximum supported Memory Size: 16 GB

**Storage** HDD Quantity: 2, NVMe Quantity: 0, SSD Quantity: 0

**SERTv2** SERT-2.0.3

**Reference (s)** <https://ark.intel.com/content/www/us/en/ark/products/75468/intel-core-i5-4570te-processor-4m-cache-up-to-3-30-ghz.html>

NOTE: The data behind this Platform Acceptance is available upon request -- e-mail [sertsupport@spec.org](mailto:sertsupport@spec.org)

ISO / IEC 21836 Requirement	System: Configuration Summary	Pass / Fail
9.3.4.4.2.2, Validity & Variance	NEC FC-E27B: Core i5-4570TE -- 16GB @ 1.6GT/s -- WDC 465GB, WDC 465GB	Pass

Copyright © 2006-2020 Standard Performance Evaluation Corporation (SPEC). All rights reserved, see <http://www.spec.org>  
SPEC, the SPEC logo, and the names PTDaemon, SPECpower are registered trademarks of SPEC and SERT is a trademark of SPEC.  
Additional product and service names mentioned herein may be the trademarks of their respective owners.